


Large Diaphragm Microphones

AKG C414 XLS

Accurate, beautifully detailed pickup of any acoustic instrument. Nine pickup patterns. Controls can be disabled for trouble-free use in live-sound applications and permanent installations. Three switchable different bass cut filters and three pre-attenuation levels. Peak Hold LED displays even shortest overload peaks. Dynamic range of 152 dB. Includes case, pop filter, windscreen, and shockmount.





Cost-effective alternative to the dual-diaphragm C414, delivers the pristine sound reproduction of the classic condenser mic, in a single-pattern cardioid design. Features low-cut filter switch, 20dB pad switch and dynamic range of 152 dB. Includes case, pop filter, windscreen, and shockmount.

| #AKC214 | 399.00 | |
|---------------------------------|--------|--|
| #AKC214MP (Matched Stereo Pair) | 899.00 | |



AKG[®] C414 XLII

Unrivaled up-front sound is well-known for classic music recording or drum ambience miking. Nine pickup patterns enable the perfect setting for every application. Three switchable bass cut filters and three pre-attenuation levels. All controls can be easily disabled, Dynamic range of 152 dB. Includes case, pop filter, windscreen, and shockmount.

| #AKC414XLII | | 999.00 |
|---------------|----------------------|------------------|
| #AKC414XLIIST | (Matched Stereo Pair |) 2199.00 |



AKG Perception Series

True condenser mics, they deliver clear sound with accurate sonic detail. Switchable 20dB and switchable bass cut filter. 135dB SPL handling. 220 and 420

| include spider-type shock mount and metal c | ast. |
|---|---------|
| Perception 120, 2/3" (AKP120) | . 99.00 |
| Perception 220, 1" (AKP220) | 179.00 |
| Perception 420, 1" and selectable cardioid, | |
| omni or figure-8 polar patterns. (AKP420) | 249.00 |
| Perception 820 9 patterns (AKP820) | 699.00 |
| | |



AKG C2000B

High quality recording mic with elegantly styled die-cast metal housing and silver-gray finish, the C2000B has an almost ruler-flat response that provides a crystal-clear, "up-front" sound.

- · Switchable bass roll-off filter and 10dB pad
- Built-in pop screen reduces unwanted noise
- 140dB SPL handling capability
- 30Hz to 20kHz frequency response #AKC2000B199.00





AKG C3000

Cost effective studio condenser mic, the C3000 is an ideal choice for both vocals and instruments with its wide frequency response, cardioid polar pattern and high SPL capability. -10dB pad switch maximizes headroom, and a 500Hz low frequency roll off switch minimizes low-frequency noise, proximity effect noise and more. Includes metal case and a shock mount.







audio technica. AT2020

Effectively isolates source signals while providing a fast transient response and high 144dB SPL handling capabilities. Low-mass diaphragm provides wide dynamic response for multiple recording applications. Open, acoustic design reduces resonance and handling noise. Includes pivoting stand mount and soft case.





audio-technica. AT2035

This condenser mic produces a smooth vet natural audio quality with low noise. Cardioid pattern for minimal feedback and off-axis noise. 80Hz high-pass filter switch eliminates low frequency hum; 10dB pad provides more headroom when capturing transient signals. Includes shockmount and case.

#AUAT2035 Call or Log On



audio⋅technica AT2041SP

Mic package configured to suit any recording budget. It includes the AT2020 side address large diaphragm condenser for vocal capturing, and the AT2021 small diaphragm condenser mic to capture astruments in rich detail and minimal noise.

#AUAT2041SP.....Call or Log On





audio-technica AT2050

Multi-pattern (cardioid, omnidirectional, figure-8) condenser mic. Produces a smooth yet natural audio quality with low noise. 80Hz high-pass filter switch eliminates low frequency hum and a -10dB pad switch provides more headroom when capturing transient signals that may otherwise cause peak distortion. Includes shockmount and case.





audio technica. AT4033/CL

High audio signal reproduction with low self-noise for a strong, up-front audio signal. Output stage with transformerless circuitry eliminates low-frequency distortion and maintains the integrity of transient audio signal. 10dB pad and 80Hz high-pass filter. ncludes shockmount, dust cover and case.

#AUAT4033CL......**399.00**

Avantone Pro CK-40 Multi-Pattern FET Mic (AVCK40)...... 599.00





audio technica AT4040

Provides the transient response and high level handling capabilities for all-around source-capturing. Delivers full, detailed sound with enhanced presence for additional "sparkle" and "sheen". 80Hz high-pass filter and 10dB pad. Handles up to 155dB SPL. Includes shockmount, dust cover and protective case.

#AUAT4040 Audix SCX-25 Studio Mic (AUSCX25A) 649.00





audio technica AT4050

Multi-pattern (cardioid, omni, figure-8) condenser mic. Transformerless design and "extended life" dual-diaphragm capsule produces a warm detailed response with virtually no low-end distortion.

- Transparent upper and mid-range frequencies
- · Switchable high-pass filter with 10dB pad
- 149dB SPL 20Hz-18kHz frequency response





M-Three

Designed for vocal and instrument capturing, has omni, cardioid and figure-8 patterns, and FET output stage. Features wide frequency response, two position Pad (-6dB, -12dB) and two position low cut roll-off switch. Includes shockmount and aluminum carrying case.

M-Two Cardioid Large Diaphragm (ARM2)..... 149.00





B-1 • B-2 Pro

behringer Cardioid capsule delivers a transparent 20Hz to 20kHz frequency response while handling up to SPL 138dB (148dB with pad). Low-frequency roll-off switch. Otherwise the same, B-2 Pro features switchable cardioid, omni and figure-8 patterns. Both include shockmount, windscreen and case

#BEB1Call or Log On

#BEB2PRO......Call or Log On



C-1 • C-3

The C-1 is a low-noise condenser mic featuring a cardioid pattern.

LED indicates phantom power operation. The C-3 has a shock-mounted dual diaphragm that allows cardioid or figure-8 style capturing. LED indicates phantom power. Includes swivel mount and case.

| #BEC1 (C-1)Call | or | Log | 01 |
|-----------------|----|-----|----|
| #BEC3 (C-3)Call | or | Log | 01 |





BlueBird

Class-A discrete circuitry delivers excellent audio quality on a wide variety of sound sources. Brings out clarity and detail on vocals, guitars, drums, piano, horns, strings, etc. Includes BirdCage shock mount and BirdNest pop filter. #BLBBMQ Call or Log On

Baby Bottle Studio Mic (BLBBMSP) 399.99





Reactor

Unique mic designed to facilitate placement for stereo configurations, and challenging positioning. Capsule rotates up to 90°, and features selectable cardioid, omnidirectional and figure 8 polar patterns. The design allows for flexible placement in Mid-Side (M/S) and X/Y configurations.

#BLREACTORCall or Log On



Large Diaphragm Microphones

800-947-1181 | 212-444-6681



Spark

Solid-state cardioid condenser mic for project studio recording of vocals and general instruments. Two different modes: Normal (out position) provides increased low frequency sensitivity for recordings with great impact and definition. Focus mode features even greater clarity and detail. Comes with pop-filter and shockmount and stylish wood case for transport.



GXL-2200 Studio Pack

Convenient solution for project studio recording. Includes GXL-2200 cardioid condenser mic, GXL-1200 small diaphragm cardioid condenser mic and EPF-15A pop filter.

#CAGXL2200SP......Call or Log On In Black Pearl Finish (CAGXL2200BPS).... 179.95

M179 Side Address, Variable Pattern (CAM179) Call or Log On







Equitek E100S

1" nickel plated capsule provides a full, rich tone with an extended low frequency response. The mic features a supercardioid pickup pattern, 80Hz high pass filter and a -10dB pad. Runs on 48v phantom power, and includes a shock mount and vintage cherry woodgrain case.

#CAE100S...... Call or Log On





Dual 1" capsule yields switchable cardioid, omnid and figure-8 polar patterns, making it a workhorse for any recording scenario. There is a -10dB pad switch and a switchable high-pass filter. Come in a wood box, enclosed in an aluminum road case with a swivel mount and shockmount. (MIC7).....899.00 CV4: Multi-pattern (nine selectable patterns) Tube





MA-201fet

Jensen audio transformer and military-grade FET

provide a warm, full tone. Hand-selected 3-micron 1" gold sputtered cardioid capsule provides excellent rejection of off-axis sounds for clean, clear sound with low noise and high SPL handling capability. Includes elastic shock mount and flight case.







Two selectable 1" diaphragms. Front side has a warm, lush sound, the back side simulates some of the brighter more airy sounding vintage capsules of the 1960's. Gold-plated grille. Selectable pad and roll-off filter. Includes mic clip and wooden storage case. 30Hz-20kHz frequency response and 140dB SPL handling capability.

#MXV67I......119.00



V67G

Designed mainly for vocals, combines Class A FET circuitry and a transformer/coupled output for an open and pure sound. Gold-sputtered, 6 micron diaphragm and solid state preamp. Delivers killer vocals even in front of a busy mix. Gold-plated round grill and distinctive, vintage body. Comes with mic stand adapter and 3-year warranty.

#MXV67G 93.50



V88 Cardioid Mic: includes an aluminum case

MCA SP1 Cardioid Mic: metal body, high SPL

770 Cardioid Mic FET output electronics ensure low noise and high output gain. (MX770) 71.96





TLM102 • TLM103

The TLM102 features an internally shock-mounted cardioid capsule that prevents unwanted noise from vibrations. Handles extremely high 144dB SPL levels. The mic has a linear response, with a slight boost in the 6kHz range to provide excellent vocal presence.

The TLM103 features a flat frequency response resulting in accurate sound reproduction. Internal shock mount reduces handling noise. Includes swivel mount and Wooden Jeweler's Box.

| TLM102 in Matte Black (NETLM102MB) | . 699.95 |
|------------------------------------|----------|
| TLM103 (NETLM103) | 1099.95 |
| U87 Ai in Nickel finish (NEU87AI) | 3199.95 |

TLM102 in Nickel (NETLM102N)...... TLM103A Anniversary Model (NETLM103A)1299.95 U87 Ai with EA 87 Elastic Shock Mount (NEU87AISZ)3199.95



RØDE

Complete solution featuring the NT1-A side-address condenser mic. Intended for general instrument and vocal recording, provides a wide frequency response and high S/N ratio. Includes studio-grade shock mount with integrated pop filter, 20' premium cable, dust cover and bonus DVD. #RONT1ACRS......229.00



RØDE NT2A

Dual-diaphragm multi-pattern (cardioid, omni, figure-8) condenser mic with ultra-low noise performance. Fixed variable pad, pattern and filter adjustments for flexibility and control. Solid cast metal housing and high-strength steel mesh head. Internal capsule shock mounting. Includes shockmount, pop filter and 10-year warranty.



SAMSON CO1

Cost effective, features a rugged all metal housing and grille. Large 19mm diaphragm results in high sensitivity and flat 40Hz -18kHz frequency response. Hyper-cardioid pattern greatly reduces ambient noise. Gold-plated XLR for added sensitivity response and greater S/N ratio.

| #SAC015 | 9.99 |
|------------------------------------|------|
| #SAC01850 (with SR850 Headphones)9 | 9.99 |



sE2200a II

Large 1" gold sputtered diaphragm offers selectable omnidirectional, cardioid and figure 8 polar patterns to suite any recording scenario. The microphone features a rubber paint finish and ships with a shockmount and metal pop filter.

#SE2200All 399.00





MK4

1" true condenser capsule, optimized for project studio and home studio applications. Features 24-carat gold -plated diaphragm, internally shock-mounted capsule and full metal housing for low inherent self-noise and high maximum SPL. Frequency response is 20Hz - 20kHz. #SEMK4......299.95



SHURE KSM32SL

Class-A circuitry and extended "sweet spot" delivers a smooth, detailed response. Use for recording piano to percussion or violin to vocals. Built-in pop filter, switchable low-frequency filter, and 15dB pad. #SHKSM32SL......**549.00** #SHKSM44ASL (KSM44A Side-Address Mic).... 999.00 SM27 Cardioid Condenser Mic (SHSM27LC).. 299.00





Cardioid condenser with a 1" gold sputtered diaphragm. Great for miking amps with high SPLs, voice overs, and a variety music and broadcast recording applications. Selectable 75Hz & 150Hz filters, and selectable -10dB #STC1 (C1 Mic)229.00



Small Diaphragm Microphones

www.BandH.com

AKG C 1000 S

Can change between cardioid and hypercardioid when a more directional pickup is required. Attachable Presence Boost Adapter (PB1000) which creates an emphasis of the higher frequencies around 5 to 9 kHz by about 3 to 5 dB, improving transmission of sibilances. Powered by internal 9v battery or external phantom supply. Includes windscreen, stand adapter and Polar Pattern Converter.



349.00

AKG[®] Perception 170

- · Cardioid mic for capturing vocals, instruments and speaker cabinets in recording or live sound situations.
- 135dB SPL handling capability and 20Hz-20kHz frequency response. 20dB Pad switch maximizes headroom and minimizes distortion from transient (peak) audio. Includes stand adapter and 2-year warranty

#AKP170......99.00



audio-technica.

AT2021

Use for general instrument capturing, vocals, amplifier cabinets, and more. Cardioid pattern, high SPL handling and extended frequency response makes it versatile in the studio or stage.



audio-technica.

AT4022

Features a low-profile design, omnidirectional polar pattern, wide frequency response and high SPL capability. There is

also an 80Hz high-pass filter and a -10dB Pad switch. #AUAT4022



audio technica, AT4053B

Fast response to transients contributes to the open, transparent reproduction of the most difficult-to-capture instruments. Hypercardioid pattern reduces pickup of sounds from the sides and rear, improving isolation of the sound source. Transformerless circuitry eliminates low-frequency distortion. Switchable 80Hz high-pass filter and 10dB pad. Includes mic clip, windscreen and case.



audio-technica.

Pro 37

Cardioid condenser mic for capturing, guitars, overheads, piano, group vocals and X/Y style stereo capturing when used in tandem. The low profile of the Pro 37 enables flexible placement and positioning.





The C-2 is a stereo pair of condenser mics designed for capturing vocals or

instruments. Matched in frequency and sensitivity, the mics feature a wide frequency response, low-cut filter and 10dB pad switch. Includes custom mic stand adapters, windscreeens, stereo-bar, and case.

#BEC4 (C4 Stereo Pair)Call or Log On



B-5

Tue condenser mic with interbehringer changeable capsules that feature

cardioid and omni-directional polar patterns. Features a -10dB Pad switch and low frequency roll-off which suppresses low frequency hum rumble and wind noise.

#BEB5...... Call or Log On

604



Versatile dual capsule mic that provides omni or cardioid pick up at the flick of a switch. Features a two-position PAD switch for -10 and -20dB

attenuation and a flat frequency response for a rich. natural sound. A high-pass filter reduces low-frequency noise and hum. Ideal for both sound reinforcement and recording applications.

#CAE70Call or Log On



603S

Stereo Set

Pair of 603 wide-cardioid condenser mics for stereo recording of instruments such as percussion and piano. Internally wired with Mogami cable for a low noise floor and pristine fidelity throughout. Includes two shock mounts and deluxe case. #MX603P 126.77

Condenser Instrument Mic

Small-diaphragm condenser with interchangeable omni and cardioid capsules providing versatility in capturing instruments and vocals.

Features the dynamic range necessary for accurate instrument capturing, -10dB switchable pad and a low frequency roll-off switch.

#MX604......**80.95**

work. Battery status indicator. 140dB SPL handling and

#RONT3......Call or Log On

20Hz-20kHz frequency response. Includes a zipper



550/551

Condenser Mic Kit 550 large-diaphragm mic provides a high level of clarity, and is perfect for vocals; the 551 small-diaphragm mic ideal for a variety of acoustic and electric instruments. Internally wired with Mogami cable for low-noise floor and pristine fidelity throughout. #MX550551R......**80.99**

Nady CM 90 Cardioid Condenser Mic (NACM90)...... 35.69



RØDE

Low-noise, wide-response condenser mic features a heavy-duty metal body, low self-noise, battery status LED and a High Pass Filter. A three position Pad switch maximizes headroom up to -10dB and -20dB. Capable of either 24-48V phantom power or internal 9v alkaline battery.

#ROM3......149.00



SENNHEISER

pouch, windscreen and stand mount

MKH-50

Designed for spot capturing in recording and sound reinforcement. Offers exceptional attenuation at the lateral sections of the capsule, for a focused pick up without off-axis noise. Its wide frequency response and high sensitivity result in pristine audio fidelity, no matter the source. Also has low-frequency roll-off and pre-attenuation switches.

#SEMKH50......1199.95



RØDE

Cardioid condenser designed for general instrument recording and sound reinforcemen. Features 20Hz-20kHz frequency response and low-noise output circuitry. Use for drum over-head miking, stereo capturing of instruments, vocal capturing etc. 24v or 48v phantom powered. Includes windscreen, stand mount, custom carrying case #RONT5 (Stereo Matched Pair) 429.00



SCHOEPS (

CMC641SET

A favorite in film and music production for its pristine sound quality and flexibility. Featuring transformerless electronics, the CMC6 preamp can utilize 20 different capsules for a variety of production situations. Low noise floor and 40Hz-20kHz frequency response. Includes MK41 Supercardioid Capsule, stand clamp, popscreen. (SCCMC641S)......1918.00

Audix SCX1/HC Microphone (AUSCX1HC)......499.00 Neumann KM 184 MT (NEKM184MT)849.95



SMURE KSM137/SL

Cardioid condenser mic with a wide 20Hz-20kHz frequency response. Transformer-less, class-A output circuitry provides a noise free output while maintaining high gain levels. Has a 3-position low frequency roll-off switch and a 3-position Pad switch (OdB, 15dB and 25dB).

| (SM137/SL <i>(SHKSM137SL)</i> | 299.00 | |
|-------------------------------|--------|--|
| KSM141/SL (SHKSM141SL) | 399.00 | |



USB Microphones & Podcasting Solutions

800-947-1181 | 212-444-6681

AKG Perception 120 USB

Cardioid, large-diaphragm condenser mic with low-frequency roll-off switch and -20dB Pad. Includes a table-top tripod stand, USB cable and mic stand adapter. (AKP120USB)149.00



M-One/USB: Rugged USB studio cardioid mic with large gold-sputtered capsule and integrated headphone jack



audio technica. ATR2100-USB

Allows direct USB connection to a Mac or PC for use with any recording software. Also provides XLR output and cable. Plug into a preamp or mixer, for live performances, general PA applications, etc. Has a 1/8" (3.5mm) output for latency-free headphone monitoring.

ATR2500-USB (AUATR2500USB)..... Call or Log On



Offers two sonic signatures in



MiC

Record vocals and instruments with APOGEE confidence. Delivers fully digital

audio to Mac, iPhone & iPad. 1/8" headphone output with level control for monitoring. About the size of an iPhone its the perfect option for field and remote recording

Audix USB12 Desktop USB Recording Mic (AUUSB12)......149.00





△ audio technica AT2020USB

USB cardioid condenser mic ideal for podcasting. and other computer recording applications, 20Hz-16kHz linear frequency response enables the mic to accurately reproduce signals from any source. High SPL handling and wide dynamic range. Includes a pivoting stand mount, 10' USB cable and soft case.





Avid Vocal Studio

Combines a USB mic and Pro Tools SE software turning your computer into a recording studio. Large diaphragm captures the subtle nuances of vocal performances. Also use to record instruments and other audio sources. Included drivers allow for monitoring a performance in real-time.

87.19



C-1U

Affordable USB cardioid studio behringer mic for plug-and-play style recording with a laptop or

desktop computer. Record using your favorite software without any interfaces or preamplifiers. Well suited for capturing vocals and instruments in today's digital recording environments.

#BEC1UCall or Log On





one mic. Works with GarageBand and other applications. Headphone jack for zero-latency real-time monitoring. Onboard control for volume, gain and instant mute. LED meter for visual feedback. Includes Blue's Cloud Production Rundle



Snowflake

Compact and portable USB mic deal for travel. Offers professional-

quality results at an incredible price. The mic capsule folds into the compact case, which also stores the included USB cable. When unfolded, the case acts as a desktop stand or laptop clip.

39.95



Snowball

Two separate capsules offers a choice between cardioid and omni patterns. Delivers outstanding clarity and detail. 10dB pad switch for more headroom. Includes a desktop stand and a USB cable.

In Aluminum (BLSBBAL), Black (BLSBGB), Ice (BLSBI) or White (BLSBTW)......64.50





Tiki

Improves vocal clarity for

online communication and voice recognition software.

Brings your voice to the forefront using voice isolation and noise-cancelling technology. Eliminates computer fan noise by intelligently auto-muting. Recording mode optimized for podcasts and music recording.

#BLTIKIUSB 59.99



Four selectable patterns (stereo, cardioid mono, omni and Figure-8). Adjustable mic gain control and mute button, as well as a headphone amp with volume control for direct monitoring. Heavy metal construction with a desk stand and angle-adjustable head.

#BLYETIPRO (Yeti Pro USB & XLR) 213.88





Large diaphragm, USB-bus powered studio cardioid condenser mic. Features a warm, extended frequency response for smooth vocal and instrument reproduction. Low-frequency roll-off and 10dB Pad switch. Includes 10' USB cable. (CAU37)Call or Log On #CAU1 (Handheld USB Dynamic Mic)..... Call or Log On #CAU9 (U9 USB Omnidirectional Mic)......29.99





Featuring a stylish profile and equally attractive sound, Tempo is an ideal choice for recording vocals and podcasts to an iPad. Also features a headphone output for monitoring. Includes desktop tripod stand, USB cable and stand mount.

TempoKR in Black & Red (MXTEMPOKR)........ 57.99 TempoSK in Black & Silver (MXTEMPOSK)...... 57.99

Studio 1 Red Dot USB Recording Mic Kit (MXSTU1REDDOT) .. 81.50



USB-24M

Quality handheld cardioid dynamic mic with a USB connection. Perfect for

recording vocal tracks or voice-overs on your computer or for online communication, it features clear, crisp sound with smooth response. Has a heavy gauge mesh grill and durable construction, and an on/off switch for added control.

#NALISR24M





25.78

RØDE **Podcaster**

Tailored-for-voice frequency response delivers rich, full results. Status LED lets you know that your mic is online. Onboard headphone output jack with volume control. Tight cardioid pattern for superior off-axis rejection. Powered from the USB port.



SAMSON Go Mic

Compact, plug-and-play mic with USB output and 1/8" headphone jack. Features cardioid and omnidirectional patterns, wide frequency response and 44.1kHz/16-bit resolution. Includes a USB cable, cable clip, mic stand adapter, carrying pouch and Cakewalk Music Creator software.

SAMSON

Meteor Mic

Featuring a large 25mm diaphragm element, this stylish mic has an integrated folding tripod base making it easy to transport and set up. Simply plug in a pair of headphones into the 1/8" headphone input, adjust the headphone level and enjoy latency-free monitoring. (SAMTR)...... Call or Log On



SHURE SM57/SM58 & X2u XLR

Combine X2u XLR to USB Adapter and SM57 or SM58 handheld mic. 1/8" headphone out provides latency-free monitoring and three rotary dials provide monitor, gain and output volume control. X2u delivers pristine 16-bit, 48kHz audio fidelity. PG27USB Cardioid USB mic (SHPG27USB).. 199.00 PG42USB Cardioid USB mic (SHPG42USB). 249.00





Ribbon & Tube Mics • Dynamic Recording Mics

www.BandH.com

beyerdynamic))) M 160

M 160 is a hyper-cardioid dynamic ribbon mic that effectively suppresses lateral sound and noise. Ideal for studio and live applications, where focused pick up is necessary. Features a frequency response of 40Hz to 18kHz with a noise cancellation 25dB at 110 degrees. Use to record string instruments, pianos and over-heads on drum kits.





Fat Head

Handles any vocal or instrument recording, and live sound. Its

frequency and sensitivity response deliver pristine results, and the element's design is very useful when executing a mid-side or Blumlein recording.

| In Brown/Gold (CAFHBGR) | 175.00 |
|-------------------------------------|--------|
| In Black/Gold (CAFHBGS) | 175.00 |
| Brown/Gold Matched Pair (CAFHBPBGR) | 349.00 |





Knuckle Head

2.5 micron ribbon transducer is situated symmetrically within

With 1.8-micron aluminum ribbon

the magnetic gap, making the Knuckle Head well suited as a mid-microphone in an M/S stereo setup. Neodymium magnets offer heightened sensitivity and the Lundahl Transformer output stage yields low noise floor, and transparent audio quality.



Black Body/Nickel Grille (CAKHSRMBKNKL).....

R144

and Figure-8 polar pattern, the R144 offers breath-

Performs brilliantly on acoustic instruments, strings,

and horns. High 130dB SPL capability. Also use for broadcast applications. Distinctive body design with

purple and chrome metal finish. Includes shockmount

taking sound for vocal and instrument recording.


419.00



Coles 4038

Known for its wide, flat frequency response and high sensitivity, the 4038 is a valuable tool in the

recording studio as well as broadcast applications. The smooth, rich sonic detail of the 4038 has the made the microphone a classic among some of the recording industries most celebrated engineers.





4104B Lip Microphone

Designed for commentary and speech capturing in noisy environments. A sensitive ribbon

transducer is combined with a directional polar pattern and flat, low-cut frequency response at 16Hz. The result is accurate signal reproduction without noise caused by ambiance or proximity effect.

#CO4104B......699.00





V69M

Tube Condenser Mic

Large diaphragm tube condenser mic designed for project and professional studio recording. Utilizes a 12AT7 type tube providing warmth and presence without noise. Includes an external power supply and is wired with Mogami cable.

#MXV69MEDT......226.77



R-101

Features a 2.5-micron ribbon element, figure-8 polar pattern and Royer's patented offset placement for maximum sensitivity within the prime magnetic field. Neodymium magnet maximizes sensitivity, and results in high SPL handling

and analog warmth. Includes a shockmount and rugged



Additional Ribbon/Tube Microphones

| AKG C 12 VR Microphone (AKC12VR) | 4999.00 |
|---|---------|
| Blue The Bottle - Tube Condenser Mic (BLB) | 5999.99 |
| Royer R-121 Studio Ribbon Mic Nickel Finish (R-121, | 1295.00 |
| Sony C-800G Studio Tube Mic (SOC800GPAC) | 9990.00 |
| Telefunken AK-47 MKII Tube Mic (TEAK47MK2) | 1895.00 |
| Telefunken AR-51 Tube Condenser Mic (TEAR51) | 1895.00 |
| Telefunken CU-29 Copperhead Tube Mic (TECU29) | 1295.00 |
| | |

☑ Electro-Voice RE20

The industry standard, the rugged RE20 is a cardioid dynamic mic with reliable, low-noise performance and exceptional clarity and definition. Response is tailored especially for vocals with high SPL handling capability. Frequency response remains flat even at extremely close proximities. Internal blast and wind filter eliminates "pop" and wind noise at the closest proximity.

#ELRE20......Call or Log On



Stepping up from the RE 20, the RE27 N/D features a Neodymium based magnet which greatly improves sensitivity, frequency response and SPL handling, resulting in higher gain (up to 6dB more output) while keeping the noise floor low. In addition, a highly effective hum-bucking coil is used to attenuate hum from lighting, bad grounds and other sources.

#ELRE27ND......Call or Log On





D2

High-output dynamic capsule provides a big, powerful sound. Cardioid pattern gives it a focused pickup. Equipped with three filters,

each with its own on/off switch, which make it possible to tailor frequency response for specific applications. Two of the three are bass roll-off filters that help you shape the low end. (GOD2)......149.99 D1 Classic-Style Dynamic Mic (GOD1)......79.99





PR 40

High-performance super cardioid for use as a vocal mic for talk

show hosts and other voice over applications. Large dynamic element produces a smooth response with articulate and natural midrange. Achieves a wide dynamic range and capture high SPLs. Internal Sorbothane shock mount.

#HEPR40Call or Log On



Designed for radio broadcasts, voice overs, podcasts, announcers and more, the BCD-1 features a cardioid, dynamic element that features its own isolation to minimize noise. Includes a windscreen and features a high-pass filter switch to minimize low-frequency noise.

BCD-1

#MXBCD1169.95





BCM-705

Hyper-cardioid mic designed for use in radio applications. Wide frequency response is tailored to compensate for proximity effect, plosive sounds, etc. An integrated pop screen further minimizes noise caused by speech. Mic can be mounted onto most swivel arms.

#NEBCM705 699.95



RØDE

Procaster

Rugged dynamic mic that offers no-compromise performance for capturing speech in broadcast radio, voice-over recording, podcasts, and more. Tight polar pattern and tailored-for-voice frequency response. Balanced, low impedance output. Internal pop-filter to reduce plosives. Internal shock mounting for low handling noise. 10-year warranty.



SHURE SM7B

Large diaphragm cardioid dynamic mic for professional voiceover applications. Flat frequency response enhances the mid-range and high frequencies that are associated with the human voice. Internal "air suspension"

shock isolation and built-in pop filter. (SHSM7B)......349.00





ELA M-80

Built to deliver "condenser like" audio reproduction for the stage and studio. Well suited for vocals and instruments

with its low mass super thin capsule, wide frequency response, and high SPL capability. Includes a mic clip, wooden box, and additional black head grille.

#TEELAM80 249.00



audio-technica. ATM10A Omni-directional instrument

condenser mic. Smooth, extended response on- and off-axis provides maximum ambient pickup. Runs on battery or phantom power. Super low sensitivity to popping and overload make ideal for group vocals, strings, cymbal overheads, acoustic guitar, piano and interviews.

#ALIAT8010144.42



MB2K

Affordable instrument mic, the MB2K features a dynamic cardioid element designed to withstand high SPLs. Use for reproducing drums, percussion, guitar, brass, piano and more. Comes with a 15' XLR cable.

#AUMB2KC

i5



AKG D 112

Cardioid mic with 168dB dynamic range and high 73dB S/N ratio. High frequency response is tailored to keep both bass drum and bass quitar clearly distinguishable in the mix. Built-in windscreen, includes SA-60 stage adapter. (AKD112)......199.00



AMT M40

Cardioid condenser mic designed for capturing piano, the M40 is also ideal for boundary style layer capturing in stage performances. Unique design offers detailed, transparent signal reproduction seldom achieved with traditional piano miking techniques.

#AMM40.... ..453.00

Dynamic mic ideal for capturing snare drum, percussion, guitar and bass cabinets, horns and vocals. Cardioid polar pattern with a linear frequency response accurately reproduces signals at high sound pressure levels (SPL). Features a zinc alloy body with a steel grille and black e-coat finish for terrific durability.

#AUI5......Call or Log On

ADX20I Cardioid Condenser Instrument Mic (AUADX20I)..... 149.00



D6

Cardioid dynamic mic suitable for kick drums, bass cabinets etc. Features VLM technology providing a sensitivity and sonic response resulting in a rounded, warm low-end while handling extremely high sound pressure levels. The Audix D6 provides a consistent pick-up, eliminating the need to locate the "sweet spot".

D4 Hyper-Cardioid Dynamic Drum/Instrument Mic (AUD4).. 169.00

beyerdynamic)))

M 201 TG

Use to capture drum overheads, snare drums, toms, piano, guitar cabinets and more. Dynamic capsule and hypercardioid polar pattern capture transient (peaking) audio without distortion and off-axis noise that may cause feedback. The output stage features a hum-buck coil that reduces noise and maximizes gain.

#BEM201TG......Call or Log On

SENNHEISER MD 421-II

Cardioid dynamic mic with a 5-position bass roll-off switch and frequency response of 30Hz-17kHz. Dynamic capsule allows even signal response even close-up. Also handles very high sound pressure levels, making it suitable for miking instruments high in transient (peak) response.

#SEMD4212..... .379.95



instruments. Excels when placed in front of quitar cabinets in sound reinforcement or recording. Flat grill allows for easy placement. The dynamic element is shock mounted and a hum compensation coil controls low frequency noise. Ruggedly constructed with silver finish.

#SFF609 109.95 E906 Cardioid Guitar Microphone (SEE906).....



.....189.95

MISENNHEISER e604

Rugged cardioid mic designed to handle the high SPLs of drums, percussion, and brass instruments without noise and peak distortion. Neodymium magnet yields high output gain with low noise and reliable performance, regardless of climate. An integral stand mount screws directly onto mic stands and the included clip attaches the mic to the rim of a drum.

e604 Kit: 3 Mics, Drum Mounts, Pouches (SEE6043K) 349.95

SHURE

BETA 98H/C

Super-cardioid instrument clip-on condenser mic with in-line preamp designed to clearly capture the sounds of today's professional horn players. Gooseneck, ratcheting swivel joint, and gooseneck angle brace allow for optimum placement and fixed positioning. (SHBETA98HC).....209.00

SHURE

BETA 52A

Dynamic supercardioid instrument mic for capturing kick drum, acoustic bass, bass amplifiers and more. Tailored frequency response for capturing signal registering at low frequencies. Accurately captures the attacks that contribute to the "punch" of the signal. Built-in locking stand adapter with XLR simplifies installation. Steel mesh grille. (SHBETA52A).....

SHURE PGDMK6

All the essentials for capturing a percussion rig. Includes three PG56 snare/tom mics, two PG81 overhead mics and PG52 kick drum mic. Includes a rugged travel case with foam inserts, mounting hardware and XLR cables. #SHPGDMK6XLR......399.00



SMURE DMK57-52

Includes three SM57 dynamic cardioid mics, Beta 52A kick drum mic and three rugged A56D universal drum mounts to effectively mount the SM57's to drum and percussion rims, hardware, etc.

#SHDMK5752.....399.00



SMURE PG57-LC

Dynamic mic with cardioid pattern for use with vocals or instruments. Metal body with steel mesh grille contains cartridge mounted on an internal shock mount with a neodymium magnet to provide high SPL capability. Power switch turns the mic on/off at a moment's notice. Includes mic clip, thread adapter and bag. (SHPG57LC)......54.00



SHURE

The USA's presidential podium mic for over 30 years, the SM57 cardioid is an exceptional choice for instrument pickup or for vocals. Bright, clean sound and carefully contoured presence rise make it ideal for live sound reinforcement and recording. Excellent for recording drums, guitar, and woodwinds. #SHSM57LC.....99.00



SMURE BETA 57A

Excellent for acoustic and electric instruments as well as for vocals, the Beta 57A is a dynamic mic that provides optimal warmth and presence. Maintains a true supercardioid pattern throughout its frequency range. Hardened steel mesh grill design lets you take better advantage of proximity effect. Packaged in an advanced pneumatic shock mount.

#SHBETA57A......139.00



SHURE SM81-LC

Rugged high-quality cardioid condenser mic. Flat, neutral frequency response makes it well-suited for use on piano, acoustic guitar, cymbals and choirs. Low noise and highoutput clipping level. Low distortion over a wide range of load impedances. Selectable low-frequency response: flat, 6 or 18dB/oct roll-off. 0/10dB lockable attenuator switch.

#SHSM81LC.... PG81 Cardioid Condenser Mic (SHPG81LC)...... 124.00



www.BandH.com

AKG[®] P5

Afordable mic designed to capture vocals and instruments in live performances, rehearsals and project studio recording applications. The P 5 features a supercardioid polar pattern for maximum gain before feedback. Additional features include an internal protective windscreen and all-metal construction.





Rugged dynamic mic with supercardioid pattern cuts through loud stage performances. Laminated Varimotion Diaphragm accurately reproduces vocals during performances. Capsule features a dual shockmount for enhanced protection against handling noise. Includes mic adapter and case.

| #AKD599.0 | 0 |
|-----------------------------|---|
| #AKD5S (with on/off switch) | 0 |



AKG[®] D7

Supercardioid handheld mic for general speech and performance capturing on stage, lecterns, desktops. Varimotion technology provides a wide frequency response and excellent signal reproduction. Its rugged construction ensures years of solid operation. Includes a windscreen, stand adapter and protective case.

| #AKD7 | 170 00 |
|-------|--------|
| #AND/ | 179.00 |



audio-technica MB1K

Rugged cardioid dynamic mic. Sensitivity and frequency response is optimized for reproducing vocals in speech and performance applications. Includes stand adapter clamp, and 20' XLR mic cable.



audio technica. MB3K

Rugged cardioid dynamic mic designed for reproducing vocals in sound reinforcement and recording applications. Features extended frequency and sensitivity response. Has a power switch for added

| #AUMB3K | 44.52 |
|--------------------------------|-------|
| #ALIMB3KC (with 15' XLR cable) | 47.49 |



△ audio technica MB4K

Studio grade quality at a modest price point. Features a condenser element which enhances sensitivity, detail and output level while maintaining a low noise floor. Powered by 11-52v phantom or AA battery. Includes stand clamp and pouch.

| #AUMB4K | 86.12 | |
|-------------------------------|-------|--|
| #AUMB4KC (with 15' XLR cable) | 99.99 | |





audio-technica. PRO 41

Rugged cardioid mic optimized for vocals on stage or recording applications. Dynamic element with neodymium magnet provides high SPL capability. Frequency response is optimized for enhanced intelligibility of vocals. On/Off power switch. Includes stand clamp and soft case.

#AUPRO41 59.99



audio technica. PRO 63

Cardioid dynamic mic for instrument or vocal capturing in recording or live sound. Neodymium magnet provides high output gain levels while maintaining a low noise floor. Tailored frequency response eliminates low-frequency noise. Twostage ball type head reduces "pop" sounds and wind noise.



audio-technica.

AT2010

Professional cardioid vocal mic with fixed-charge permanently-polarized condenser element for a pristine warm signal response during live performances, speech and more. Robust enclosure to handle the rigors of life on the road. Includes stand clamp and case.

#AUAT2010......Call or Log On





audio technica.

Cardioid condenser mic designed for professional recording and sound reinforcement applications. Utilizing the latest low-mass technology, frequency and transient response is improved, while distortion is reduced. Controls feedback and minimizes pickup of unwanted sounds. Enclosed in a rugged housing with a low-reflective matte finish.



Dynamic Vocal Mics

Audix microphones deliver rich, natural vocal sound with exceptional clarity and detail, superior off-axis rejection, and the ability to perform at high levels without feedback or distortion.





EXM-1800S (3-Pack)

Supercardioid pattern plus a

linear frequency response, optimized for vocal reproduction. A power switch is provided for added user control. Includes a convenient storage case.

#BEXM1800S 39.99





XM8500 **UltraVoice**

Dynamic vocal mic with smooth

mid-frequency presence rise for excellent vocal projection. Features dardioid pattern, internal shock mount and ultra-low distortion for a super clean sound. Two-stage pop filter minimizes breath and pop noises. Includes mic stand adapter.

#BEXM8500...... Call or Log On



beyerdynamic))) M 88 TG

Ideal for live sound, broadcasting, announcing, etc. High SPL capability allows placement close to loud sources such as a kick drum or bass guitar. Equally impressive as vocal mic or for brass/windwood instruments. Has a -20dB integrated humbucking filter, and reinforced basket to withstand rough

#BEM88TG......Call or Log On





enCORE Series

Rugged cardioid mics for reproducing vocals and speech with clarity and detail, while maintaining a balanced high-frequency response. Heavy gauge-grille and reinforced ring and durable plated finish make them ideal for sound reinforcemen.

| 99.99 | #BLE100 (enCORE 100 Dynamic mic) |
|---------------|------------------------------------|
| Call/Log Or | #BLE200 (enCORE 200 Dynamic mic) |
|) Call/Log Or | #BLE300 (enCORE 300 Condenser mic) |



EV Electro-Voice N/D 267A

Cardioid pattern and extended frequency range with improved transient response presents clear lead and background vocals without the need for excessive EQ. VOB technology provides tailored bass response for controlled "proximity effect" and exceptional vocal clarity. Warm Grip[™] handle for comfortable feel. Includes stand clamp, case and 2-year warranty.

#ELND267A**79.00**



EV Electro-Voice N/D 767A

Rugged supercardioid mic for live sound reinforcement and general recording. VOB (vocally optimized bass) technology reduces boominess, sibilance and P-popping associated with close proximity capturing. Switchable bass roll off filter, neodymium magnet, and multistage shock mount. Includes stand clamp, case and 2-year warranty.

| #ELND767A | 129.00 |
|-----------|--------|
|-----------|--------|



Handheld Performance Mics

Cardioid Dynamic Mics

The SP-1 and SP-5 are great value mics featuring metal construction and linear full range response. The

SP-4C has a On/Off switch and includes XLR cable. The SP-9n has a dynamic, alnico element for high quality vocal reproduction without noise.

800-947-1181 | 212-444-6681

| SP-1 (NASP1) Log On | SP-5 (NASP5) 10.99 |
|---------------------|--------------------|
| SP-4C (NASP4C) | Log 0: |
| SP-9 (NASP9) | 18.99 |



KMS105

Supercardioid pattern, low self noise and colorless off-axis pickup complements in-ear monitor systems. Features

superior resolution of voice, with extended frequency response and accurate transient detail. Unique triple acoustic filter minimizes popping and wind noise, filters eliminates handling noise.

| Black Finish (NEKMS105MT) | 699.95 |
|----------------------------|--------|
| Nickel Finish (NEKMS105NI) | 699.95 |



PV-MSP1 Mic Package

Complete solution for vocalists, small studios and musicians. Includes the PVi100 dynamic handheld mic, adjustable tripod mic boom stand and portable gig bag. Also comes with a 20' mic cable, mic stand adapter and pouch. #PEMSP114 (XLR - 1/4" cable) 49.99 #PEMSP1XLR (XLR - XLR cable) ..49.99



JUSENNHEISER E815S

Rugged and reliable cardioid mic. Neodynum ferrous magnet with boron - keeps mic stable regardless of climate. Rugged metal construction and internal damping isolates handling noise. Hum compensating coil reduces electrical interference.

| #SFF815SC | 59 95 |
|-----------|-------|



SENNHEISER

E815SX

Cardioid pattern and 80Hz-12kHz requency response is suitable for general vocal and instrument miking and club PA. Silent on/off switch. Rugged metal construction and internal damping isolates handling noise. Hum compensating coil reduces electrical interference. Includes mic clip and pouch.





SENNHEISER

E825S

Cardioid mic for general vocal and instrument miking and club PA. Rugged metal construction and internal damping isolates handling noise. Hum compensating coil reduces electrical interference. Shock-mounted capsule for low sensitivity to handling noise. Silent on/ off switch. Includes mic clip and pouch.



SENNHEISER E835

Vocal stage mic with uniform frequency pick-up that maintains signal quality when moving on and off axis during performance. Gentle presence boost ensures clarity and projection. Minimal proximity effect for clear bass and performance when singing closer to or further from capsule. Includes mic clip and case.

| #SEE835 | 99.95 |
|--------------------------------|--------|
| #SEE8353K (package of three)2 | 249.95 |
| #SEE835S (with on/off switch)1 | 09.95 |



SENNHEISER E845

Extended high frequency response and supercardioid pattern. Smooth warm tonal response and full dynamic range, with presence lift for vocal clarity and projection. Consistent on/off axis and proximity response maintain audio quality while moving. Metal construction and shock-mounting minimize handling noise.

| #SEE845 | 139.95 |
|---|--------|
| #SEE845S (with on/off switch) | 149.95 |
| E865 Supercardioid Condenser Mic (SEE865) | 269.95 |



SENNHEISER

E935/E945

Dynamic mics featuring 40Hz-16kz frequency response tailored for vocals. Neodymium capsule withstands extreme sound pressure levels. Shock mounted capsule and rugged metal enclosure for durability in the studio or on the road. Hum compensation coil minimizes hum caused by electrical current, bad grounds etc.

E935 (SEE935)...169.95 E945 (SEE945)... 219.95



SMURE Super 55

Dynamic vocal mic with unmistakable vintage look and equally impressive sound. Tailored frequency response is well suited for speech and vocal capturing. Features an integrated, self-tensioning swivel mount, chrome-plated die-cast casing and vibrant blue foam. Adds style and flair on stage, podiums, houses-of-worship, and more.

| #SHSUPER55 | .249.00 |
|-------------------------------|---------|
| 55SH/II Dynamic Mic (SH55SH2) | 179.00 |



SMURE BETA 58A

High-output supercardioid dynamic mic with high gain-before-feedback, maximum isolation, and minimum off-axis tone coloration. Shaped frequency response makes it a top choice of vocalists and touring professional. Rugged construction, humbucking coil, shock mount and hardened steel mesh arille.

#SHBETA58A......159.00



SMURE BETA 87A

Premium quality, phantom powered supercardioid condenser vocal mic with exceptionally smooth frequency response and SPL capability. Used for sound reinforcement, broadcasting, and studio recording. Controlled low-frequency roll-off compensates for proximity effect. Characteristic Shure presence rise brightens the upper midrange.

#SHBETA87A.....**249.00**



SMURE BETA 87C

Top choice of performers and audio technicians around the world. Superb accuracy and detail, rich vocal production. Delivers studio-grade performance and a smooth, extended high-end frequency response in a cardioid condenser design. Low-frequency roll-off for proximity effect. Three-stage pop filter minimizes breath pop and noise.

#SHBETA87C......249.00



SMURE PG58

Cardioid mic deal for lead and backup vocals. On/off switch for onstage control. Durable metal construction with hardened steel mesh ball grille that resists wear and abuse. Neodymium magnet for high output level. Integral "pop" filter reduces explosive breath sounds and wind noise.

| i | #SHPG58LC | 54 | .UU |
|---|-----------------------------|----|-----|
| i | #SHPG58XLR (with XLR cable) | 59 | .00 |



SMURE SM48

Caridiod dynamic mic with a tailored frequency response ideal for vocals. A presence rise brightens mid-range performance, and low frequency roll-off controls proximity effect. Shock-mounted cartridge and "pop" filter reduce handling noise and explosive breath sounds.

| #SHSM48LC | 43 | .99 |
|---------------------------------|----|-----|
| #SHSM48SLC (with on/off switch) | 54 | .95 |



SMURE SM58

True audio legend. Frequency response tailored for vocals, with brightened midrange and bass roll-off. Cardioid pattern minimizes background noise while shock-mount system cuts down handling noise. Built-in spherical wind and pop filter. Includes break-resistant 180° rotatable stand adapter.

| 99.00 | #SHSM58LC |
|---------------------|-------------------|
| ole) 109.0 0 | #SHSM58CN (with a |
| ff switch) 104.00 | #SHSM58S (with on |



SMURE SM86

Phantom powered cardioid condenser used in sound-reinforcement and recording applications. Built-in 3-stage shock-mount and an internal windscreen. Rugged metal construction is made to withetand the rigore of touring and daily use

| Startu tite rigors or tourning artu daily use. | |
|--|---------|
| #SHSM86 | 179.00 |
| SV100-W Dynamic Cardioid Mic (SHSV100W) | 29.99 |
| SV100-WA Dynamic Mic Kit (SHSV100WA) | . 34.99 |
| SV-200WA Dynamic Mic (SHSV200WA) | 39.99 |



SMURE KSM9

Professional handheld vocal mic that delivers studio level quality to live sound reinforcement applications. Choice of cardioid and supercardioid patterns are provided for flexible operation and noise suppression in any scenario. Wide frequency response enhances vocal character. Advanced internal shock suppression for minimal handling noise.

| ln | Charcoal Gray finish (SHKSM9CG) | 699.00 | |
|----|---------------------------------|--------|--|
| ln | Champaign finish (SHKSM9SL) | 699.00 | |



Mic Clips & Mounts

| AKG |
|---|
| SA 60 Mic Stand Adapter (AKSA60)22.00 |
| SA 61 Stand Adapter (AKSA61) |
| |
| Audio-Technica |
| AT8405a Snap-in Mic Stand Clamp (AUAT8405A) |
| AT8456a Quiet-Flex Mic Stand Clamp (AUAT8456A) 15.26 |
| AT8407 Universal Mic Clamp (AUAT8407) |
| Audix |
| MC-MICRO Mic Clip with 5/8" Thread (AUCSA) |
| D-CLIP Microphone Clip (AUDCLIP) |
| MC-1 Microphone Stand Adapter (AUMC1) |
| Electro-Voice |
| 311 Microphone Stand Clamp (3/4") (<i>EL311</i>) |
| 320 Microphone Stand Clamp (<i>EL320</i>) |
| 323S Soft Microphone Stand Clamp (<i>EL323S</i>) |
| 10.30 |
| Hosa Technology |
| Universal Microphone Holder (HOMHSC)2.53 |
| 25mm Microphone Holder (HOMH25) |
| K&M |
| 85035 Microphone Clip (KM850355) |
| Mic Stand Adapter (KM850505) |
| Mic Stand Adapter (KM85060) |
| Mic Stand Adapter (KM85055)Call or Log On |
| |
| QuikLok |
| Small Mic Clip (QUMP892) |
| Large Rubber Mic Clip (QUMP890) |
| Plastic Spring-Loaded Mic Clip (QUMP850) |
| Tapered Rubber Mic Clip (QUMP840) |
| Rode |
| Stand Mount for NT3 and NT4 (RORM3)14.99 |
| RM5 Stand Mount for the NT5 (RORM5)14.99 |
| Stand Mount for NTK/NT1000 Mics (RORM2) |



| On Stage | |
|---|--------|
| MY100 Clip for tapered-styled dynamic mics (ONMY100). | |
| MY110 For straight-style handheld wireless (ONMY110) | |
| MY120 Rubber Condenser Mic Clip (ONMY120) | |
| MY200 Spring-loaded clip (ONMY200) | |
| MY250 Clip for tapered-styled dynamic mics (ONMY250) | |
| MY251 Elliptical-shaped clip for most mics (ONMY251) | |
| TM01 Microphone Table & Stand Clamp (ONTM01) | 12.99 |
| Sennheiser | |
| MZQ1 Microphone Clamp (SEMZQ1) | Log On |
| MZQ 800 Microphone Clamp (SEMZQ800) | Log On |
| MZQ200 Stand Adapter (SEMZQ200) | 34.95 |
| MZQ100 Quick Release for MKH-416 (SEMZQ100) | 29.95 |
| Shure | |
| A1K - Anti Roll Device for Handheld Mics (SHA1K) | 5.70 |
| WA371 Swivel Adapter (SHWA371) | 7.36 |
| A57F Microphone Clip (SHA57F) | 7.95 |
| A25D Mic Stand Adapter (SHA25DM) | 4.99 |
| A25D Stand Adapter (SHA25D) | 5.76 |
| A53M Shock Stopper isolation mount (SHA53M) | 38.00 |
| A55HM Shock Stopper isolation mount (SHA55HM) | 39.00 |
| Ultimate Support | |
| JS-MC1 Clothes Pin Style Clip (ULJSMC1) | 2.99 |
| JS-MC3 Slide-In Mic Clip (ULJSMC3) | 3.99 |
| JS-MC6 Unbreakable Rubber Mic Clip (ULJSMC6) | Log On |
| JS-MC9 Slide-In Microphone Clip (ULJSMC9) | Log On |
| WindTech | |
| PG-95 Pistol-grip shotgun microphone clip (WIPG95) | 6.95 |

Mic Stand Cable Clips (WICC6)......7.50

Universal Spring Type Mic Clip (Black) (WISMC7) 5.30

Studio Shock Mounts

| AKG H 85 Universal Shock Mount (AKH85) |
|---|
| Sabra-Som SSM-1 Universal Shock Mount (SASSM1)49.99 Samson SP01 Shock Mount (SASP01)21.00 |
| Studio Projects Shock Mount for B Series Mics (STSPSKB) 19.99 |
| Neumann |
| Nickel Shock Mount Repl. Band for EA-1 (NE079074) |
| On-Stage MY320 Shock mount for clip for condenser mics (ONMY320). 5.99 MY325 Shock mount for clip for dynamic mics (ONMY325) 7.99 |

MY410 Shock mount for large mics (ONMY410)...... 22.75



| MXL | |
|--|--|
| MXL-MT001 Universal Microphone Mount (MXMT001) | |
| MXL-57 High-Isolation Mic Shock Mount (MX57)24.96 | |
| MXL-90 Elastic Suspension Mic Shock Mount (MX90) 34.95 | |
| Rode | |
| SM1 Elastic Band for SM1 Shock Mount (ROSM1BND) | |
| SM2 Elastic Suspension Mic Shock Mount (ROSM2) 49.00 | |
| PSM1 Shock Mount for Rode Podcaster (ROPSM1) 39.00 | |
| SM6 Shock Mount with Detachable Pop Filter (ROSM6) 59.00 | |
| Rycote | |
| INV-6 InVision Indoor Mic Suspension (RYINV6) | |
| INV-7 InVision Indoor Mic Suspension (RYINV7) | |
| IInVision Universal Mic Shock Mount (RYINVUSM)119.99 | |
| InVision Studio Kit with USM (RYIVSKIT) | |
| Shure | |
| RK373 Elastic Bands for KSM32 (SHRK373) | |
| A55M Isolation and Swivel Shock Stopper (SHA55M) 22.61 | |
| A27SM Elastic Suspension Mic Shock Mount (SHA27SM) 55.00 | |
| RPM642 Rubber Rings for KSM27 (4 Rings) (SHRPM642) 3.99 | |
| WindTech | |

SM-2 Microphone Suspension Shock Mount (WISM2)....... 20.95

Desktop and Gooseneck Mic Stands

| AmpliVox S1075 Mic Stand (AMS1075) | 28.00 |
|--|-------|
| Astatic Portable Desk Base for Goosenecks (AS40118) | 71.77 |
| Bogen Communications DS3 Desk Mic Stand (BODS3) | 24.06 |
| MXL DS-01 Desktop Tripod Mic Stand (MXDS01) | 14.95 |
| QuikLok Desktop Mic Stand with Tripod Base (QUA188). | 11.95 |
| Rode DS-1 Microphone Desk Stand (RODS1) | 29.99 |
| Samson Desktop Microphone Stand (SAMD5) | 15.00 |
| Shure S41E Microphone Desk Stand (SHS41E) | 10.00 |
| | |
| Audio-Technica | |
| Microphone Desk Stand (AUAT8601) | |
| Quick Mount Desk Stand (AUAT8615) | |
| AT8646QM Shock Mount Plate (AUAT8646QM) | 38.75 |
| Plug-In Mic Desk Stand (AUAT8615RS) | 49.25 |
| Atlas Sound | |
| Contemporary Mic Desk Stand (ATDS14) | 24.95 |
| Square Base Mic Desk Stand (ATDS2) | |
| Round Base Mic Desk Stand in Chrome (ATDS5) | |
| Round Base Mic Desk Stand in Black (ATDS5E) | |
| 8-13" Adj. Round Base Desk Stand in Chrome (ATDS7) | |
| 8-13" Adj. Round Base Desk Stand in Black (ATDS7E) | |
| GN-6E Gooseneck Extension (ATGN6E) | |
| GN-13 Gooseneck Extension (ATGN13) | |
| GN-13E Gooseneck Extension (ATGN13E) | |
| GN-19 Gooseneck Extension (ATGN19E) | |
| | |



Konig & Meyer (K&M)

| Miniature Tripod Mic Desk Stand (AKKM2311) | 15.0 |
|---|---------------|
| Tabletop Tripod Mic Stand (KM2311N) | Call or Log O |
| Table Top Round Base Mic Stand (KM232B) | Call or Log 0 |
| Table Top Microphone Stand (Black) (KM23220B) | 39.9 |

On-Stage

| UII-Staye | |
|---|-----------------|
| QR Adjustable Desk Stand (ONDS7200QRB) | 11.9 |
| Posi-Lok Mini Boom Desktop Stand (ONDS300B) | 15.2 |
| Desktop Tripod Mic Stand with Clip (ONDS7425) | 14.2 |
| Fixed-Height Desk Stand w/Chrome Shaft (ONDS7100C) | 9.9 |
| Fixed-Height Desktop Stand w/Black Shaft (ONDS7100B). | 7.9 |
| Adj. Round Base Desktop Mic Stand Chrome (ONDS7200 | C) 14.0 |
| Adj. Round Base Desktop Mic Stand Black (ONDS7200B). | 12.49 |
| 6" Adjustable Gooseneck (ONG6B) | 4.9 |
| 19" Gooseneck (ONG19B) | 7.9 |
| 13" Adjustable Gooseneck (ONG13B) | 6.9 |
| 13" Gooseneck Desktop Mic Stand with Base (ONDS6213 | 3) 7.9 ! |
| | |

Ultimate Support

| Table-Top Mic Stand (ULJSDMS50) | Call or Log Or |
|--|----------------|
| Table-Top Mic Stand/Gooseneck (ULJSDMS75) | 16.99 |
| Mini Tripod Tabletop Stand/Clip (ULJSMMS1) | 14.99 |
| JS-GN6 6" Gooseneck (ULJSGN6) | 5.99 |

Clamps, Mounts and Brackets

| ATS Clamp Ball Head (ATUCAT) |
|--|
| AKG |
| K&M 237 Microphone Clamp (AKKM237) |
| Atlas Sound |
| CO-1B Clamp-On Mic Swivel (ATCO1B)14.95 |
| MAC-1 Mic Adapter Clamp (ATMAC1) |
| TM-1E Twin Mic Mount (Ebony) (ATTM1E)18.99 |
| LO-2BE Lock-On Accessory (ATLO2BE) |
| LO-2B Lock-On Accessory (ATLO2B) |
| Audio-Technica |
| Microphone Instrument Mount (AUAT8418) |
| Swivel-Mount Mic Clamp Adapter (AUAT8459) |

K&M

| Microphone Mount (KM238B) | 16.99 |
|---|-------|
| 23550 Adjustable Mic Bar (KM23550) | 19.99 |
| 23510 Microphone Bar (KM23510)Call or L | og On |

On-Stage

| | 3 |
|----------------|---|
| 8.49 | TM03 Table Top Mounted C Clamp (ONTM03) |
| 9.95 | MY500 Stereo Microphone Mount (ONMY500) |
| 12.76 | MY550 Mic Extension Attachment (ONMY550) |
| 7.99 | MY570 Clamp-On Accessory Holder (ONMY570) |
| 15.95 | MY700 Multiple Mic Mounting Bar (ONMY700) |
| 8.50 | Microphone Clip Rim Drum (ONDM01) |
| 6.99 | QK10B Quick Release Adapter (ONQK10B) |
| 13.99 | 7" Boom with Clutch and Clamp (ONMSA9508) |
| 11.95 | DM50 Drum Rim Microphone Clip (ONDM50) |
| 7.99 | Quick Release Adapter (Black) (ONQK2B) |
| Call or Log On | Posi-Lok Clutch (ONMSA9501) |
| • | |

Sabra-Som

| ST-4 | Quad Microphone Support (SAST4) | 49.99 |
|------|-----------------------------------|-------|
| ST-2 | Double Microphone Support (SAST2) | 39.99 |



Shure


.37.99

A56D Universal Mic Drum Mount (SHA56D).....

| A27M Stereo Stand Adapter (SHA27M) | |
|---|------|
| Ultimate Support Holder for 3 Microphones (ULJSMM3)14 | 1.99 |
| WindTech | |
| MA-12 Spring Loaded Clamp (WIMA12)11 | .25 |
| Multi-Position "C" Type Clamp (WIMPC10)18 | 3.99 |

Microphone Quick-Release (Black) (WIQC2B)......13.50

Pop Filters & Shields





On-Stage

| ASVS4-B Pop Blocker Windscreen (| (ONASVS4B) 12.99 | |
|----------------------------------|-----------------------------------|--|
| ASVS6BL 6" Pop Blocker Windscrei | en <i>(ONASVS6B)</i> 18.99 | |

Pearstone

| Metal Round Pop Filter v | with Gooseneck (| (5.5") <i>(PEPFMR5)</i> | 24.95 |
|--------------------------|------------------|-------------------------|-------|
| Nylon Round Pop Filter v | with Gooseneck (| 6.6") (PEPFN6) | 18.99 |

Popless Voice Screens

| 3.5" Pop Filter for EV RE-20/RE-27 (POVACRE20) | 53.00 |
|---|-------|
| 3.5" Pop Filter for the HEIL PR40 and PR3 (POVACPR40) | 59.95 |
| 6" Pop Filter (POVACB6) | 59.95 |
| | |

MXL

| PF-002 Universal Black Metal Mesh Pop Filter (MXPF002) | 24.99 |
|--|-------|
| PF-003 Universal Metal Mesh Pop-Filter (MXPF003) | 27.49 |
| Universal Microphone Pop Filter (MXPF001) | 13.99 |
| RF-100 Reflection Filter (MXRF100) | 69.99 |
| | |

sE Electronics

| Metal Pop Filter (SEPS) 43.95 | Dual Pop Screen (SEDPP). 79.00 |
|-------------------------------------|--------------------------------|
| Project Studio Reflexion Filter (SE | PSRF) 199.00 |
| Reflexion Filter PRO - Acoustic Al | bsorber (SERF) |

Microphone Accessories

Podium Flange Mounts

Astatic Flange Mount for Gooseneck Mics (ASFM2A)....... 16.00 Astatic Lectern/Podium Shock Isolation Mount (ASGSM1).... 51.36 Audio-Technica AT8438 Surface Mount Adap (AUAT8438).18.48

Atlas Sound

| AD-11B Surface Mount Mic Stand Flange (ATAD11B) 6.9 |) 5 |
|---|----------------|
| AD-11BE Desk Top Mounting Flange (ATAD11BE) 7.5 | 5 0 |
| AD-12B Desk Top Mounting Flange (ATAD12B) |) 5 |
| AD-12BE Desk Top Mounting Flange (ATAD12BE) | 7 |

On-Stage

| TM02C Podium Flange Mount (ONTM02C) | 4.19 |
|--|------|
| TM08B Deluxe Podium Flange Mount (ONTM08B) | 5.29 |
| TM02B Podium Flange Mount (ONTM02B) | 4.19 |
| | |

Shure

| A12 Mounting Flange (SHA12) | 8.49 |
|--|-------|
| A12 Mounting Flange (SHA12B) | 8.48 |
| Recessed Shock Mount for Gooseneck Mics (SHA400SM) | 21.50 |
| Combination Kit for Gooseneck Mics (SHA400SMXLR) | 35.89 |

Adapters & Fittings

| AKG 3/8" Female to 5/8" Male Thread Adapter (AKKM217) 6.00 |
|---|
| AKG 3/8" Male to 5/8" Female Thread Adapter (AKKM216) 6.00 |
| AKG 3/8" Male to 5/8" Female Thread Adapter (AKKM216B) 6.00 |
| Audio-Technica Camera Shoe Mount (AUAT8469)10.83 |
| Beyerdynamic NR. 215 3/8" A-5/8" (BENR216)Log On |
| Beyerdynamic NR. 217 5/8" A-3/8" (BENR217625) 4.50 |
| Hosa Mic Reducer Bushing 5/8"-3/8" (HOA58M38F) 2.55 |
| Hosa MHD 4 - Thread Adapter (HOMHD4) |
| Manfrotto 148KN Reducing Bushing Set (MA148KN) 11.06 |
| Manfrotto Female 3/8 to 5/8" Male (MAMIBA) 4.95 |
| Mighty Wondercam SCREWIT Mic Mount Adapter (MISQ) 11.95 |
| Sennheiser MZA-216 Thread Adapter (SEMZA216)3.95 |
| |

Atlas Sound

| AD-8B Long Microphone Tube (ATAD8B) | 5.95 |
|--|-------|
| AD-7B Long Microphone Tube (ATAD7B) | 6.95 |
| AD-5B Coupling 5/8"F to 5/8"F (ATAD5B) | 4.95 |
| AD-4B 3/4" Long, 5/8" 27 Coupling Adapter (ATAD4B) | 4.95 |
| AD-15B Microphone Tube (ATAD15B) | 9.50 |
| MS2XTA Top Adapter (Chrome) (ATMS2XTA) | 24.75 |
| K&M | |

| 3/8" male and 5/8" female connection (KM216) | 3.99 |
|---|--------|
| 3/8" female and 5/8" male connection (KM217) | 1.99 |
| 1/2" female to 3/8" male thread adapter (KM218) | Log On |
| 3/8" female to 1/2" male thread Adapter (KM219) | Log On |
| | |

On-Stage

| MA-125 Mic Screw Adapter (ONMA125) | 2.19 |
|--|------|
| 3/8" Male to 5/8" Female Screw Adapter (ONMA100) | 1.99 |
| 3/8" Female to 5/8" Male Screw Adapter (ONMA200) | 1.99 |
| 3/8" Female to 5/8" Male with | |
| Knurled Outer Flange (2 Pack) (ONMA300) | 2.99 |
| Camera and Recorder Mic Stand Adapter (ONCM01) | 7.95 |
| | |

Rycote

| nyooto | |
|--|-------|
| Mic Stand Adapter (RY47302) | 9.95 |
| Hot Shoe 1/4" Adapter (RYHSA.25BRS) | 16.95 |
| Hot Shoe 3/8" Adapter (RYHSA) | 16.95 |
| Hot Shoe Extension/Extender (20 cm) (RYHSEL) | 39.95 |
| Hot Shoe Extension (RYHSE) | 19.95 |
| 3/8" Boom Adapter Swivel (RY47307) | 47.95 |
| . , , | |

WindTech

| U.S. to European Stud Adapter (Chrome) (WIM1C) | Log On |
|---|--------|
| M4 Stand Top Lock Nut (Chrome) (WIM4Q) | Log On |
| 5/8" Replacement Mic Stand Nut (Chrome) (WIM2C) | Log On |
| M5 Stand Top Lock Nut (Black) (WIM5Q) | 2.99 |
| Hot Shoe Adapter (Brass) (WICM57) | 16.50 |



In-Line Accessories

| Audio-Technica AT8202 In-Line Attenuator (AUAT8202) | 39.99 |
|---|-------|
| Neutrik XLR Male to XLR Male Adapter (NENA3MM) | 8.4 |
| Sennheiser 48V Phantom to 12T Adapter (SE12TP48) | 59.9 |
| | |

Hosa Technology

| XLR-F to XLR-M Polarity Cross Phase Rev. (HOPCRPXMXF) | 7.49 |
|---|-------|
| In-Line Attenuator (HOATT448) | 11.77 |
| In-Line XLR Barrel Mic On/Off Switch (HOMOOS) | 14.99 |
| XLR-F to Female XLR-F Adapter (HOAXFXF) | 4.14 |
| XLR-M to XLR-M Adapter (HOAXMXM) | 3.49 |
| XLR-M to XLR-F Hum Stopper (HOAXMXF) | 5.99 |
| MXL | |

| MicMate - USB Adapter for Dynamic Mics (MXDMM) | |
|--|------|
| Pro Co Sound | |
| In-Line Pad (PRMAX10) | 6.50 |
| ITX Isolation Tranformer for 600 Ohm Loads (PRITXMXF) 54 | 1.38 |

| ITX Isolation Tranformer for 600 Ohm Loads (PRITXMXF) 54.38 |
|---|
| GLX In-Line Barrel Ground Lift (PRGLX) |
| PSC |

Line to Mic Level In-Line Barrel Adapter (PSALMP)......28.98

| | 00000111 |
|----------------|--|
|) 35.95 | Line Out to Camera Mic In Headphone (SEL2MZH4N25D) |
| 49.95 | Stereo Mini I/O Hum Fliminator (SFII 19MINI) |

Shure

| A15RF In-Line XLR RF Attenuator (SHA15RF) | 49.00 |
|---|-------|
| A15AS - In-Line Attenuator (SHA15AS) | 39.99 |
| X2u - XLR to USB Mic Signal Adapter (SHX2UXLRUSB) | 99.00 |
| A15HP - Hi-Pass Filter (SHA15HP) | 56.00 |
| | |

Whirlwind

| In-Line XLR Barrel 40 dB Pad (WHIMPAD40) | 17.99 |
|---|-------|
| In-Line XLR Barrel 20 dB Pad (WHIMPAD20) | 17.99 |
| In-Line XLR Barrel Ground Lifter (WHL) | 11.49 |
| In-Line XLR Barrel 30 dB Attenuator (WHIMPAD30) | 17.99 |
| Line Level Summing Balancer for iPod (WHISOPOD) | 52.50 |
| | |

Portable Phantom Power Supplies

ART

| PHANTOMIII Phantom Power Supply (ARPPS)L. | og On |
|--|-------|
| PHANTOMII - Battery Operated Phantom Power (ARADPP) Lo | og On |

Audio-Technica

| Auuit | - i commo |
|----------------------------|-------------------|
| AT8801 Single Phantom Powe | Supply (AUAT8801) |

Behringer

| PS400 Phantom Power Supply | (BEPS400)1 | 9.99 |
|----------------------------|------------|------|
| | | |

Denecke

| Portable Single Channel 48V Phantom Power (DEPS1A) 114.75 |
|---|
| Portable Dual 48V Phantom Power Supply (DEPS2) 127.50 |

Rolls

| PB224 - 2-Channel Portable Power Supply (ROPB224) 74.84 |
|--|
| PB223 Dual 48V Phantom Power Supply (ROPB223) 57.50 |
| PB23 Single Channel Phantom Power Supply (BOPB23) 35.84 |

Modular Microphone Accessories

Sennheiser

| K6P Powering Module (Phantom Power Only) (SEK6PQ) | 249.95 |
|---|--------|
| K6 Powering Module (Battery or Phantom) (SEK6Q) | 249.95 |
| ME62 Omni Mic Capsule (SEME62) | 159.95 |
| ME64 Cardioid Mic Capsule (SEME64) | 169.95 |
| ME66 Short Shotgun Mic Capsule (SEME66) | 209.95 |
| ME67 Supercardioid Spot Shotgun Mic Capsule (SEME67). | 299.95 |
| MZF 8000 Filter Module for MKH 8000 (SEMZF8000) | 479.95 |
| Shure | |

| R184B Replacement Supercardioid Cartridge (SHR184B) | 52.57 |
|---|-------|
| R183B Replacement Cartridge (SHR183B) | 39.00 |
| R185BQ Replacement Cartridge (SHR185B) | 45.06 |

Pads & Annenuators

Pro Co Sound

| Short Stop - Passive Momentary Switch (PRCDSSM) | 9 |
|---|---|
| Rolls | |

MicMute - In-Line Momentary Mic Mute Switch (ROMM11)... 41.50 Mic Switch - Latching or Momentary Mic (ROMS111)...... 45.50



Ultimate Support Stackable Mic Stand

800-947-1181 | 212-444-6681 **Mic Stands & Boom Arms** AKG Table Mounted Scissor Stand with XLR Mic (AKKM2385).....169.00 **AmpliVox Sound** Atlas Souna KM259 Anchor-Audio **Atlas Sound** Adjustable Instrument Mic Stand (ATDMS10E)34.50 MSB-382BLK 35 - 63" Adj. Mic Stand w/Round Base Chrome (ATMS10C)..34.95 35 - 63" Adj. Mic Stand w/Round Base Black (ATMS10CE)....37.99 Low Profile Round Base Mic Stand Chrome (ATMS12C)......38.99 Low Profile Round Base Mic Stand Black (ATMS12CE)......34.50 Heavy Duty Low Profile Round Base Mic Stand (ATMS20)......78.95 Short Adjustable Boom Arm (ATPB11XEB).....42.95 Adjustable Boom Arm (ATPB21XEB)42.50 Alfa Case 10" Shotaun Pro Mic Stand with Boom Arm (ATSB36W).....319.00 On-Stage Mic Case O.C. White 13" Mic Boom Systen ProBoom Elite Beyerdynamic GST500 - Tripod Microphone Stand (BEGST500)97.90 GST590 Short Microphone Stand (BEGST590) Call or Log On On-Stage **Bogen Communications** Round Base Mic Stand with QR Clutch (ONMS7201QRB) 19.95 7, 13 & 18" Mic Boom w/Posi-Lok Clutch (ONMSA9500)......22.99 SF4 Adjustable Round Base Mic Stand in Chrome (BOSF4)....29.99 19-30" Telescoping Boom Arm (ONMSA9720TB)......Log On Tripod Boom Stand and Mic Kit (ONMS7515).....24.24 Heavy Duty Boom Stand w/ Tripod Base (ONSB9600)...... Log On Hosa Technology Heavy Duty Boom Stand with Rolling Base (ONSB96P) Log On Euro-Style 36-63 Tripod Mic Stand (ONMS7700B)......14.29 MSB-382BLK Short Tripod Boom Stand (HOTBSSB).....22.53 Hex-Base Telescoping Mic Boom Stand (ONSMS7650)...... Log On Tripod Mic Stand with 19-33" Boom (ONMS7701TB)......31.99 Drum and Amp Mic Boom Stand (ONMS7411B).....24.95 34-60" Mic Stand with Round Chrome Base (ONMS7201C)...24.99 Konig & Meyer (K&M) distributed by AKG Adjustable Kick Drum Mic Stand with Boom (ONMS7920B) ... 21.95 34-60" Mic Stand with Round Black Base (ONMS7201B)19.95 16" Boom Arm for Mic Stand (ONMSA7040B)......Log On 36-63" Mic Stand w/30" Boom in Chrome (ONMS7701C)27.94 36-63" Mic Stand w/30" Boom in Black (ONMS7701B)......21.98 Telescoping Boom Arm (AKKM2111B).....40.00 19-32" Telescoping Boom Arm (ONMSA7040TB)...... Log On 34-60" Hex-Base Microphone Stand (ONMS7600B)......22.99 32-48" Telescoping Boom Arm (ONMSA7020TB)...... Log On 42-70" Hex-Base Mic Stand w/Boom (ONSMS7630B)......99.99 Extra Low Profile Tripod w/Boom (AKKM259B).....90.00 7" Mic Boom Kit with Posi-Lok Clutch (ONMSA9502)11.99 Lateral Boom and Clutch f/MS7515 Mic Kit (ONMSA8020).....17.20 Low Profile Tripod Mic Stand w/Boom (AKKM2595B)80.00 36-64" Heavy Duty Tripod Mic Stand (ONMS9701B)......36.00 Heavy Duty Stand w/Round Cast Iron Base (AKKM2601B)......60.00 13" Mic Boom with Posi-Lok Clutch (ONMSA9503)...... Log On 36-64" Heavy-Duty Tele-Boom Mic Stand (ONMS9701TBP)...41.99 9-16" Mic Boom with Posi-Lok Clutch (ONMSA9505)....... Log On Tripod Mic Stand with Boom Arm (AKKM254B)......35.00 **Ultimate Support** Konig & Meyer (K&M) PRO-SB Stackable Mic Stand (ULPROSB).....Log 0n Tripod Mic Stand with Telescopic Boom (ULPROTTK)......89.99 31.5" Fixed Length Boom (ULJSFB100) Log On 34-62" Mic Stand w/Round Base and Clutch (ULMC05B).. Log On Telescoping Tripod Mic Stand with Boom (KM2108B)......59.99 36-63" Tripod Base Mic Stand w/Boom (ULMC40B) Log On Tripod Mic Stand with Adjustable Boom (KM2109B)69.95 Low-Level Tripod Mic Stand w/Fixed Boom (ULJSMCFB50) Log On Tripod Mic Stand with Fixed Boom (ULJSMCFB100)...... Log On Adj. Mic Stand with Round Base (ULJSMCRB100) Log On MC-125 Professional Studio Boom Stand (ULMC125)...... Log On Low Level Mic Stand with Boom Arm (KM25950)......55.38 Tripod Mic Stand with Telescoping Boom (ULJSMCTB200) . Log On Mic Stand with Round Weighted Base (ULTOURRB)59.99 Low Tripod Mic Stand with Boom Arm (KM259B).....62.96 Low-Level Tripod Mic Stand with Boom (ULJSMCTB50)......29.99 Professional Short Tripod Mic Stand (ULPROTSHRTTK)...... Log On Telescoping Mic Stand and Tripod Base (KM199)67.00 20.75 - 35.75" Telescoping Boom (ULJSTB100)...... Log On Tripod Mic Stand in Black (KM201A2B)44.49 LIVE-T Tripod Base Mic Stand (ULLIVET)......Log On Tripod Mic Stand with Adj. Boom (KM21021B)113.99 Telescoping Boom Arm (KM2111B)......33.00 **Wired Microphone Cases** 16.5-28" Mic Stand Boom Arm (KM21140).....29.00 Alfa Case 10" Shotgun Mic Case (AL20010MTLB)59.95 QuikLok Alfa Case 12.5" Shotgun Mic Case (AL20012MTLB)59.95

Audio-Technica AT-BG1 Mic Pouch (AUATBG1)8.99

Gator Cases GX-33 Utility Case (GAGX33).....39.99

Gator Cases GM-4 4 Drop Mic Padded Bag (GAGM4)......29.99

Gator Cases GM-12B 12 Drop Mic Bag (GAGM12B)......49.99 Gator Cases GM-15-TSA ATA Mic Case (GAGM15TSA)......129.99

Porta Brace MH-2 10" Microphone Holster (POMH2)......42.53

Rode ZP1 Zip Pouch (ROZP1).....Log On

Sennheiser K6C-SM Case (SEK6CSM).....39.95

Sennheiser Mic Case (SECLMKH).....29.95 SKB ATA 12 Compartment Mic Case (SK1200)......133.95

WindTech B-1 Microphone Pouch (WIB1)......7.50

Tripod Mic Stand with Fixed Boom (QUA300BK).....24.99

Tripod Mic Stand with Telescoping Boom (QUA341BK)26.99

One Hand Clutch Round Base Mic Stand (QUA498BK)......25.26

Tripod-Style Mic Stand/Telescopic Boom (QUA346BK).....29.95

Roland

ST-100MB Mic Boom Stand with Bag (ROST100MB)59.99

Shure

Samson SB100 Studio Mic Boom Stand (SASB100)......99.00

Studio Mic Arms & Accessories AKG Table Mounted Scissor Stand (AKKM2385)......169.00 Heil Sound PL2T Overhead Boom Mount (HEPL2T)......120.00 K&M 23850 Mic Desk Arm and Clamp (KM23850)...... Log On MXL BCD-Stand Desktop Mic Stand (MXBDCS)......69.00 Rode PSA-1 Studio Boom Arm (ROPSA1).....99.00

∩ C White

| 0.0. 111110 | |
|--|--------|
| Deluxe Extended Two-Joint Mic Arm (OC14192B) | 125.00 |
| ProBoom Elite Mic Arm System (OC14199BC) | 129.99 |
| ProBoom Elite Microphone Arm (OC14295BC) | 132.50 |
| Deluxe Mic Arm and Riser System (OC51900B) | 144.40 |
| Heavy Duty Surface Mount (Black) (OC11427B) | 24.00 |
| Heavy Duty Clamp Mount (OC114401B) | 25.95 |
| Heavy Duty Wall Mount Base (OC11426B) | 25.00 |
| | |

www.BandH.com



Tube MP

Tube Mic Preamp

- High-quality 12AX7A tube adds warmth to source material.
- · All-aluminum stackable chassis
- Phantom power,
- Precision LED metering
- Up to 70dB of clean musical gain
- Use as a direct box

#ARTUBEMP......39.95



A R T

Tube MP Studio V3

 Steps up from the Tube MP with V3 technology which presets that allow you to select between preamp settings designed for guitars, keyboards, bass guitars, drums, vocals and more.





R T MP Project Series

Tube Mic Preamp

- . High-quality 12AX7A tube
- · Phantom power
- Precision LED metering
- Variable input and output controls
- Up to 70dB of clean "musical" gain
- Fast FET limiter to prevent signal overload



TPS II

2-Channel Mic Preamp





ProMPA II

2-Channel Mic Preamp

Stereo or dualmono mode. 70dB of gain.





Digital MPA II2-Channel Mic Preamp



ALESIS MicTube Solo • Duo

Single or Dual-Channel Tube Mic Preamps



- 20dB pad, phase reverse, and 80Hz low cut filter
- 1/4" high-impedance DI inputs for instruments
- Gain and Drive controls; Vintage-style VU meter
 MicTube Solo (ALMICTS) MicTube Duo (ALMICTD) .. Call or Log On



Auteur

Dual-Channel Mic Preamp

Fully balanced transformerless

circuits faithfully reproduce the leading transients of any audio source. Steel output transformers lend a "vintage" flavor to the signal. Individually switchable phantom power and 10 dB output pad switch on each channel.

#BLAUTEURPA......**599.00**





MIC100 Tube UltraGain

Tube Mic Preamp and Direct Box

- Tube mic/line preamp with integrated limiter
- 12AX7 vacuum tube with UTC technology
- · Phase reverse switch, 20dB pad
- +48v phantom power
- Wide-range input gain and output level adjustment. Balanced I/O on 1/4" TRS phone and XLR connectors.



MIC200 Tube UltraGain

behringer Tube Mic Preamp and Direct Box

Same as the MIC 100 (above), plus adds flexible preamp modeling. Users can optimize recordings by selecting one of the 16 preamp settings that matches their needs, be it for vocals, or acoustic and electric guitars, bass guitars, keyboards, drums and more.

#BEMIC200......Call or Log On



MIC800 MiniMIC

Mic Modeling Preamp



Endow vocals, guitars, bass or synthesizers with low-noise tube-like warmth. Includes output limiter, dedicated low cut filter, phantom power, 20dB pad, and vintage-style VU meter.

#BFMI/800 Call or Log On



MIC2200 Ultragain Pro

2-Channel Tube Mic Pre/Line Driver



- High pass filter with a sweepable range from 15 to 320Hz
- Parametric EQ with adjustable center frequency, bandwidth and amplitude.
- Offers conversion from -10dBV home to pro +4 dBu levels.

 #BEMIC2200......99.99



ISA ONE Mic Preamp

 Independent gain control, output for routing to an amp, independent XLR output on the rear



- Four switchable input-impedance levels
- Independent DI Headphone output with volume control



OctoPre MkII

Focusrite 8-Channel Mic Preamp



Use for Pro Tools system, DAW, analog or digital console, or a stand-alone hard disk recorder. 24-bit/96 kHz output. Two inputs feature XLR combi connectors to accept mic, line and Hi-Z inputs. Each channel features a direct analog out and a 10dB pad. Five LED input metering per channel (FOOPMKII).............Call or Log On



OctoPre MkII Dynamic

8-Channel Mic Preamp



Same as above, plus 8 VCA-based Red 3-derived compressors, and 24-bit/96kHz digital input/output. With just a single dial, users can quickly achieve the desired amount of compression for each channel, providing a natural but loud sound.

#FOOPMKIID.....Call or Log On

GRACE

m101 Mic Preamp with Ribbon Mic Mode

Single channel mic preamp with incredible bandwidth, headroom and resolution.



M-AUDIO Audio Buddy

2-Channel Mic Preamp

Ultra-quiet, 2-channel mic preamp that also doubles as a DI box. Front panel instrument inputs. Rear XLR mic inputs with phantom power for



PreSonus DigiMax D8

8-Channel Mic Preamp with ADAT Output



Compressors • Channel Strips

800-947-1181 | 212-444-6681

Wi PreSonus TubePre v2

Single-Channel Tube Mic

Drive potentiometer controls the amount of signal routed to the tube and therefore the amount of tube saturation. XLR mic and 1/4" instrument inputs. phantom power, phase reverse, 20dB pad and 80Hz filter.

PreSonus BlueTube DP v2

Two-Channel Dual Path Mic Preamp

Dual Path technology delivers offers a solid state preamp stage and a tube preamp stage in each channel, delivering either fat, warm tube tone or invisible solid state transparency. Functions as a DI for bass and guitar.

ROLLS MP13 Mini Mic Preamp

Simple and inexpensive solution, has both XLR and 1/4" inputs and outputs, and a single gain control with a clip indicator. Provides +36v phantom power. The 1/4" output is specially designed for use as either a mono unbalanced output, or a stereo headphone output. (ROMP13)......54.15





XPM1 Mic Preamp

Compact, single channel, DC powered mic preamp with 50dB

of gain and switchable 12v phantom power. XLR and 1/4" TRS input jacks on the front panel, along with a gain control and peak and power LEDs. (SMPXPM11)......49.99



VTB1 Single-Channel Tube Mic Preamp



"Tube Drive" control allows you to blend as little or as much of the 12AX7 tube circuitry as required. The VTB-1 can go from a pristine solid state sound, to any combination of Tube Drive, including hard distortion for guitars and bass. True class A/B switching.

More Microphone Preamps

| Rolls DU30b Audio Ducker with Mic Preamp (RODU30B) | 65.00 |
|---|-------------------|
| Nady DMP-2 Compact Dual Channel Mic Preamp (NADM) | P2). 54.51 |
| Nady PRA-8 8-Channel Mic Preamp (NAPRA8) | 99.95 |
| SM Pro Audio Q-PRE - Mic Preamp (SMPQPRE1) | 95.00 |
| Avalon Design M5 Mic Preamp (AVM5) | .1575.00 |
| Avalon Design V5 in Black (AVV5B) or Silver (AVV5S) | .1080.00 |
| Focusrite ISA Two Mic Preamp (FOISATWO) | Log On |
| Golden Age Project PRE-73 DLX Preamp (GOPRE73DLX |) 499.99 |
| Millennia HV-3C Mic Preamp (MIHV3C) | Log On |
| Summit Audio 2BA-221 Mic Preamp (SU2BA221) | 679.99 |
| True Systems P-SOLO MicPreamp (TRPS) | 599.95 |
| | |

Universal Audio

| 4-710D - Tone Blending Twin-Finity Mic Pre (UN4710D)1999.00 |
|---|
| 710 Twin-Finity - Mic/Line Preamp (UN710) |
| SOI 0/610 Mic Preamp (UNS610). 999.00 |

ALESIS 3630 Sound Max-X3

Dual Mono/Stereo Compressor/Limiter



- Two independent compressor/ limiters with noise gates
- Ratio, threshold, attack and decay controls
- RMS and Peak compression styles, plus Hard and Soft Knee dynamic curves. Two gates with threshold and rate controls

3632 Dual Channel Compressor/Limiter/Gate (AL3632C) ... Log On



MDX1600 Autocom Pro-XL

2-Channel Compressor/Limiter with Gating



- · 2-channel expander/gate/compressor/peak limiter with integrated dynamic enhancer, de-esser and low contour filter.
- Total dynamic control for recording, mixing or mastering
- Adjustable IDE dynamic enhancer provides subtle compensation for bass "boost" effect that can result from heavy compression.



MDX4600 Multicom Pro

4-Channel Compressor/Limiter



- Four channels of Interactive Knee Adaptation (IKA) compression/ limiting, with peak limiter on all channels.
- · Each compressor features program dependent attack and release times with a switchable side-chain filter
- CH-1/2 and 3/4 can be switched as pairs for stereo operation.





- Dual channel with stereo or dual-mono operation
- Classic dbx "Auto" Mode Side Chain Insert
- Separate LED displays

| 266xs - Compressor/Gate (DB266xs) | Log Ur |
|--|--------|
| 166sx - Compressor/Limiter/Gate (DB166XS) | 239.95 |
| Summit Audio TLA-50 Leveling Amplifier (SUTLA50) | 679.99 |

A R T ART Pro-VLA II

Dual Channel Compressor/Limiter

Opto-electrical design provides smooth and



musical dynamic range control. Mastering-quality audio signal path and tube-based gain stage. Variable ratios from 2:1 to 20:1. Controls for adjustment of threshold and output level. Variable and separate attack and release speeds.

#ARPROVLAII......Call or Log On



MDX2600 Composer Pro-XL

Dual Channel Compressor with Gating, De-Essing & Tube Emulation



Otherwise the same as the MDX1600, the MDX2600 provides switchable simulation for the extra "warmth" and transparency of classic tube circuitry. Also adds more compressor control, detented ALPS potentiometers and illuminated switches.

dbx 1066

Dual Mono/Stereo Compressor/Limiter with Gate



Classic dbx response as well as full manual control over the attack and release characteristics. Frequency dependent gain control is easy to set up and execute with the side chain, and the Side Chain Monitor button helps with setting up the required EQ.

ROLLS CL151 GLC

Gate and Compressor/Limiter with Mic Preamp

Compact dynamics processor. Mic preamp with 12v phantom power. Features smooth, soft-knee compression and limiting and noise gating for guiet operation. Side Chain for detector circuit access. Gating includes threshold and gate time controls. Gain reduction is indicated via a five segment LED ladder.



AVALON () DESIGN

VT-737SP Channel Strip



Combines a high-performance tube mic preamp with +48v phantom power, front panel instrument DI, opto-compressor, and a 4-band parametric EQ to provide incredible warmth, depth, and character to digital recordings. (AVVT737SP).....2250.00 Focusrite The Liquid Channel (FOLC)......Call or Log On Universal Audio LA-610 MKII (UNLA610MK2)......1599.00

Audio Meterina

| • | |
|--|---------|
| American Audio dB-Display Rackmount Meter (AMDBD) | 58.95 |
| Dorrough 40-A - Analog Loudness Meter (DO40A) | 429.00 |
| Galaxy Audio CM-130 SPL Meter (GACM130) | 59.99 |
| Galaxy Audio CM-140 SPL Meter (GACM140) | .129.99 |
| Nady DSM-1 Digital SPL Meter (NADSM1) | 99.99 |
| Phonic PAA3 Handheld Audio Analyzer (PHPAA3) | 499.99 |
| Pvle Pro Mini Digital Sound Level Meter (PYPSPL01) | Log On |



Microphone Preamp/Channel Strip



Studio quality mic /instrument preamp, and four processors that can be used independently or in any combination. Its the entire mic processing chain needed in a single box, with the cleanest signal path. Features wide-ranging input gain control, switchable +48v phantom power and 80Hz high-pass filter to remove low ART Tube MP/C Preamp/Compressor/DI (ARTUBEMPC)......99.00

ART ProChannel II Channel Strip (ARPC2)249.00

PreSonus Studio Channel



| Tube preamp with Gain and Drive, VCA compressor, and 3-band |
|--|
| parametric EQ. Gain control on each band, with a variable Q knob |
| on the mid frequency. (PRSTUDIOCHAN)299.95 |
| Eureka Recording Channel (PREUREKA) |

Effects Processors • Equalizers & Analyzers

www.BandH.com

ALESIS MidiVerb 4

Digital Reverb and Multi-Effects Processor



128 factory plus 128 user-adjustable presets. 18-bit digital converters. Auto Level Sensing instantly sets optimal input level for you. Assignable footswitch input extends your control of effects. #ALMD4Call or Log On

NanoVerb 2 Digital Effects Processor Compact preset processor featuring reverb, delay, chorus, and other time based effects, all easily accessible. Updated, naturalsounding reverbs comprise half of the effects selection. Users can choose from lush and expansive hall, plate, spring or tape reverbs. #ALN2Call or Log On

KORG KP-3 KAOSS PAD

Effects Generator / Controller

X-Y touch pad interface for realtime control of multiple effect parameters. USB and SD card slot and editing software makes it perfect for DJs, 128 effect programs can be modified and saved. Is also a sampler with mic and line inputs. #KOKP3......259.99



KORG mini KAOSS PAD 2

Portable Effects Processor

Control FX in real-time. Features 100 Effect Programs, Pitch Change and Cue Point Settings, 3 program memories for instant recall, and powerful FX. Offers MP3 player with Micro SD slot and



exicon MX-200 **Dual Channel Multi-Effects Processors**

AGG BERTHARD BOOK

Features 16 legendary Lexicon reverbs, dbx dynamics, 99 factory and 99 user programs, USB "Hardware Plug-In" feature and MX-Edit editor/librarian software. Offers four routing configurations: Dual Mono, Cascade, Dual Stereo (Parallel) and Mono Split.

t.c. electronic M350

Dual Engine Multi-effects & Reverb Processor



Reverb section contains classic TC hall, cathedral, ambience, room as well as plates and springs, while the comprehensive effects section includes essential compression, modulation and delay variations. 24-bit processing, MIDI I/O, MIDI clock tempo sync, pedal control of tap tempo and global bypass. (TCM350) ... 169.00

TCHELICON VoiceTone Create XT

Vocal Effect Foot Pedal

- FOH quality reverb and delay
- · HardTune for live, auto-tuned vocal effects. XLR mic input and XLR output in stereo or mono
- Complete pre-programmed effect chains. 100 factory styles are available to customize presets. Edit and store up to 10 presets.

#TCCXT......Call or Log On

Tascam TA-1VP Vocal Processor (TATA1VP)......309.49

A R T EQ-355

Dual Channel 31-Band 1/3 Octave Graphic EQ



- Constant-Q filtering
 Selectable boost/cut range (6dB or 12dB)
- 20mm center detent sliders Variable input level control
- Variable high-pass and low-pass filters
 Clip level indicators
- Active balanced and unbalanced I/O

#AREQ355189.00 HQ231 Dual Channel 31-Band EQ (ARHQ231).......Call or Log On



FBQ800 MINIFBQ

Compact 9-Band Graphic EQ with Feedback Detection System

 FBQ feedback detection system



instantly reveals critical frequencies. Use as audio analyzer

. 6-digit LED input/output meters and level control; illuminated faders, potentiometers and switches



FBQ6200 UltraGraph Pro

31-Band Stereo Graphic EQ



- Feedback detection Limiters with gain reduction meters
- Pink noise generator
 Illuminated 45mm faders, detent ALPS potentiometers, illuminated switches . Mono subwoofer output



DEQ2496 UltraCurve Pro

24-Bit/96kHz EQ/RTA Mastering Processor



- High resolution processor for EQ. RTA and dynamic applications
- Flexible compressor/expander function with peak limiter per stereo channel as well as a stereo imager and stereo delay
- 61-band FFT analyzer with additional auto EQ functions



FBQ1502 UltraGraph Pro

Dual Channel 15-Band Graphic EQ



- FBQ feedback detection system; low cut filter
- . Highly accurate 4-digit LED output metering and input gain control for easy level setting
- Servo-balanced input/outputs with 1/4" TRS and XLR connectors



FBQ3102 UltraGraph Pro

31-Band Stereo Graphic EQ



- · Feedback detection system · Sweepable high and low cut filters
- Mono subwoofer output with adjustable crossover frequency
- 12-digit LED input/output metering and input gain control

ALESIS DEQ830

8-Channel Digital Graphic EQ



- Eight channels of independent or linkable digital graphic EQ with analog-style controls for instant editing of any band or combination of bands, plus the ability to store programs.
- 30 center frequency bands per channel in 1/3 increments
- . 12dB of boost or cut with center detente
- Real-time Analyzer (RTA) for visual feedback of audio signals #ALDEQ830......Call or Log On



2-Channel Graphic EQ

Designed for use within a home entertainment system.



Each channel features ten bands of boost/cut EQ and all twenty sliders contain illuminated LEDs. Bright spectrum analyzer display lets you monitor system output.



Dual Channel 15-Band Graphic EQ



- 2/3-octave constant Q graphic EQ
- 20mm non-conductive sliders
- Switchable Boost/Cut range between ±6dB and ±12dB
- 12dB per octave, 3dB down at 50Hz low-cut filter

2231 - Dual Channel 31-Band Graphic EQ (DB2231)...... Log On



Dual Channel, 31-Band EQ/Limiter

• 1/3 octave constant Q frequency bands Advanced



- Feedback Suppression (AFS)
- dbx Type V noise reduction
 PeakStopPlus limiting
- ullet Switchable boost/cut ranges of $\pm 6 dB$ or $\pm 15 dB$



EQ-73 Vintage Style Equalizer



- . No integrated circuits in the signal path
- 3-bands with a dual-inductor-based mid-frequency band. Separate bypass switches for each band.
- · Wide selection of frequencies from 20 Hz to 24 kHz
- Control range up to ±18 dB



Dual 10-Band Stereo Equalizer



- · 4 audio inputs with a VFD display screen utilizing blue LED lights for easy visibility.
- Ideal for professionals and amateurs alike with its pro features and removable rack mount brackets.

800-947-1181 | 212-444-6681



Bidirectional Audio Converter

Accepts an AES/EBU digital audio input and outputs an analog audio signal, and vice versa. Each channel has three levels of attenuation for control. Also has the ability to sync to a video reference word



clock signal, providing two looping outputs. Miniature size allows for studio "in line" applications. (AJADA4)Call or Log On



ADA8000 ULTRAGAIN PRO

8-Channel A/D and D/A Converter



- · Use for virtually any digital recording/mixing environment
- · Eight mic preamps with phantom power
- All mic/line inputs are routed to the ADAT output
- · ADAT input can be routed to all line outputs

#BEADA8000 Call or Log On



GTV-AAUD-2-DIGAUD

A/D Audio Adapter

- · Converts RCA, analog, L/R audio to S/ PDIF or TOSLink digital audio
- Operation of the unit simply requires connecting input and output devices #GEATVDA




53.99

EXT-DDIGAUD-2-AAUD

Digital Audio to Analog Adapter

- . Converts S/PDIF or TOSLink digital audio signals to analog L/R audio
- Samples at 32, 44.1, 48 and 96kHz
- 24-bit S/PDIF incoming bitstream on left and right channels

51 99





GTV-DD-2-AA

Digital Audio Decoder

- Converts S/PDIF or TOSLINK digital audio to L/R analog audio
- Supports up to 6 channels (5.1 Surround) of audio encoded in Dolby Digital
- 24-bit incoming bitstream on left and right channels #GECDDA.....



#LYHILO......2495.00



82.95

UAD-2 Satellite DUO • Quad FireWire DSP Accelerators

UNIVERSAL AUDIO Powered by four SHARC processors, the standalone FireWire 800 or 400 based DSP accelerator can run complex mixes without taxing the host computer. Included "Analog Classics" bundle includes LA-2A classic audio leveler, 1176LN and 1176SE compressor/limiter, Pultec EQP-1A EQ and the RealVerb Pro plug-ins. Additionally, offers easy FireWire access to the complete UAD Powered plug-in library. Use with Pro Tools, Cubase, Nuendo, Logic Pro, Digital Performer, or any other DAW software that supports the Audio Units, RTAS and VST formats.

| UAD-2 Solo PCle DSP Card (UUAD2S) | |
|--|---|
| UAD-2 Satellite QUAD (UNUAD2SQFW) | UAD-2 Satellite QUAD Omni (v6) (UNUAD2SQO6) |
| UAD-2 Satellite QUAD Flexi (UNUAD2SQFFW) | UAD-2 Quad Omni 6 Package (UNUAD2Q06) |



Symphony I/O Chassis

Provides two I/O Module slots for a variety of digital



feedback needed to monitor levels, sample rate and clock status. along with the controls required to adjust gain and output levels, PCI, USB and Ethernet connectivity, plus Wordclock I/O connectors and termination, LoopSynch I/O connectors, and a quiet digitally-

A8X8 - 16 Channel Analog and AES/Optical I/O (APA8X8)..1995.00 A016 - Optical D/A Module for Symphony I/O (APA016).....1995.00 A8MP - Mic Preamp Module for Symphony I/O (APA8MP) .1995.00 2x4 I/O Module for Symphony II/O (AP2X4SYMPMOD)......2495.00



ity, two-channel 24-bit/192kHz D/A



audio converter with "preamp" functions including input selection and volume control. Six stereo inputs (analog RCA, USB, TOSLink, three RCA coax) and 4 stereo analog outputs (XLR, RCA, and two reference-grade HPA2 high-current, "0-Ω", high-output 1/4" headphone outputs. (BEDAC1PRES)......Call or Log On



Sparrow Mk2



High-end A/D converter in an affordable package, features high quality clock multiplier, Black Sparrow's proprietary noise reduction, and the latest in power filtration technology. Can accommodate signal levels from +11 to -10dBv and sampling rates from

Entrance DACport

Reference Quality USB Headphone DAC

Proprietary AdaptiWave 24-bit USB audio technology, JitterGuard clock management system, and an audiophile headphone amp deliver pristine-quality playback anywhere. Plug 'n play operation in a cigar-sized, anodized aluminum tube.

#CEDACPORT.....



Fii D3 D/A Audio Converter

Accepts digital coaxial or optical signals and converts it to a 2-channel analog audio output. You can toggle between coaxial and optical inputs. In addition, the converter can be powered via the mini USB power supply port. #FID3**27.99**



Big Ben

192k Master Digital Clock with Real **APOGEE** Time Format Conversion





ULTRAMATCH PRO

SRC2496 High-Resolution Sample Rate/Format Converter



24-bit/96kHz A/D and D/A conversion, plus format conversion between AES/EBU and S/PDIF (coaxial or optical) with high-quality signal output at 16, 20, or 24-bit resolution. Universal sample rate synchronization is done via word-clock or digital input. RCA and optical outputs are simultaneously operational with separately selectable inputs, turning this unit into a digital patch bay.

月0SQ CDL-313

Coaxial S/PDIF to XLR AES/EBU Data Link

Allows simultaneous transfer of two channels of digital audio in either or both directions between AES/EBU on XLRs and S/PDIF on BCA coaxial connectors. Make transfers without leaving the digital realm. SCMS is disabled when transferring from S/PDIF to AES/EBU.

#H0CDL313......87.22

月0SQ ODL-312

Optical S/PDIF to XLR AES/EBU Data Link

Allows simultaneous transfer of two channels of digital audio in either or both directions between AES/EBU on XLR connectors and S/PDIF on TosLink optical. Make transfers without leaving the digital realm. SCMS is disabled when transferring from S/PDIF to AES/EBU.

#H00DL312......**87.95**

TOSlink Optical F to Mini-TOSlink Male Adapter (HOOATMP) ... 2.72

M-AUDIO® CO2

Optical and S/PDIF Bi-Directional Converter

Features optical to S/PDIF and S/PDIF to optical modes plus a bi-directional mode which enables the CO2 to be used as a repeater when using long cables. (MACO2)......49.99





CE-CTC012-S2

SIIG Toslink-to-Coaxial Converter

Convert a S/PDIF signal from toslink optical to RCA coax digital audio signal. Will work with any device with a toslink output or RCA coaxial input. #SICECTC012S2



| AV Toolbox POF-830 Optical-to-Coax (AVPOF830) 16.1 | 5 |
|---|---|
| Cambridge Audio DacMagic 100 D/A Converter in Black (CAD- | |
| AMAGI100B) or Silver (CADAMAGI100S) | 0 |
| Cambridge Audio DacMagic PLUS D/A Converter in Black (CAD | _ |
| AMAGIPB) or Silver (CADAMAGIPS) | 0 |
| BT100 Bluetooth Wireless Audio Receiver (CABT100) 99.0 | 0 |

Computer Audio Interfaces

AKAI EIE I/O

4-in/4-out USB Audio Interface

- 16-bit/48kHz resolution
- . Four XLR/TS combo jacks with
- phantom power and gain control • Four nickel-plated 1/4" TRS outputs for two monitoring systems
- Four nickel-plated 1/4" TRS inserts for external processing
- Functions as a USB hub with 3 additional USB ports
- Headphone out with switchable source and direct monitoring dial #AKEIE......Call or Log On



4-in/4-out USB Audio Interface

- 24-bit resolution (supports 44.1, 48k 88 2 and 96kHz)
- · Four XLR/TS combo jacks with
- phantom power and gain control • Four nickel-plated 1/4" TRS outputs for two monitoring systems
- Four nickel-plated 1/4" TRS inserts for external processing
- Functions as a USB hub with 3 additional USB ports

#AKEIEPRO......Call or Log On

ALESIS

MicLink

XLR to USB Cable

· Plug any dynamic mic into a Mac or PC and directly record a mic signal. Perfect for podcasting or singing practice.



www.BandH.com

 Cable has its own A/D converter with 6-bit/44.1kHz output. Anv USB-compliant software will recognize LineLink as input source. #AI MICLINK Call or Log On

ALESIS

LineLink

Dual 1/4" to USB Cable

- · Elegant and simple solution for recording the stereo output of a mixer, keyboard, sampler, or drum machine into a computer.
- · Cable has its own A/D converter and delivers 16-bit/44.1kHz output.



#ALLINELINKCall or Log On

ALESIS

iO2 Express 2x2 USB Audio Interface

- · Record up to 24-bit, 48 kHz audio
- . Monitor sessions with balanced studio monitor and headphone outputs
- High-quality A/D and D/A converters. discrete-design preamps, 48V phantom power, tricolor stereo level meter
- Mic, line-level and instruments inputs
 MIDI I/O

#ALIO2E Call or Log On

ALESIS 104

4-in/4-out USB Digital Audio Interface

- Discrete-design preamps
- . Inputs for mics, line-level and instruments, including guitars
- · Balanced studio monitor and headphone outputs
- · 48V phantom power
- Tricolor stereo level meter and lighted status indicators

#ALIO4 (includes Cubase LE software)......Call or Log On

Nanoface

12-Channel USB Audio/MIDI Interface

- Two XLR inputs with mic preamps
- Hi-Z input; headphone output
- Analog RCA L/R stereo I/O
- MIDI input; two MIDI outputs
- Digital optical SPDIF I/O

• USB 2.0/3.0 port #ALNANOFACE.....

3' ADAT Cable with TOSLink Connectors (ALOKO100BL)......11.99 6' ADAT Cable with TOSLink Connectors (ALOKO200BL).......15.99



XConnect

USB Microphone Cable

- · USB recording for any dynamic mic
- High quality 16-bit, 44.1 or 48kHz digital audio interface
- . Shielded cable with XLR-F connector
- LED indicator flashes during signal transmission

#ARXCONNECT..... 29.00





desktop/studio recording.

· Headphone jack for monitoring · Rear level and monitor mix controls for latency-free recording.

USB Dual Pre

#ARUSBDTPA (USB Dual Tube Pre) 99.00



ONE

APOGEE Pocket-sized USB Interface

Single channel input, stereo output interface for Mac with 24-bit converters. Built-in condenser mic, plus preamp

input with 48v phantom power and +10dB to 63dB of gain. Unbalanced 1/4" high impedance instrument input and line-level 1/8" stereo output. Multi-function encoder knob for input gain control and output level control.



#APONE......249.00



ONE and Duet 2 APOGEE Accessories

| Breakout Cable for ONE (APCBOO) | 19.95 |
|---------------------------------------|-------|
| Table Top Mic Stand for ONE (APODTMS) | 19.95 |
| Carry Case for ONE (APCCO) | 19.95 |
| Mic Mount for ONE (APMMO) | 19.95 |
| Duet Breakout Box (APDUBO) | 99.00 |
| Duet 2 Breakout Cable (APD2BC) | 34.95 |
| | |

Duet Breakout



Duet 2

APOGEE USB Audio Interface

- . Two mic preamps with up to 75dB of gain • Two combo Line/Mic/Instrument inputs
- 24-bit/192kHz A/D and D/A conversion
- Selectable 48v phantom power, Soft Limit and phase invert.
- Two balanced line outputs with +20dBu maximum output level
- Multi-function controller knob

#APDU.....



595.00



Ensemble 18-in/18-out APOGEE 192kHz Firewire Audio Interface



Designed for Mac, includes 8 channels of Apogee's A/D and D/A conversion and four transparent, digitally controlled 75dB mic preamps. Eight channels of ADAT I/O, two channels of S/PDIF coax and optical I/O and FireWire in/out. Includes Apogee "SoftLimit," "UV22HR" and "Intelliclock." Compatible with any Core Audio ap-

plication, and complete integration and control with Logic Pro.



Quartet Desktop Studio Interface APOGEE & Control Center for Mac

Four combo-XLR inputs each with quality preamp to record up to 12 channels of audio. Two optical inputs support another 8 inputs via external ADAT lightpipe expander. Has



six analog 1/4" TRS line-level outputs, Word Clock output and dual USB ports. (One for the Mac and the other for MIDI I/O). Two color OLED displays and multiple customizable backlit control buttons.



Icicle

USB Microphone Interface

• Easy way to connect a mic directly to a computer. Has a mic preamp and a USB interface, so it works with both dynamic and condenser microphones.

• The preamp has a fully balanced, low-noise front end, provides 48V phantom power, automatic analog gain control, and requires no drivers or external converters to operate.

#BLICICLE......Call or Log On

Computer Audio Interfaces



2x2 USB Digital Audio Interface

Ultra-portable unit, features XLR/ TRS combo input with phantom power, two 1/4" instrument inputs and two 1/4" monitor outputs. Supports 24-bit/48kHz.



Has 1/4" headphone jack, dedicated monitor volume knob. Mix control for low-latency monitoring.

| #AVPTEMM (Mbox Mini with Pro Tools Express) | 249.00 |
|---|--------|
| #AVPTEMME (Mbox Mini w/ PT Express - Education) | 209.99 |
| #AVMBMP9 (Mbox Mini with Pro Tools 9) | 498.99 |



KeyStudio Recording System

Includes 49-note. velocity-sensitive keyboard, Micro USB Interface and Pro Tools SE. Build



compositions using the included 3GB loop library. Choose from 100 instrument sounds, add effects, polish the tracks, and then share them. USB interface is also compatible with Pro Tools M-Powered software.



4-in/4-out USB Digital Audio Interface

Two mic preamps with 48v phantom power with separate source selection and gain control per channel. Two XLR/TRS



and two 1/4" DI Inputs. Zero-latency monitoring, headphone out and monitor volume control. S/PDIF Digital I/O and MIDI I/O. #AVPTEME (Mbox with Pro Tools Express - Education)349.00



Recording Studio

M-Audio Fast Track USB interface with a mic preamp and phantom power, along



with Pro Tools SE software provide all the necessary tools to begin building compositions. Pro Tools SE contains a wide array of music creation templates for creating hip-hop, electronic, pop, funk, jazz, and rock and blues tracks. Fast Track USB interface is also compatible with Pro Tools M-Powered software.



Mbox Pro

8x8 FireWire interface with four mic inputs, mic preamps, 48v



phantom power, and high-pass

filters. Has four 1/4" TRS and two unbalanced Alt line-level inputs and six 1/4" TRS outputs. Also two 1/4" headphone outputs, stereo S/PDIF digital I/O, MIDI and Word Clock I/O.

| #AVMBPHE (Educational Discou | ınt) | 571.99 |
|------------------------------|--------------|--------|
| #AVMBPP9E10 (Mbox Pro with | Pro Tools 9) | 849.95 |



Eleven Rack

Guitar Recording and Effects Processing System



Combines Pro Tools software with a DSP-accelerated highresolution interface. The rack utilizes a unique tone cloning design for creating the various amp and speaker models, and a custom-designed True-Z input to re-create the experience of playing through a full guitar rig.



Pro Tools HD Series Audio Interfaces

Completely redesigned with high quality converters and premium input and



output circuitry. They provide maximum performance, dependability, and control of all inputs, outputs, and routing right from the Pro Tools software interface.

| HD I/O 8x8x8 Analog (AVHDIO888) | 3995.00 |
|--------------------------------------|---------|
| HD I/O 16 x 16 Digital (AVHDIO1616D) | 2494.95 |
| HD I/O 16 x 16 Analog (AVHDIO1616A) | 4995.00 |



HD I/O Bundles



DigiLink Cable 1.5' (AVDLC1.5)...49.95 12' (AVDLC12)... 64.95 DigiLink Cable 25 (AVDLC25) 94.95 50' (AVDLC50). 149.95



HD OMNI

Interface for Pro Tools HD



1U rack-mountable chassis provides complete integration with Pro Tools HD. Two digitally-controlled Mic/DI preamps, four line inputs and 8 outputs, 8 channels ADAT I/O and 2 channels S/PDIF I/O. Overdub and Foley recording available for post production, in addition to creating monitor mixes with up to 7.1 channels.

HD Omni Bundle (AVPTHDNHDOB)..... 4499 NN



UCA202 2-in/-2-out Portable

behringer USB Audio Interface Ultra-compact, USB-powered

audio interface for Mac or Windows. Has two analog inputs and outputs, as well as a S/PDIF optical output for direct digital conversion and stereo headphone output with level control. Behringer's website offers a huge software package for recording and editing making it a complete audio solution. #BEUCA202 29.99



UCA222 2-in/-2-out Portable

behringer USB Audio Interface

Two RCA phono inputs for line-level devices, and two RCA phono outputs for connecting speakers or studio monitors. Also offers a stereo S/PDIF optical output. Headphone monitoring with volume

control. Bundled with audio editor, podcasting software and over 150 virtual instruments and effect plug-ins.

#BEUCA22229.99



UFO202 2-in/-2-out Portable

BILLILIA

behringer USB Audio Interface

Designed to transfer vinyl records and tapes to and from a computer. Has two RCA phono inputs that can be switched between a line source and

the phono preamp, and two RCA phono outputs. Includes turntable grounding lug and headphone monitoring. Bundled with audio editor, podcasting software and over 150 virtual instruments and effect plug-ins.

#BEUF0202 Call or Log On



FCA202 2-in/2-out 96kHz Firewire Audio Interface



Compact enough for use with a laptop. Features front-panel power and FireWire status LEDs, and port for Kensington security lock. Low latency drivers for Mac and Windows provide stable operation. Separate headphone output with a dedicated volume control. Bundled with Ableton's Live Lite 4 BEHRINGER Edition.



Podcastudio

Podcasting Bundle (Firewire) behringer

Includes:

- · XENYX 802 8-channel mixer
- C-1 condenser microphone
- FCA202 firewire interface
- · HPS3000 headphones Ableton Live
- Lite 4 software



Podcastudio

Podcasting Bundle (USB)

Includes:

- XENYX 502 mixer
- XM8500 LILTRAVOICE mic
- UCA200 USB interface
- HPM-1000 headphones Kristal Audio Engine, Audacity, and Podifier software



Computer Audio Interfaces

CENTRANCE MicPort Pro

USB Mic Preamp

Compact mic preamp with 24-bit/96kHz performance. Offers 48v phantom power, high quality A/D conversion and lownoise circuitry. One XLR input



and 1/8" stereo mini output for use with headphones. Ideal for interviews and broadcast, podcasting, vocal and field recording.

| #CECE1801 | 149.95 |
|-----------|--------|
| | |

Califone AX-14 Digital Audio Converter (CAAX14)26.34

Digigram Sancen

CANCUN

2-in/2-out simultaneous analog + AES I/O device in a stylish, ultra-robust casing. Features analog level of +24 dBu max and low latency of under 3 ms. Thin and durable touch panel with LED lights under the surface houses connections. Bundled software shows all the relevant info regarding the card (gain values, driver setup, current state, VU meters, locks, etc.) in a no-fuss manner.

| #DICAN222MIC | 751.00 |
|---|---------|
| CANC 442-MIC 4-in/4-out interface (DICAN442MIC) | 1131.00 |

E-MU 0204 USB 2.0 Interface

playback, direct monitoring, and a host of professional features.

Features a mi preamp that doubles as a balanced line input, and

a Hi-Z/line input. Also has a 1/8" mini jack. Two Class-A preamps

can be run independently or in stereo. Includes Acoustica Mixcraft



DSAN LSP-2

Laptop SoundPort

Converts computer speaker

output into balanced mic

level signals (on two XLRs).

Separate volume controls for each

channel. Ground lift switch assures

hum-free operation. A sum switch can combine

the two channels into a mono signal. A stereo headphone loop-

through allows for confidence monitoring aided by the main output mute switch. Additionally, the unit can function via the computer's

MIAMIDI 4-in/4-out Sound Card with S/PDIF and MIDI

Two balanced 1/4" TRS analog inputs and outputs and operates at both +4dBu and -10dBv levels. This combines with 24-bit/96kHz converters, S/PDIF and MIDI I/O jacks on a custom molded cable. "Virtual" outputs make it compatible with multi-track software. #ECMM.....



www.BandH.com

137.99

iConnectivity iConnectMIDI

Enhanced MIDI Interface

A proprietary MIDI Data Management Engine enables communication between the traditional 5-pin MIDI equipped devices, USB MIDI, Mac and Windows computers.

ECHO

Two universal

preamps,

inputs with mic

phantom nower

and trim knobs.



FireWire Audio Interface

Two balanced TRS inputs and 4 outputs, headphone out, two FireWire ports, S/PDIF and MIDI I/O, and 6 channels of duplex

24-bit/96kHz with low latency monitoring. Includes Tracktion.

(ECAF4)......254.00

AudioFire4



Compact and portable 2-in/4-out

24-bit/192kHz

recording and

interface, it offers

AudioFire Pre8

16 x 16 FireWire Audio/MIDI Interface



Analog channels have combo XLR and 1/4" TRS balanced inputs. CH-1/2 have controls for phase, pad, DI, low pass filter, LoZ, and phantom power. Also channel inserts for them. Channels 3 - 8 have their own gain trim knob, and phantom power button. 8 channels of ADAT I/O. S/PDIF I/O (optical or coaxial connectors).



iTrack Solo 2x2 USB Interface for iPad

• 24-bit/96kHz USB interface with mic preamp, XI R mic and 1/4" instrument inputs.



- Dynamic range over 105 dB
- . Dual RCA phono monitor outputs and a Direct Monitor Switch
- . Includes Ableton Live Lite 8 and Scarlett Plug-In Editing Suite.



Forte

Focusrite 2-in/4-out USB Interface

Two remote-controlled mic preamps, ergonomic design and digital resolution up to 24-bit/192kHz. XLR and 1/4" TRS inputs with high dynamic range and phantom power come via locking breakout cable. Features a color OLED level display, touch controls and a large control knob. Includes Ableton Live Lite 8, Focusrite Control and Focusrite Midnight plug-in suit. (FOFORTE) Call or Log On



Scarlett 2i2

- · Easily fits in a laptop bag
- 24-bit/96kHz USB interface with two preamps,
- · Rugged anodized aluminum unibody chassis
- · Bus powered no need of an additional power supply
- Gain knobs with surrounding halo indicators for each input
- · Direct monitor switch on the front panel
- . Includes Ableton Live Lite 8 and Scarlett plug-in suite

#FOS2I2......Call or Log On



Scarlett 18i6

18-in/6-out USB Interface

• 24-bit/96kHz USB interface with two preamps, 6 analog



- inputs, and four analog outputs.
- Two Hi-Z instrument inputs; ADAT optical, S/PDIF and MIDI I/O
- . Two virtual Loopback inputs for routing digital audio
- 18 x 6 DSP software mixer
- Includes a suite of EQ, compression, reverb and gating plug-ins, Ableton Live Lite, Novation Bass Station and 1GB of samples.

#FOS1816Call or Log On



Saffire 6 USB

Focusrite 2-in/4-out USB & MIDI Interface



Two award-winning Focusrite phantom powered mic

preamps, multiple outputs and MIDI I/O. The inputs can handle mic, line-level signals, and be switched to accept instrument inputs. There are six audio outputs with a pair of balanced 1/4" TRS outputs for studio monitors, and four RCA jacks that can be used for patching multiple signals into a mixing board. Headphone output can be switched to monitor the different sets of outputs. #FOS6USB2 Call or Log On



Saffire PRO 24 • Saffire PRO 24 DSP

16 x 8 Audio & MIDI FireWire 96kHz Interfaces

FireWire audio and MIDI computer interfaces. Two high quality mic preamps with phantom power, a suite of recording software (with instruments, effects, and audio loops), and ample amount of I/O. Two FET-based preamps offer low noise, low distortion, and a very transparent sound free of coloration. Inputs can handle mic, line-level or instrument inputs. Six balanced 1/4" TRS outputs.

Otherwise the same, the Saffire PRO 24 DSP adds Focusrite EQ and Compression for tracking, as well as 'comfort' reverb to place across your monitor mixes. It also allows you to hear your mix in different environments, through different speakers and from different positions, just using headphones.

Sapphire PRO 24 DSP (FOSP24DSP)......Call or Log On Sapphire PRO 24 (FOSP24)......Call or Log On

Saffire 14

Focusrite 8-in/6-out FireWire Interface

Two award-winning preamps. two more analog inputs, two Hi-Z instrument inputs, four analog outputs and S/PDIF and MIDLI/O Two virtual loopback inputs

are available for routing digital audio between software. Includes DSP software mixer, Ableton Live Lite, Novation's Bass Station soft synthesizer and over 1GB of royalty-free samples

#FOSP14......Call or Log On

Saffire PRO 40 • Liquid Saffire 56 Focusrite 20-input/20-output Saffire PRO 40 features 8

Focusrite low noise preamps, along with digital inputs and outputs. Each channel features phantom power, 9dB pads on the first 2 channels providing additional headroom. Front panel 5-LED metering for each analog input. Two independent headphone buses each with its own level control. Main monitor dial with dim and mute switches,

all of which fully integrate with customizable software to cover every possible monitoring need, basic stereo to full 7.1 surround. Virtual "loopback" inputs allow for routing digital audio between software applications, using the Saffire PRO 40 Control. This zero-latency DSP software provides extensive output routing and monitoring, a clear mixing layout, and large on-screen metering for inputs, outputs and sub-mixes. Liquid Saffire 56 steps up with 28 inputs and 28 outputs.

Saffire PRO 40 (FOSP40): 19 x 1.8 x 10.4" (WHD) Log On

Liquid Saffire 56 (FOLS56): 19 x 3.6 x 9.3" (WHD)Log On

192kHz PCI Digital Audio Interface

components in the analog stages coupled with state-of-the art

converters, it achieves a 117dB dynamic range. Features two ana-

log inputs/outputs with +4dBu or -10dBV levels, along with AES or

CBL-AES1604 -AES Digital Audio Cable (LYCAES164) 47.84

Designed for the most demanding recording.

post-production and broadcast

capture or generate signals up to

100kHz with extreme accuracy. Using

proprietary circuit topologies and custom

applications, the L22 can

exicon Alpha Studio

4-in/2-out Desktop Recording Studio

2x2x2 USB powered I/O mixer/interface with Cubase LE and Lexicon Pantheon VST reverb



plug-in. XLR mic preamp (no phantom power), 1/4" instrument and stereo line inputs. Mic and line inputs have level controls and peak meters. Two TRS and RCA line outputs and headphone amp. Mono/stereo monitoring and zero-latency.

| direct/playback monitoring. (LEALPHA)59 | .95 |
|---|-----|
| Lambda Studio 5-in/2-out (LELAMBDA) | .95 |

exicon Omega Studio

8-in/4-out USB Interface

Includes 8x4x2 USB I/O mixer, Cubase LE and Lexicon Pantheon VST reverb plug-in. Mixer supports tracking/monitoring applications while requiring no additional hardware. Two inputs with mic preamps with 48v phantom power and 1/4" TRS insert points. Four 1/4" TRS active balanced line inputs, S/PDIF input and instrument input.

M-AUDIO[®] Audiophile 192

4-in/4-out PCI Audio / MIDI Interface



M-AUDIO MobilePre MkII

2-Channel USB Interface

- 24-bit, 48 kHz
- Two XLR/TS combo jacks and two line inputs



- · 48v phantom power
- Four top-panel knobs to adjust I/O levels & headphone volume

M-AUDIO Audiophile 2496

4-in/4-out PCI Audio / MIDI Interface

Analog in/out via RCA coax utilizing 24-bit, 96kHz conversion. S/PDIF and MIDI I/O. Coax digital outputs are Dolby Digital 5.1 surround sound capable. Includes digital mixer/router and control over SCMS (Serial Copy Management System).

M-AUDIO®

Fast Track

2-in/2-out USB Audio Interface

XLR mic and 1/4" instrument input with gain control, 1/4" stereo headphone and RCA stereo speaker outputs. Includes Pro Tools SE Software with 3GB loop library, over 100 different instruments, and effects that include reverb, delay, EQ, compression, chorus,

M-AUDIO Fast Track C400

outputs. Also offers Zero-Latency monitoring, MIDI and S/PDIF I/O,

and software-controlled 36-bit internal DSP digital mixing/routing.

4-in/6-out USB Recording Interface with DSP

Desktop styled USB audio

192kHz sampling rate with

digital and balanced analog

I/O. Direct hardware input

balanced 1/4" TRS monitor

monitoring via separate

- 24-bit/96kHz audio
- Two mic/line combo preamps with 20dB pads
- MIDI & S/PDIF digital I/O
- Two front-panel 1/4" instrument inputs
- Phantom power for condenser microphones



M-AUDIO Fast Track C600

6-in/8-out USB Recording Interface with DSP

Steps up from the C400 with four mic/line preamps, six

balanced analog outputs with management for connecting up to three sets of monitors (or two set of monitors and a



subwoofer) and easily switching between them. Two headphone outputs with volume controls.

#MAFASTRKC600 (with Pro Tools SE software)......

M-AUDIO Fast Track Ultra 8R

8 x 8 USB Audio/MIDI Interface



Eight preamps using M-Audio's Octane technology. Onboard converters deliver superior 24-bit/96kHz fidelity. On-board MX Core DSP mixer processes eight hardware inputs and 8 software returns to the 8 hardware outputs, expanding the total I/O to a 16 x 8 configuration. Two independent headphone outputs to create the right mix for any performers, complete with reverb and delay.

M-AUDIO Audiophile Delta

1010LT 10-in/10-out PCI Sound Card

Same as the Delta 1010 on a half-size PCI card with two color-coded breakout cables. Multiple analog I/O, MIDI, S/PDIF and surround sound support are all here. Two inputs even have mic/line preamps on XLR connectors, saving the expense of outboard preamps.

M-AUDIO® **Delta 1010**

10-in/10-out PCI Card with Breakout Box

Ten discrete channels (8 bal/unbal 1/4" TRS inputs/outputs and S/PDIF I/O) of 24-bit/ 96kHz audio. Also provides one MIDI and



wordclock I/O and comprehensive mixing, monitoring, and routing capabilities. (MAD1010)

459.00

Computer Audio Interfaces

M-AUDIO ProFire 610

6-in/10-out Firewire Interface

Two high quality preamps featuring Octane technology, powerful DSP-



based monitor mixer, MIDI I/O, two discrete headphone outputs and assignable master volume control. Premium digital converters deliver 24-bit/192kHz audio throughout the signal path. Doubles as a standalone two-channel mic preamp and A/D-D/A converter.

M-AUDIO ProFire 2626

26 x 26 Firewire Interface



Eight M-Audio Octane mic preamps along with extensive digital conversion. 26 simultaneous inputs and outputs, each with an onboard DSP mixer sourced from up to 52 audio streams. Also function as a standalone preamp and digital converter. Connections include eight analog inputs, along with ADAT, S/PDIF, Wordclock and MIDI I/O. Jitter elimination ensures pristine audio quality and reliable synchronization up to 24-bit/192kHz resolution.

ULN-2 2d 12-in/14-out FireWire Digital Audio Interface



- 2 independent channels of high gain (up to +72dB), low-noise mic-preamplification with switchable +48v phantom power
- Selectable stereo AES/EBU or S/PDIF digital inputs and outputs
- Up to 8-channels of ADAT Lightpipe input and output
- Wordclock I/O on BNC connectors
- Sample rate conversion (SRC) on AES or S/PDIF digital I/O

MACKIE. Blackjack • Blackbird



Onyx preamps and 24-bit/96kHz

conversion in a convenient tabletop housing. Blackbird is a 16 x 16 FireWire recording interface with eight Onyx preamps and 24-bit/96kHz conversion in a 1RU chassis.

MOTU UltraLite mk3

FireWire/USB & MIDI Interface

- · Half rack space mobile 24-bit/ 96kHz recording studio with 10 inputs and 14 outputs.
- Two mic/instrument inputs with preamps, 48v phantom power, 3-way pad switch and front panel trim knobs.
- On-board SMPTE time code sync. Can also generate time code.
- Use built in 8-bus mixer to monitor all of the live inputs via the main outs, headphone jack or any other output #MAULMK3H......Call or Log On

MOTU MicroBook II

Pocket-sized, plug in your mic, guitar and keyboard and record up to 4 inputs simultaneously. Even has a connection for an iPod for rehearsing or sampling. Mix live inputs with live computer trackwith bundled CueMix FX software. Apply DSP-powered effects. Professional analog stereo output, digital output and stereo-mini output jacks for headphones and speakers. Edit and finalize recordings with AudioDesk software.

#MAMICROBOOK2......249.00

MOTU 4pre

6-in/8-out FireWire/USB & MIDI Interface

- 24-bit/96kHz
- · 4 mic preamps with phantom

power, 20dB pad, Precision Digital Trim and plenty of gain • Four combo jacks (four XLR mic, two hi-Z 1/4" guitar, and stereo line-level (+4/-10) inputs

- · 8-Bus Digital Mixer
- Stereo 24-bit/96kHz S/PDIF digital I/O
- Time code support; standalone operation

MOTU Audio Express

6-Channel Firewire/USB Audio Interface

Hybrid FireWire/ USB 2.0 connectivity and 6 x 8 physical



input/output channels - all available simultaneously and operate independently. Features front panel controls, extensive metering, MIDI and S/PDIF I/O. Compatible with virtually any DAW, plus operates as standalone 8-bus digital mixer. Route inputs directly to any output pair, each with its own unique mix.

MOTU 828 mk3

Firewire/USB Audio Interface



10 channels of 192kHz analog recording and playback, combined with 16 channels of ADAT digital I/O and stereo S/PDIF. Equally suited for the studio and stage, the interface can function as a standalone mixer. Two mic preamps with phantom power, pad and trim. Mic /guitar instrument sends, input limiters, and digitally controlled analog trim on all analog inputs.

#MA828MK3H.....Call or Log On

MOTU 8pre

16-in/12-out FireWire Interface



Desktop or rack-mounted, turns a Mac or PC into a 24-bit/96kHz recording studio with eight mic inputs, 8-channel ADAT optical digital I/O and MIDI I/O. When not connected to a computer, functions as 8-channel A/D converter. Bundled with CueMix software.

- · Front panel controls and status LEDs
- · Rear panel connectors for efficient studio installation.

#MA8PRE......Call or Log On

MOTU Track16

16 x 14 FireWire/USB 2.0 Studio Interface

Offering a compact desktop form factor, features 24-bit/192 kHz recording with 8 channels of analog I/O including mic, line and Hi-Z instrument inputs. For digital I/O, support either 8 channels of ADAT, four channels of SMUX optical, or two channels of TOSlink. MIDI I/O jacks are also included. Bundled with MOTU CueMix FX software. #MATRACK16



549.00

MOTU Traveler mk3

28-in/30-out FireWire Interface



- · Eight channels of pristine 192kHz analog recording and playback, combined with all of the digital I/O you need: ADAT optical, AES/ EBU and S/PDIF (TOSLink and RCA).
- · Fits in a knapsack, briefcase, computer bag and under a laptop
- Four mic pre-amps with switchable 48v phantom power, frontpanel Digital Precision Trim controls and pre-amplified sends.

MOTU 896mk3

28-in/32-out FireWire/USB 2.0 Audio Interface



Provides eight channels of 24-bit/192kHz analog recording and playback, combined with sixteen channels of optical digital I/O, stereo AES/EBU, S/PDIF, and separate analog main outs. Can also function as a rack-mount, standalone mixer- without computer. #MA4470......Call or Log On

USB MicMate

Mic Preamp and USB Interface Pocket-sized no-hassle solution for mobile recording, podcasting and garage bands. Preamp features a 16-bit A/D converter (44.1 and 48Hz) while also providing 48v phantom power from a computer's USB port. Fully balanced,

low-noise analog front end, three-stage analog gain control.

#MXMM......**39.95**

XD USB MicMate Pro

Mic Preamp and USB Interface

Converts the XLR output on pro mics to a USB output for direct connection to laptop or desktop. Sends +48v phantom power to condenser mics. has a mic input gain control, and



phone monitoring. Compact size makes it perfect for bands, solo recording artists, podcasters, and more.

Computer Audio Interfaces

NI NATIVE INSTRUMENTS

Numurk DJ/10

Designed for laptop DJs and producers on-the-go, features

systems, recorders, mixers,

a set of RCA outputs for sending 24-bit digital audio to sound

powered speakers, etc. A 1/4" phone

USB Audio Interface for DJ Software

TRAKTOR AUDIO 2

Ultra Compact DJ Audio Interface Easily fits in your pocket, features 24-bit/ 96kHz A/D and D/A converters for pristine audio quality, and two high-gain stereo outputs. Included TRAKTOR LE 2 software provides two

playback decks to spin tracks directly from a hard drive with full iTunes integration and iPod compatibility. (NATA2).....99.00

NI NATIVE INSTRUMENTS KOMPLETE **AUDIO 6**

6-input/6-output USB 2.0 Audio Interface

Features two high-end mic preamps, four analog inputs and outputs, S/PDIF digital I/O, MIDI I/O and low-latency performance.

Includes over 1,000 production-ready sounds and effects, instruments for all styles of music, TRAKTOR LE 2 DJ and Cubase LF 5 software.

#NAKA6......**229.00**



USB-P USB "Direct Box"

"DI" box for connecting a computer audio output to a live sound system. Transformer-isolated XLR balanced stereo outputs help eliminate ground loops, often a problem when connecting computer audio to a

sound system, especially if a projector is connected to the computer. Switch for stereo or mono output operation.

W PreSonus AudioBox 22VSL

mic input allows for voice-overs in DJ sets, performances, etc. A

1/4" phone headphone output provides DJ style monitoring.

2-in/2-out USB Interface

 Two combo mic/ instrument inputs with Class-A XMAX preamps. Over 50 Fat Channel DSP Presets.



Near-zero-latency monitoring. Includes Studio One Artist DAW software and 4GB of resources.

#PRAB44VSL (AudioBox 44VSL 4-in/4-out Interface). Call or Log On

MR PreSonus FireStudio Project

FireWire Recording System

10-in/10-out interface with eight Class A preamps, stereo S/PDIF

I/O, control software and Cubase LE 4 software. First two inputs

can be used for instruments, and are fitted with dedicated sends

and returns. FireControl Mixer/Router software can send up to five

individual mixes to different musicians during recording, allowing

#PRFSP Call or Log On

each band member to have a custom headphone mix.

MR PreSonus AudioBox 1818VSL

18-in/18-out USB Interface




- 2 Class-A XMAX mic/instrument and six mic/line preamps
- Individual input channel-trim controls with 0 to +35dBu microphone gain range
- Coaxial S/PDIF and ADAT optical I/O
- · Mix, adjust input and playback-returns levels, and add effects and signal processing from your laptop or other computer


propellerhead

Balance with Reason Essentials

Combines a 2-in, 2-out interface with a streamlined version of Reason 6. Interface features two two 1/4" guitar or bass inputs with PADs, two 1/4" TRS balanced main



XLR mic inputs with phantom power,



Babyface

10-in/12-out USB Interface Two mic preamps, Instrument DI, 192kHz sound quality, MIDI I/O, TotalMix FX (internal DSP mixer) and SteadyClock

technology in a sleek "go anywhere' interface. Optical TOSLINK I/O functions either as ADAT I/O with SMUX support, or S/PDIF I/O for all sessions up to 192kHz. Headphone output on the unit and the breakout cable.

#RMBFSE.....Call or Log-on*

FireFace UFX

USB and FireWire Audio Interface



- 60 channels of audio (30 inputs/30 outputs) —all can be used simultaneously
- · Four digitally controlled high-end preamps, reference class converters and full 192kHz operation.
- 12 analog inputs/outputs TotalMix FX with Internal Effects
- MIDI I/O, AES/EBU, ADAT and Wordclock I/O

#RMFUFX......Call or Log On

Numark

Stereo iO

USB Computer Audio DJ Interface

Inputs for line-level devices like a CD player and phono inputs for a vinyl turntable. There are also line-level RCA outputs. No software installation is required. The Stereo iO will simply plug in and play on both Mac and Windows computers.

#NUSTEREOIO

Mi PreSonus AudioBox USB

2-in/2-out USB Interface

24-bit 44.1 or 48kHz converters. two high-quality mic preamps with switchable 48v phantom power. balanced 1/4" TRS phone



Bundled with Cubase LE 4 and over 2GB of plug-ins, drum loops

Wi PreSonus FireStudio Mobile

Compact 10 x 6 FireWire Interface

Two transparent mic preamps with phantom power. 10 inputs include MIDI and S/PDIF, and 6 balanced line inputs. Studio One Artist



software lets you utilize every input and overdub an unlimited number of tracks. Includes virtual instruments and effects, as well as gigabytes of loops and samples.

Fireface UC • UCX

- 2 balanced mic inputs with 48v phantom power, and Neutrik Combo connectors for XLR and TRS
- Two balanced universal inputs for line and instrument signals
- ADAT, Word Clock and two MIDI I/Os -up to 192 kHz on all I/Os
- · Eight analog inputs and outputs · Integrated DSP mixer

Fireface UC (RMFFUC)..... Log On Fieface UCX (RMUCX)...... Log On

FireFace 800

56-channel FireWire Audio Interface



Up to 16 analog sources can be connected at one time, which include four mic preamps with phantom power. Dual ADAT ports add further connectivity by inputting or outputting up to 16 digital channels from the correct digital sources. A front-sided headphone output can be used directly with ASIO Direct Monitoring. Also provides a Hi-Z instrument input with a soft limiter, a drive circuit and a speaker emulation filter to enhance instruments.

#RMFF800......Call or Log On

Computer Audio Interfaces

www.BandH.com

RANE SL 3

USB 2.0 Interface for Serato Scratch Live

Two sets of stereo RCA inputs let you attach a pair of vinyl turntables or CDJ decks, and two sets of stereo RCA outputs let you plug into a DJ mixer. SL 3 hardware and Serato Scratch Live software give you the power to control music and video files in your Mac or PC with the turntables, CDJ decks,

Roland UA-55 QUAD-CAPTURE

4-in/4-out USB /MIDI Interface

24-bit/192kHz audio quality and ultra-low latency performance.



USB bus powered, features two XLR/TRS combo inputs with VS Preamps, each with switchable phantom power, a low cut filter, phase invert, and digital compression. Activating the one-click AUTO-SENS makes it fast and easy to set perfect input levels.

#ROUA55 (with SONAR X1 LE software for Windows) 269.00

RANE SL 4

5-Channel Interface for Scratch Live

24-bit /96kHz resolution, an auxiliary I/O, and two USB 2.0 ports for seamless changeover in between DJ sets. Supports 4x turntables or CD decks. The rugged enclosure features galvanic isolation to eliminate computer noise and interference. Includes Serato Scratch Live software, 4x control CDs, 4x control vinyl records

Roland UA-1010 OCTA-CAPTURE

10-in/12-out USB Audio Interface

24-bit/192 kHz audio quality. 8 VS mic preamps.



Auto Sensing function sets recording level of each input to the best setting. A software compressor is available per channel, and a reverb processor can be accessed by individual channel sends. 4 independent Direct Mixers for creating software-controlled monitor mixes. Includes Cakewalk Production Plus Pack software.

Roland

UA-133 TRI-CAPTURE

2-in/2-out USB Interface

2 simultaneous inputs and 2 outputs (44.1 and 48kHz only). Dedicated front-panel controls make it easy to mix, control and monitor a variety of signals. XLR input with switchable



phantom power and 1/4" jack for quitar or bass. Rec mode section provides selection of recording functions, including LOOP BACK for

SOUND DEVICES

USBPre2 2-Channel Portable USB Interface

Interfaces studio mics line-level sources instruments, and consumer electronics with Mac or Windows-



based computers. S/PDIF

coaxial I/O. Works with most recording, streaming, and measurement software.

TASCAM, US-122MKII

USB 2.0 Audio/MIDI Interface

Two XLR mic preamps with phantom power. Pair of balanced line inputs and a guitar input. 96kHz/24-bit audio and zero-latency monitoring. MIDI I/O allow connection of synths and drum machines. Connect to monitors through the line output or use headphones with the front-mounted stereo 1/4" jack. Comes with Cubase LE4 software.

TASCAM, US-144MKII

USB 2.0 Audio/MIDI Interface

Otherwise the same as the US-122MKII. the US-144MKII adds S/PDIF stereo coaxial input and output for a total of four inputs and outputs at up to 96kHz/24-bit audio quality It also offers individual line and headphone output level controls.



TASCAM. US-125 USB 2.0 Interface

USB audio interface that also incorporates mixer functionality. Combine a mic, in-



strument and a line source with a computer audio signal, and feed the mix to a computer via USB. Features level controls for all four sources and an output level control, along with signal and overload indicators. The mic input has a switchable limiter. Housed in a solid aluminum case, can also be used as a stand-alone mixer.

TASCAM US-200

2-in/4-out USB /MIDI Interface

Housed in a lightweight, portable chassis, records audio with up to 24-bit/96kHz resolution. Features dual mic preamps with TRS/XLR Combi connectors with



phantom power, four rear-panel unbalanced RCA outputs. MIDI I/O and direct monitoring path. Bundled with Cubase LE.

TASCAM US-600

6-in/4-out USB /MIDI Interface

24-bit/96 kHz audio resolution. Four mic preamps with phantom power and XLR/TRS

combo jacks. S/PDIF stereo digital I/O, MIDI I/O and two RCA outputs. Direct Monitor function



allows zero-latency monitoring of the input. Signal Present and Overload LED meters on each input. Monitor mix level control and mono/stereo switch for direct input monitoring. (TAUS600) 124.99

TASCAM US-1800

16-in /4-out USB 2.0 Interface



- 8 mic preamps with 48v phantom power and 60dB of gain
- Six balanced line inputs, as well as stereo S/PDIF digital
- Up to 24-bit/96kHz audio resolution
- Four simultaneous outputs MIDI I/O
- Independent monitor and headphone outputs
- Includes Cubase LE 5 workstation software

TASCAM US-2000

16-in / 4-out USB 2.0 Interface



- 96kHz/24-bit resolution Stereo S/PDIF digital I/O
- . 8 XLR mic inputs with phantom power
- 6 TRS 1/4" balanced line inputs, 4 outputs
- 2 instrument inputs (channels 7/8 on front panel "combi" jacks)
- 100-LED meter bridge (5 segments for each input and output)
- 1/4" balanced stereo monitor output with its own volume control

t.c. electronic **Desktop Konnekt 6**

2-in/2-out FireWire Interface

Mic and instrument/line input, or two instrument/line inputs. Highresolution meter and big volume knob provide visual feedback and tactile control. Balanced outputs and headphone output which allows for a different mix to be present at that output.





Universal Audio UNIVERSAL AUDIO Apollo Duo and Quad Core

18 x 24 FireWire/Thunderbolt Audio Interfaces



To deliver the sound, feel and flow of analog recording, the interfaces combine 24-bit/192 kHz sound quality with onboard UAD processing. Allows music producers to track audio through a range of classic UAD analog emulation plug-ins in real-time.

| | 0 | • | 0 | |
|---------|---|----------------------------|------------------|---|
| 1999.00 | | (UNAPOLLODUO) | Apollo Duo Core | 1 |
| 2499.00 | | e <i>(UNAPOLLOQUAL</i> | Apollo Quad Core | 1 |

AKAI APC40

Ableton Performance Controller



#AKAPC20 (APC20 Compact Ableton Controller)...... Call or Log On

MPC Studio Music Production Controller

> 16 backlit genuine MPC pads. USB-powered with low-profile knobs. Large LCD screen lets you make tracks without having to look at your computer. Four

touch-sensitive knobs provide enhanced MPC software control. Less than 1" thin and fits easily into a laptop bag.

Artist Control



MPC Renaissance

Music Production Controller



PDIF I/O, 4-channel USB 2.0 interface and built-in two-port USB hub. (AKMPCREN) 1299.00



BCR2000 Total Recall USB/MIDI Controller Desk

Hands-on control surface with 24 endless rotary encoders for control of virtual synths, samplers, effects and processors.4 virtual groups with 8 dual-mode, high resolution encoders with LED rings and additional push function. 16 + 4 illuminated buttons freely assignable to all types of MIDI functions. All panel elements freely assignable, either manually or via user-friendly learn mode.



Touch-Sensitive Fader Control Surface

EUCON enabled control surface with 8 motorized, touch-sensitive, 100mm long throw faders, and 8 touch- and velocity-sensitive rotary encoders. Provides fast access to many software



functions like adjusting audio levels, plug-in parameters, panning, automation modes, and more, all with excellent visual feedback.



#AVMCCONTROL 1469.47



BFC2000 Total Recall USB/MIDI Controller Desk

Hands-on control surface with eight 100mm motorized faders for the control of virtual mixers, synths and samplers. Groups can be created to facilitate moves that can't be made with a mouse. MIDI I/O/Thru and includes 8 rotary

encoders, each with a 15-element LED indicator plus a push-to-set function. This allows you to select, adjust, set and control a myriad of functions.

#BEBCF2000......Call or Log On



metering (from mono to 5.1 surround data), fader/pan values and automation modes. Quick acces to plug-in and EQ parameters, triggering macro com-



· Weighted, optically encoded

- jog wheel and shuttle ring · 7 ergonomic transport/
- navigation keys with multi-color status LEDs

track names/numbers,

- · Control multiple applications and workstations via ethernet
- . 250x faster and 8x the resolution of MIDI
- Supports HUI and Mackie Control protocols







The size of an

MACKIE.

100mm Alps touch-sensitive

Apple keyboard, yet provides a huge amount of



programming virtual instruments. Marker and Track Buttons, iPad support, 8 faders, 8 knobs, 24 switches with programmable attack and release times, and a full transport control section.

#KONKC2W (In White) Call or Log On



LIVID OhmRGB

Control Surface

Stylish, roadworthy and portable, features 81 programmable buttons, 8 sliders, a crossfader and 16 programmable knobs. Two 1/4" jacks let you connect Roland-style foot pedals and single analog controls. Editor



allows you to remap controls, change MIDI assignments, create LED maps and save.

#LIOHMRGB. 599.00



CNTRL:R

MIDI Performance Instrument

Portable, compact control surface, features 48 programmable buttons, 8 sliders, 24 rotary knobs and 12 pushbutton encoders. Two 1/4" jacks let you connect Roland-style foot pedals and



single analog controls. Editor allows you to remap controls, change MIDI assignments, create LED maps and save.



motorized fader in addition to mute, solo, and record arming buttons. Also includes Channel Select button, V-Pot, full automation assignment section, and a Shift Modifier that offers dual functionality for specific commands.



Zero SL MKII DAW

16 knobs, 8 faders and 32 assignable back-lit LED buttons support flexible DAW control and auto-mappable plug-in control. Fully assignable crossfader. "Soft-Feel" drum pads. Dedicated transport buttons. Automap software maps parameters to faders, buttons, encoders and pots and other controllers. Includes a host of royalty-free loops and samples, soft-synthesizer and Ableton Live 7 Lite. (NORZSLMK2)Call or Log On

PreSonus FaderPort

Motorized Fader & Transport Control for DAWs

Touch-sensitive motorized fader and comprehensive transport control section provides a real-time input option for DAWs, enhancing efficiency and providing tactile method for inputting volume and pan automation. Pan control, mute, solo and record enable. Single or group channel automation. Buttons for quick window selection (edit, mix and transport). Foot-switch jack

Solid State Logic NUCLEUS

16-Fader DAW Controller

Combines advanced DAW control, transparent SuperAna-



logue™ monitoring, high class analogue mic pres, pro quality USB audio interface and bundled SSL Duende Native plug-ins in a compact, portable desktop unit.

DENON DN-C615 CD-R/RW Player



- Vary pitch by up to ±12% of playback speed
- Single/continuous playback mode. CD text is supported
- Shock memory prevents skipping Instant start and Auto Cue
- Direct track access is provided through an 11-key keypad #DEDNC615 Call or Log On

RC-U620 IR Remote Control (DERCU620) 39.00

DENON DCM-290P

Rack-Mountable 5-Disc Automatic CD Changer

 Plavs CD-R/ RW discs and is MP3/WMA compatible



- · Combine up to
- 32 tracks from the 5 loaded discs for programmed play
- 3-mode random playback
- · Intelligent Disc Scan
- 20-Selection Music Calendar Display

#DEDCM290P......Call or Log On

TASCAM CD-200

Rackmount CD Player w/Remote Control



- Supports CD TEXT & ID3 tags
- · Continue, Random, Program and Repeat (Single/All) playback
- . ±12% pitch control, available via the analog output.
- · Coaxial and optical S/PDIF outputs; 1/4" headphone jack

#TACD200 239.00

TASCAM CD-6010

Professional CD Player



- · Audio CD-R/RW, MP3 (192 KB) and WAV playback
- . Flash start capability for up to 20 tracks
- · Numeric keys for track selection and flash start
- Frame accurate search Skip back function
- · Highly reliable for broadcast, installation or touring applications
- Serial (RS-232C) and parallel control port (D-sub 15-pin)

TASCAM CD-RW900SL

Slot-Loading CD Recorder



- Play and record CD-R/RW discs with MP3 files.
- Sample rate conversion, selectable disc reading speed, auto cue and auto ready, pitch control of 0.1 to 1.0%, and more.
- Stereo RCA I/O as well as optical and coaxial digital I/O.
- Includes wirelss remote control

DENON DN-C620

Professional Broadcast CD Player



Slim and 1RU high, the DN-C620 supports CD-R/RW as well as WAVE, CD-DA and MP3 CD formats. Has XLR balanced outputs, RCA phono (fixed and variable) unbalanced outputs, and AES/EBU and S/PDIF digital outputs. Includes IR remote, ±12% pitch control, user programmable replay and Cue to Music function.

III and I and III CDR633

Slot-Loading CD Player/Recorder



- . CD-Text which can be input and ID3 tags are show on the LCD.
- · Level-dependent auto track incrementation, can play unfinalized discs, auto-cue, +16% pitch control, auto fade in/out, and program, shuffle, and continuous playback modes.

#MACDR633Call or Log On

TASCAM. CD-200i • CD-200iB

Rackmount CD Plavers with iPod Dock

Same as CD-200. plus a sliding trav



which reveals an iPod dock. Sends audio through the system to the appropriate outputs. Output video via S-Video connector.

#TACD2001 (RCA outputs)......Call or Log On #TACD200IB (XLR and RCA outputs)......399.99

TASCAM. CD-A750

Rackmount CD Player/Cassette Recorder



- Plays CD-DA, MP3, and WAV CD-Text and ID3 support
- CD-to-tape dubbing CD and Cassette Pitch Control
- RCA and XLR I/O Digital Coaxial output
- Parallel and RS-232 Control Ports

TASCAM. CD-RW901SL

Slot-Loading CD Recorder



- . Steps up from the CD-RW900SL with analog and digital XLR connectors, and parallel and RS-232C ports for wired control.
- Digital fade in/out while recording, timed track and Skip mode
- Two units may be connected for continuous recording

DENON DN-C635

Professional CD and CD-R/RW Player



Single 2RU rack-mount chassis offers CD-R/RW playback with MP3 decoding. $\pm 12\%$ pitch control on long stroke sliding fader. CD text is supported along with a single/continuous playback mode. Balanced XLR and ubalanced RCA outputs. 10-second hockproof memory prevents skipping. (DEDNC635)......Log On

TEAC CD-P1260

Single-Disc CD Player



- . Plays CD, CD-R/RW, and MP3 CD
- Random program, plus repeat track/all, and shuffle mode
- · Front-panel controls and full-function remote
- · Front-panel headphone jack with volume control
- Rear-panel RCA phono output

TASCAM CD-500

Single-Rackspace CD Player



- Slim and lightweight 1RU chassis with slot-loading mechanism
- MP3 and WAV CD Support
 Optical and coaxial digital outputs
- 10-key pad provides instant access to tracks.
- Frame-accurate searching, plus index and directory search

TASCAM. MD-CD1 MK3

Combination CD Player and MiniDisc Recorder



- Plays standard CDs, MP3 and WAV file CDs, CD-TEXT discs.
- . MiniDisc will play or record in SP, Mono, LP2, and LP4.
- Dub a CD to a MiniDisc at 4x speed.
- Continuous playback for seamless long-term audio playback.
- RCA analog plus S/PDIF optical and coaxial digital outputs
- PS/2 and RS-232C ports for wired control

TASCAM DV-RA1000HD

High-Def CD, DVD, and Hard Drive Recorder



- Record 192kHz/24-bit PCM or DSD format
- Record directly to the internal hard drive, or to DVD+RW, CD-R, or CD-RW media. Archive to DVD-R/RW, DVD+R /+RW discs
- XLR, RCA, AES/EBU, S/PDIF, and SDIF 3/DSD RAW

800-947-1181 | 212-444-6681

DISCS MICRO BR BR-80

8-Track Portable Digital Audio Recorder

IKEY-AUDIO RM3

Rackmount Digital Audio Recorder

000 -

Record stereo or mono files to SD/SDHC cards or USB flash drives. Files can be stored as MP3 files at up to 320kbps or WAV at up to

16-bit/44.1kHz for CD-quality sound. XLR, RCA, and 1/4" inputs and outputs. . Has a 3-level input gain switch and an adjustable

record level with a digital input VU meter.

- 3 Operating Modes
- · Records to SD/SDHC Cards
- Built-In Stereo Microphone
- · 64 V-Tracks and
- 8 Playback Tracks
- eBand Function
- · Built-in Backing and Rhythm
- · COSM Amps and Effects

#BOBR80.....



BOSS BR-800

4-Track Portable Digital Audio Recorder

- · Touch sensor interface
- · Built-in condenser mic
- · Records to SD/SDHC cards
- Integrated Effects
- · Drum Machine with Editor
- SONAR 8.5 LE software

. USB audio interface and DAW control

BR-1600CD Desktop Digital Workstation (BOBR1600CD)... 1499.00

· Half-rack design with balanced and unbalanced inputs · Supports WAV and MP3 formats, records to SD/SDHC cards · Audible search, single/continuous, repeat, and random playback • USB, RS-232 and foot pedal remote connectors

III A PAINTZ PMD580

Rack-Mount CompactFlash Digital Audio Network Recorder



- Records stereo MP3 or WAV files up to 24-bit/48kHz
- · Ethernet connectivity for network control
- Setup and control from any PC or Mac within the network
- XLR and RCA connectors for analog and digital I/O

TASCAM HD-R1

Two-Channel Solid State Audio Recorder



- · Rack mountable, records PCM or MP3 files to CompactFlash cards or to USB drive via USB host interface.
- Balanced mic/line XLR I/O with 20dB pad and phantom power
- RCA and Euroblock analog I/O connectors, S/PDIF coaxial I/O, RS-232, RJ45, and Parallel connectors for remote control #TAHDR1......889.99

TASCAM. ss-R100 • ss-R200

JoeCo BBR1-B Multi-Track Recorder (JOBBR1B) 2795.00

Solid State Digital Audio Recorders



- · Records audio as WAV or MP3 files and stores it on Compact Flash or SD/SDHC cards, or USB memory
- · Adjust the playback speed without changing the pitch
- Computer keyboard can be connected via PS/2 or USB for editing file names, transport control, and flash start

SS-R200: balanced stereo analog XLR I/O (TASSR200)...... Log On

TASCAM. SS-CDR200

Solid State and CD Digital Audio Recorder



Same as the SS-R200 plus solid state recoding to any available media (CF, SD/SDHC, USB Memory, and CD-R/CD-RW). Record in MP3, audio CD, or convert WAV files to audio CD.

#TASSCDR200......999.99

TASCAM DP-004

4-Track Digital Pocketstudio Recorder/Mixer

- Ultra compact, runs on AA batteries or optional adapter.
- Record up to 4 tracks at 16-bit/44.1kHz to SD flash cards. Simultaneously records 2 audio



• Integrated stereo mic, dual 1/4" mic/line inputs, stereo 3.5mm output, USB 2.0 connector, knobs for setting level and pan

#TADP004 Call or Log On

TASCAM DP-008

Portable 8-Track Portastudio Recorder

- . Captures CD-quality audio, two tracks at a time to SD cards
- · Built-in mics
- XLR and 1/4" inputs
- · Each track has its own row of knobs for level, pan and effects, and 2-band EQ.
- . Chromatic tuner and metronome
- · Export your mix, or even individual tracks, as a WAV file.

#TADP008 Call or Log On

TASCAM DP-003

8-Track Recorder with CD-Burning & Effects

built-in CD burner that allows you to burn your completed tracks directly to a CD without the need for additional equipment. You can also import a recording via CD In addition, 45mm faders and

mic. 100 built-in effects.

Steps up from the DP-008 with



dedicated pan knobs give you tactile control over your audio.

R16 Multi-Track

Recorder/Mixer and Surface Controller

TASCAM DP-24

24-Track Digital Portastudio

- · Color LCD display and 12-encoder channel strip for easy operation
- 8 mic inputs on combo XLR-
- 1/4" jacks with phantom power • Up to 8-track simultaneous re-
- cording at 48kHz/24-bit resolution Record to SD card, plus CD-RW drive for mixdown and backup

#TADP24Log On

X-48mkll 48-Track Hard Disk Workstation (TAX48MKII)...... Log On

R8 8-Track Digital

Recorder/Interface/Controller/Sampler

- 16 or 24-bit WAV files
- . XLR/TRS combo inputs with 48v Phantom power
- · Integrated stereo mics · Writes to SD Cards
- USB Interface
- . Mixing and transport controls
- Runs on batteries/USB-power
- 8-voice pad sampler and sequencer
- Includes Cubase LE software and drum loops

Dedicated transport controls and jog/shuttle for Final Cut Pro and other NLE programs. 8 mic preamps, guitar input, built-in condenser

| ords to SD Cards • | USB port | • Runs on AC | or batteries |
|--------------------|-------------|--------------|--------------|
| 6 | | | 399.99 |
| k R16B Carry Case | for R16 (Z0 | SATR16B) | 26.00 |

R24 Multi-Track Recorder/Mixer and Surface Controller

- 8 XLR/TRS combo inputs plus built-in condenser mic
- Full mixing and transport controls, with compatibility for Cubase, Logic, Sonar, and other software



- Pad sampler with 24 voices (8 pads x 3 banks)
- · Loop-based audio sequencer for creating music
- Supports SD cards up to 32GB







PRO AUDIO

DENON DN-F450R

Cassette Recorders/Players • Recording Accessories

XI□□ TAPE 2 PC

USB Cassette-to-MP3 Converter

· Convert your tapes to MP3 files

· Can also be used as a standard cassette deck #IOTAPE2PC



Panasonic RQ-2102

Portable Cassette Recorder

Uses standard cassettes to record voice or other ambient sounds. External mic input and headphone output. (PARQ2102) ... 34.99



PRO

PT649D Rackmountable **Dual Cassette Plaver**

- · Dub tapes at normal or high speed
- · Auto stop with a 3 digit tape counter
- · Automatic recording level setting plus a selector for chrome tapes.

TASCAM, 202MK V

Rackmount Dual Cassette Recorder/Player

- Auto-Reverse
- RCA I/O
- · Mic input
- · Pitch Control
- A-B Repeat Normal and high-speed dubbing
- · Continuous or simultaneous recording #TA202MK5.....

TASCAM CC-222SLMKII

Rackmount CD/Cassette Recorder

- individual recorders.
- Record one source to both mediums



• Analog RCA I/O, digital coaxial and optical I/O, RIAA phono input #TACDA550 (CD-A550 CD Player/Cassette Recorder) 369.99

| Cassette Tape | |
|--|--|
| Maxell Communicator Series Normal Bias 90 (MACOM90) 1.19 | |
| Maxell Normal Bias UR 90-Minutes (MANBUAT) | |

Hum Eliminators

| Tidili Ellillideolo | ч |
|--|----------------|
| Allen-Avionics AGL-600-2 (ALAGL6002)255.0 |)0 |
| ART DTI: Dual Input Inline Transformer/Isolator (ARDTI)Log C |)n |
| ART T8: 8-Channel Transformer / Isolator (ART8) |)0 |
| Behringer MicroHD HD400 (BEHD400)Log C |)n |
| Ebtech HE-2: 2-Channel Hum Eliminator (EBHE2)64.0 |)0 |
| Ebtech HE-2-XLR: Same as above w/XLRs (EBHE2XLR)84.0 |)0 |
| Ebtech Hum X: Plug-Style AC Hum Eliminator (EBHX)59.7 | 77 |
| JK Audio Pureformer: Stereo Isolation Transformer (JKPUR) 56.0 |)5 |
| Pro Co Sound IT1: Isolation Transformer Box (PRIT1)92.1 | 19 |
| Rolls DB25: Passive Direct Box (RODB25)23.6 | 33 |
| Rolls HE18: Buzz Off (ROHE18) | 50 |
| Whirlwind ISOXL: Line-Level Isolation Transformer (WHISOXL).39.9 | 95 |
| Sescom IL-19: Inline Audio Hum Eliminator (SEIL19) |) 5 |
| Sescom IL-19-PRS-GLS: w/Ground Lift Switch (SEIL19PRSGLS) 69.9 | 95 |
| Sescom IL-19-2: 2-Channel Audio Hum Eliminator (SEIL192)84.9 | 95 |

Cable Testers & Tone Generators

| Behringer CT-100: Cable Tester (BECT100) | 29.99 |
|--|--------|
| Ebtech SWIZZ-CT: Cable Tester (EBSWIZZCT) | 87.99 |
| Hosa CBT-500 Audio Cable Tester (HOCBT500) | 49.95 |
| Pyle-Pro PCT-10: 8-in-1 Audio Cable Tester (PYPCT10) | Log On |
| Pyle-Pro PCT-40: 12-in-1 Audio Cable Tester (PYPCT40) | Log On |
| Rolls M02020 Testoscillator Wave Generator (ROM02020) | 61.50 |
| Rolls MU118 Digital Multimeter (ROMU118) | 29.95 |
| SM Pro Audio CT-2 Cable Tester (SMPCT21) | 34.95 |
| SM Pro Audio CT-3 Multi format Cable Tester (SMPCT31) | 129.99 |
| Whirlwind Audio Cable Tester (WHT) | 69.99 |
| Whirlwind DCT-9: Cable Tester (WHDCT9) | 96.99 |
| Whirlwind MCT7: Multi Connector Cable Tester (WHMCT7). | 119.00 |
| Whirlwind QBOX: Line, Cable and Tone Generator (WHQB). | Log On |
| | |

Level Matching Transformers

| Aphex AP124A: Level Matching Interface (AP124A)249.00 |
|---|
| ART CleanBox (ARSC) |
| Audio-Technica: Low to High Impedance Transf. (AUCP8201). 18.99 |
| Canare: Digital Audio Impedance Transformer (CABCJXJTRB) 29.00 |
| Canare: Digital Audio Impedance Transformer (CABCJXPTRB) 29.00 |
| DSAN LSP-1: Laptop SoundPort (DSLSP1) |
| Ebtech: 2-Ch. Line Level Shifter & Hum Elliminator (EBLLS2) 59.99 |
| Ebtech: LLS-2-XLR (EBLLS2XLR)84.95 |
| Henry Engineering: The Matchbox HD (HEMBHD)215.00 |
| Hosa Hi-Z to Low-Z Mic Transmformer (HOMIT129) 9.30 |
| Hosa Low-Z XLR-F to Hi-Z 1/4" Male Transformer (HOMIT176) . 21.59 |
| Hosa XLR-F Low-Z to 1/4" Phone-M Hi-Z Mic (HOMIT435) 9.66 |
| MOTU ZBox Guitar Pickup Impedance Adapter (MAZBOX)Log On |
| Neutrik AES/EBU Impedance Transformer (NENADITBNCF) 34.95 |
| Pearstone: Low to High Impedance (PELMT100) |
| Pro Co Sound AV1: Audio/Video Interface (PRAV1A) 118.69 |
| Rolls MB15b Promatch: 2-Way Stereo Converter (ROMB15B). 58.50 |
| Sescom Inline XLR Line Matching Transformer (SESESXLRISO). 20.35 |
| Shure A15LA: Line Adapter (SHA15LA) |
| Shure A85F: Impedance Mic Matching Transformer (SHA85F) 18.75 |
| Whirlwind LM2B: 2-Ch. Line Level Converter (WHLM2B) 140.00 |



Splitters & Combiners

| ophiticis a combiners | |
|---|--------|
| ART S8-3-Way Microphone Splitter (ARS83WAY) | 219.99 |
| ART SPLITCom Pro: Mic Splitter/Combiner (AR2MS) | Log On |
| ART S8: 8-Channel Mic Signal Splitter (ARS8) | 179.10 |
| ART SPLITMix4: 4-Channel Passive Splitter/Mixer (ARSM4) | 45.99 |
| Audio Technica T8681: UniMix Mic Combiner (AUAT8681) | 64.49 |
| Galaxy Audio: Jack In The Box Signal Splitter (GAJIBS) | 29.99 |
| Galaxy Audio: Jack In The Box Mic Splitter (GAJIBY) | 29.99 |
| Pro Co Sound: 1 into 3 Mic Splitter Box (PRMS3) | 89.00 |
| Pro Co Sound: 1 into 2 Mic Splitter Box (PRMS2) | 81.71 |
| Sescom Pro line-level audio converter (SESOTLMAX) | 184.95 |
| Whirlwind LBS: 1x2 Line Balancer and Splitter (WHLBS) | 69.99 |
| Whirlwind SP1X2: 1x2 Mic Splitter (WHSP1X2) | 79.00 |
| Whirlwind SP1X3: 1x3 Mic Splitter (WHSP1X3) | 89.00 |
| Whirlwind SPLIT6: 1x6 Line Splitter (WHSPLIT6) | 65.00 |
| | |

Notation & Utility Software

cakewalk pyro

Audio Creator

- Edit Audio Burn and rip CDs
- . Clean and convert Audio
- · Encode, tag and organize sound library
- Back-Up Files
- · Publish Music to Internet
- Works with Windows XP/Vista/7



IK MULTIMEDIA ARC

Room Correction System (Native)

Easy and cost effective way to tune the monitoring aspect of a studio Includes omni-directional measurement mic and plug-in software that can be used in virtually any major DAW. #IKAS



169.99

makemusic

Finale PrintMusic 2011

Music Notation and Composition Software

- . Manually enter notes, extract parts, arrange full ensembles
- Plays music with pro sounds and nuance
- Scan existing sheet music, import and export MP3 files • 128 Virtual Instruments #MAPM2011 SongWriter 2012 (MAS2012).....

First 7







makemusic Finale 2012

Professional Notation Software

Lets you compose, arrange, notate, and print engraver-quality sheet music. Entering notes can be achieved in multiple ways, from MIDI to mouse, from scanning to exclusive MicNotator. Experiment freely and compose any imaginable music without constraints.





Sibelius 7 Music Notation Software Write, play, print and

Sibelius publish. Input music by singing or playing an instrument, then hit

a button to put the results into the score. Sibelius 7 (SIS7) 449.99 Sibelius 7 Academic (SIS7A)...... 246.96

Sibelius 7 Upgrade (SIS7UG)...... 102.55



| | Notation Software | |
|----------------|---------------------------------|-------|
| Sibelius | Fast and easy way for anyone | |
| to start writi | ng and sharing music. Intuitive | Stell |
| interface gu | ides you through the process. | |
| Time-saving | tools make it easy to get | 1 |

professional results fast.

800-947-1181 | 212-444-6681

rturio V Collection 2.0

Virtual Synthesizer Anthology

Emulations of 7 legendary synthesizers (Minimoog V, Moog Modular V, CS-80V, ARP2600 V, Jupiter-8V, Prophet V and VS.) Each has over 400 carefully selected patches and provides photo realistic interfaces that perfectly match the original layouts on your computer screen. (ARVCOL2) Call or Log On







Quantum Leap Symphonic Orchestra

Sampled orchestral collection originally captured in a "state of the art" concert hall. Recorded by eleven-time Grammy nominated classical recording engineer Prof. Keith O. Johnson, the virtual instrument features strings, brass, woodwinds and percussion. (EAEW180)......195.00



MOTU MachFive 3

Universal Virtual Sampler

From the configurable part list to the fullscreen envelope editor, the software has been designed to enhance creativity while delivering state-of-the-art virtual instrument technology in a streamlined, efficient environment. (MAM53).....Call or Log On



.... Call or Log On

#MAUM53 (Competitive Upgrade)..... NII NATIVE INSTRUMENTS KOMPLETE 8

Virtual Instruments and Effects Collection

100GB of data spans 27 instruments and effects, and contains more than 10,000 production-ready sounds, suitable for all styles and genres. Includes KONTAKT 5 and GUITAR RIG 5 PRO. REAKTOR 5.6, along with MASSIVE, ABSYNTH and FM8 deliver the ultimate synthesizer array



KOMPLETE 8 Full Version (NAK8)..... 499.00 KOMPLETE 8 Ultimate (NAK8ULT).

SPECTRASONICS Trillian

Total Bass Virtual Instrument

34GB core library features highly-detailed Acoustic, Electric and Synth basses — as well as enhanced versions of classic Trilogy sounds. STEAM engine technology allows powerful integration with Omnisphere. #SP3TRL.....**275.00**



(DTOONTRACK EZ-Drummer

Virtual Drum Module

More than 8,000 drum patterns with pre-listening, quick browsing and "drag and drop" functionality. 7,000 sound files recorded with 16-bit/44.1kHz resolution. Integrated mixer allows stereo and multitrack routing into the host software through a single instantiation of the plug-in.



EZ-Drummer (TOTT106).....

Spark Hardware Drum Machine Synthesizer

Combination hardware and software workstation for sequencing drum patterns and grooves in minutes. Powerful software engine incorporates analog, physical modeling, and sample-based drum kits that range from electronic, R&B, Hip-Hop, acoustic kits and more. (ARSPARK)..... 549.00



Expansion BFD Eco

Software Instrument for Acoustic Drums

Functions as a plug-in or standalone, and provides easy access to the some of the best sounds in the BFD2 library. There are 5 kicks, 6 snares, 12 toms, 3 hi-hats and 11 cymbals taken from the BFD2 library, as well as a selection of percussion from the BFD Percussion expansion pack.



MOTU BPM 1.5

Advanced Urban Rhythm Virtual Instrument

Unites drum machine-style operation with advanced virtual instrument technology to provide a great rhythm programming experience. 19GB sound library, 64 virtual pads, per pad step sequencer, sampling and synthesis, graphic mixer and Waveform Editor. (MABPM)......Call or Log On



SONIVOX Dubstep

Destruction Tools

4 plug-ins, WOBBLE, TWIST, VOCALIZER, and PULSE are all incredibly flexible music creation engines featuring a collective sound library totaling over 8GB. With unique and state-of-the-art tools to optimize creative energy, each virtual instru-

ment will push your production quality forward. #SODDT.....



249.00

SPECTRASONICS Omnisphere

Combines a wide variety of real-time synthesis techniques with 40GB core sound library. Process already interesting core samples with an intriguing set of synthesis and effects processor, thereby transforming the core material into truly inspiring sounds.

#SPOMNISPHERE.......465.00



More Virtual Instruments Software

| Arturia Analog Experience - THE LABORATORY (ARAFELH) | .3 29.00 |
|--|-----------------|
| Arturia Analog Experience - THE PLAYER (ARAFEPH) | .149.00 |
| iZotope Iris Virtual Instrument (IZIRIS) | .199.00 |
| XLN Audio Addictive Drums - | |
| Drum Production Studio (XLAD) | 149 00 |

EastWest

Complete Composers Collection HD - Mac (EAEW189MAC).995.00 Complete Composers Collection HD - Win (EAEW189WIN)...995.00 Hollywood Brass Diamond Edition - Mac (EAEW202MAC) 995.00 Hollywood Brass Diamond Edition - Win (EAEW202WIN)......995.00

antares 🚳

Auto-Tune Evo Pitch Correction (Native)

Corrects intonation problems in vocals or solo instruments, in real-time, without distortion or artifacts, while preserving all of the expressive details of the source material.



#ANATEN

Speakerphone 2

Speaker Modeling Software

Uses acoustic modeling to deliver a wide range of

speaker models. Impulse sources range from cell phones and walkie-talkies, to vintage radios, guitar cabinets and more. Also has a dynamics section, EQ, gate, vinyl disc emulation

All In Bundle (AUALLR)1075.00



celemony_ Melodyne Essential

Monophonic Pitch Shifting/Time Stretching

For use with monophonic material perfect for correcting intonation and timing via a macro or by hand. Transpose, move or erase notes and copy individual notes or entire passages to different locations.



#CEMES......69.00

TiZotope Ozone 5

Complete Mastering System 8 essential mastering tools (maximizer, EQ, multi-band dynamics and stereo imaging. post equalizer, multi-band harmonic exciter, reverb, and dithering). The process of mastering ranges from correcting mistakes made in the mix, to preparing a recording for targeted listening environments.



199.00



The Jack Joseph Puig **Signature Collection**

Six plug-ins that deliver Puig's personal palette of tones, shades and hues. Many of them have illuminated and empowered projects spanning the gamut of commercial record making.

#WAJJPSCNAT.....Call or Log-on



| iZotope | |
|--|---------|
| Nectar - Complete Vocal Suite (IZN) | 249.00 |
| RX 2 - Audio Repair Software (IZRX2) | 299.00 |
| RX 2 Advanced - Audio Repair Software (IZRX2A) | 1099.00 |
| Waves | |
| Native Power Pack (WANPPQ) | 300.00 |

| waves | |
|-----------------------------------|---------|
| Native Power Pack (WANPPQ) | 300.00 |
| Platinum Native Bundle (WANPNAQ) | 1600.00 |
| Diamond Native Bundle (WADANA) | 2500.00 |
| Mercury Native Bundle (WAMERNATQ) | 6300.00 |
| Mercury TDM Bundle (WAMERTDMQ) | 9900.00 |
| | |



Live Intro

ableton Music Production Software

- Real-time Audio/MIDI Production
- 64 audio tracks, unlimited MIDI tracks
- Groove Engine
- 2 audio inputs/outputs
- 8 Scenes per project
- 7GB of loops, instruments and beats
- · Warping and real-time time-stretching

#ABLINT99.00



Adobe Audition CS6

Audio Production Software

Easily handles a wide range of audio tasks, including recording, mixing and sound restoration to make video and audio productions sound their hest. Features 5.1-channel support, sweetening tools, batch processing, and plug-in delay compensation. #ADACS6MW (for Macintosh)......329.00 #ADACS6WW (for Windows) 339.98



cakewalk Sonar X1 Studio

Music Production Software

Covers every step of the production cycle, from composing to recording and mixing in stereo and surround. Roland V-Vocal editor, dedicated instrument tracks, multiple virtual instruments. Active Controller Technology. Support for VST, DirectX and ReWire.



#CASX1E (Sonar X1 Essential).....

celemony Melodyne editor 2

Polyphonic Pitch Shifting/ Time Stretching

Direct Note Access technology, makes access to individual notes in polyphonic audio material possible. Correct wrong notes in a piano recording, change chords in a guitar accompaniment after recording, or refashion a sample lick.



MOTU Digital Performer 7

#CEMED2.....

Audio Workstation with MIDI Sequencing

Record, edit, arrange, mix, process and master audio and MIDI tracks side by side. Unlimited tracks, modeled amp/speaker emulator, quitar pedal emulations, surround sound support, track comping and comprehensive film scoring/post, Final Cut integration and direct audio CD burning. #MADP7......Call or Log On



propellerhead ReCycle 2.2

Loop Manipulation Software

Make the most of your grooves. Alter the tempo, or replace sounds and process them individually. Edit sampled parts, chop up riffs, remix and do mash ups. You are in control and free to change the tempo or the pitch, without one affecting the other.



Live 8

ableton Music Production Software

- Real-time audio/MIDI production
- Multitrack recording up to 32-bit/192kHz
- · Apply and extract grooves in real time
- · Instrument, drum and effect racks
- Built-in audio and MIDI effects

 Warping and real-time time-stretching #ABL8.....Call or Log On Ableton Suite 8 (ABS8)....Call or Log On



Pro Tools 10

Core Audio and ASIO compatible. provides up to 96 audio tracks, 160 auxiliary tracks and 256 busses. Features automatic delay compensation. multi-track beat detective, timecode ruler, EUCON integration and built-in OMF/AAF/MXF interchange support.



Complete Production Toolkit (AVCPTKIT)......1999.00



cakewalk Sonar X1 Producer

Music Production Software

All the features of the Studio version, plus surround capabilities and a host of virtual instruments. These include PX-64 Percussion Strip and VX-64 Vocal Strip multi-effects processors, Session Drummer 3 with bonus

#CASX1P



celemony

Melodyne3 Studio Bundle

Analyzes the pitch and time of monophonic, polyphonic and homophonic audio files and offers the opportunity to change whole melodies. Change musical parameters of voices or instruments without any degrading the quality of the recording. (CEMSB).....



559.00

W PreSonus

Studio One 2 Artist

Digital Audio Workstation

Integrated mastering suite with unlimited audio and MIDI tracks, virtual instruments, buses, and FX channels, Includes 4 virtual instruments, thirty 32-bit effects, soundsets and 3rd party content.

#PRS1A2.....Call or Log On



propellerhead Reason 6

Music Production Software

Wide variety of synthesizers, samplers, drum machines and effects perform just like their hardware counterparts. Pattern-based and piano scroll style sequencers. Build elaborate chains of instruments, effects, and sequencers saved as Combi patches.





ACOUSTICA Mixcraft 5

Multi-Track Recording Studio Software

Record audio, arrange loops, remix tracks, compose with virtual instruments, score and edit video, and add effects. Track count and instrument and effects instances are only limited by the host CPU. Plug-in delay compensation, tempo detection, and pitch shiftina.





bias SoundSaver

Audio Cleaning Utility

Allows you to record LPs and tapes into a computer, and clean up the audio. Connect. record, clean and export the files directly to iTunes, as an MP3, or uncompressed WAV files for CD/DVD burning.





cakewalk Sonar X1 **Production Suite**

Music Production Software

Steps up from the Producer with an additional module for ProChannel Expanded in the form of the PC4K S-Type Expander/Gate Module, and the Z3TA+ 2 synthesizer.



#CASX1PS 399.00

FL Studio 10 Fruity Edition

Everything you need to compose, arrange, record, edit, mix and master professional quality music. Choose preferred workflow; compose using the step-sequencer or piano roll. Huge collection of virtual instruments.

#IMFLS10..... 99.00



PreSonus Studio One 2 Producer Digital Audio Workstation

Units and VST plug-ins, MP3 import and export. and more third-party content

#PRS1PRD.....Log On Studio One 2 Professional



(PRS1PRF) Call or Log On

SONY

Sound Forge Audio Studio 10

Audio Editing and Production

Edit and master audio on a home computer. Record live instruments and vocals, edit and restore audio, apply effects, convert files and create your own karaoke tracks with included vocal remover software.

#SOMSFAS10000 Call or Log-on



PRO AUDIO Drum Pad and Wind Controllers

385

SONY Sound Forge Pro 10

Professional Digital Audio Production Suite

Recording and mastering, sound design, audio restoration, editing, CD creation. Support for 24- and 32-bit 192kHz file, AVI, WMV, and MPEG-1/2. 40 studio effects, noise reduction. Also instrument file processing. audio conversion and time stretching. #SOSFP10......311.99



() steinberg Cubase Elements 6

Music Production Software An excellent entry point to the world of Cubase, offers a comprehensive set of tools for composing, recording, editing and mixing. Features a powerful collection of quality instruments and effects.



#STCUE6R 99.99

steinberg Cubase 6

Music Production System

Full-featured audio and MIDI recording and editing, virtual instruments and powerful audio mixing, with the added flexibility of loop- and pattern-based arranging and mixing.



steinberg WaveLab 7

Audio Editing and Mastering Suite

Sample-accurate stereo or multi-track audio editing, combined with impressive effects for sound design. CD Mastering, DVD-Audio Authoring, audio for video and audio restoration.



#STWL7..... #STWL7E (Educational Version) 299.99

Unavedee and Educational Varaiana

| Upgrades and Educational Versions |
|---|
| Ableton |
| Live 8 Educational Discount (ABL8E) |
| Ableton Suite 8 Educational Discount (ABS8E) Log On |
| Avid |
| Pro Tools 10 for Educational Institution (AVPT10I)295.00 |
| Pro Tools 10 for Students (AVPT10S)295.00 |
| Pro Tools 10 iLok + Activation Card (AVPTILC) |
| Pro Tools 10 Upgrade from Pro Tools 9 (AVPT910) |
| Pro Tools 10 Upgrade from Pro Tools LE (AVPTLE10)369.00 |
| Cakewalk |
| SONAR X1 Studio: Educational Discount (CASX1SES)139.00 |
| SONAR X1 Producer: Educational Discount (CASX1PES) 284.31 |
| Image-Line |
| FL Studio 10 Producer Educational (IMFLS10PE1U) |
| FL Studio 10 Signature Educational (IMFLS10SBE1U)179.00 |
| MOTU |
| Digital Performer 7 Educational (MADPA) Log On |
| Digital Performer 7 Competitive Upgrade (MADP7U) Log On |
| Propellerhead Software |
| Reason 6 Upgrade from Full Versions (PRSWR6UG) |
| Reason 6 (Student/Teacher) (PRRFST)299.00 |
| Sony |
| CD Architect 5.2 CD Mastering Software (SOSCDR5200)84.99 |
| ACID Pro 7 DAW (SOSAC7000)269.00 |
| Avid iLok2 - USB Smart Key (AVILOK2) |
| McDSP McDSP iLok2 USB Authorization Key (MCILOK2)39.99 |
| Steinberg USB License Key (STSK)24.99 |

Vienna Symphonic Library ViennaKey Control Key (VIVK) .. 27.00

ALESIS ControlPad

USB/MIDI Percussion Controller

- · Eight high-quality, velocitysensitive percussion pads
- · Pad sensitivity adjustment
- USB bus-powered
- Two trigger inputs
- · Two switch pedal inputs and
- Includes BFD Lite, a virtual drum module from FXpansion #ALCPCall or Log On



LPD8 USB-MIDI Pad Controller

· Perfect for a mobile setup using a laptop computer



- · 8 backlit, velocity-
- sensitive drum pads can send note or program changes.
- Q-Link knobs for controlling virtually any parameters in software
- · 4 programmable memory banks
- Includes editor software for Mac and PC
- . Small enough to fit in a backpack or laptop bag #AKLPD8Call or Log On

MPD26 USB/MIDI Pad Controller

- 16 velocity and pressure sensitive nads
- · 4 selectable pad banks for access to a total of 64 pads
- 6 assignable faders
- 6 assignable 360° continuously variable rotary encoders
- Transport controls
- . Includes Editor Librarian software and Ableton Live Lite

#AKMPD26Call or Log On #AKMPD32 (MPD-32 USB/MIDI Pad Control Unit)Call or Log On

KORG padKONTROL

USB MIDI Studio Controller

- 16 illuminated drum trigger pads
- · Control virtual synthesizers and effects, trigger loops and video clips, even acts as transport controls for DAWs
- Each pad can be assigned a note number and MIDI channel.
- Eight different dynamic curves are available for each pad
- · Real-time control of both flam and roll timing and dynamics.

MPC Fly Music Production

Controller for iPad 2

Multifunctional, double-hinged design houses a controller section with 16 genuine MPC pads and numerous control buttons, along with a fitted compartment for iPad 2 (not included). The case can sit upright, lie flat or be closed for transport, allowing for creating

beats on the go that can be transferred to a Mac or PC for further

mastering. Record four tracks using the built-in sound library of samples and drum kits. (AKMPCFLY).....299.00

MPD18 Compact USB/MIDI Pad

- 16 velocity and pressure sensitive pads
- . 3 pad banks for a total of 48 sounds accessible from pads
- · Q-Link assignable fader control
- · MPC note repeat
- MIDI-over-USB interface MPC 16-level and full level
- 16 configurable presets USB powered, requires no AC adapter #AKMPD18.....Call or Log On

KORG nanoPAD 2

USB-MIDI Pad Controller

• 16 solid. responsive and velocitysensitive

trigger pads



- 4 banks provide a total of 64 pad assignments
- · Control multiple MIDI parameters via the X-Y Touchpad
- . "Touch Scale" function allows for playing phrases on the X-Y touchpad, with a choice of 16 different scales

In Black (KONP2B) Log On In White (KONP2W)..... Log On

Keith McMillen QuNeo


3-D Multi-Touch Pad Controller

Features 27 pressure-, velocity- and location-sensitive tactile pads, sliders and rotary sensors. The 17 switches also respond to how hard they are pressed. 251 multicolor LEDs deliver instantly responsive, delightfully informative visual feedback. A total of 16 square pads each give you 127 velocity response levels, plus X-Y location and continuous pressure. #KEK707......199.00

EWI4000s • EWI USB

Electronic Wind Instrument Controllers

• EWI4000s has a built-in sound



• EWI USB incorporates the same expressive controls. Configuring it is simple with multiple fingering modes available including saxophone, traditional EWI, flute, oboe, and EVI (Brass).

#AKEWI4000S. Call or Log On #AKEWIUSB.....Call or Log On

YAMAHA wx5

MIDI Wind Controller

The WX5 is a full-featured MIDI wind controller with a sax-compatible, 16-key layout and high-resolution



wind and lip sensors. Addresses the musical details and requirements of the Wind-to-MIDI process with an astonishing array of expressive performance controls. Comes with two mouthpieces (Sax, with reed, and Recorder) and is fully GM, XG, and VL compatible.



25-key Mini Keyboard

Ultra-portable software MIDI controller with 25-note, velocity-sensitive mini keyboard. 8 backlit, velocity-sensitive MPCstyle pads (2 banks), 8



assignable Q-Link knobs to adjust virtually any parameter. Built-in Arpeggiator with adjustable resolution, range and patterns. Tap-Tempo, Octave Up/Down and Sustain buttons. Powered via USB.

#AKMPKMINI Call or Log On

LPK25 25-key USB Laptop Performance Keyboard

Less than 13" across, and under a pound, the LPK25 easily

fits into a laptop case. backpack or messenger bag. Features arpeggiator,



sustain button, octave up and down, tap tempo controls, and four memory bank. Plug and play with Mac and Windows software. DJs can use it to trigger loops and samples in a live situation. #AKLPK25......Call or Log On

AKAI MPK61 • MPK88

61- and 88-key USB/MIDI Keyboards

Both offer 16 MPC pads with velocity and pressure sensitivity and 8 full-sized,



360° rotation pots. 72 assignable controls with assignable inputs that include expression pedal, footswitch, pitch bend and modulation wheel. Key Split, MPC Full and 16-Level, Tap Tempo, MPC Note repeat and swing, and arpeggiator.

#AKMPK61.....Call or Log On

#AKMPK88 Call or Log On

ALESIS Q25 • Q49 • Q61

25-, 49-, 61-key USB/MIDI Keyboards

Velocity sensitive keys. Pitch and modulation wheels for capturing musical expression.



Backlit octave up/down buttons. Assignable volume/data-entry slider enables control of most-used parameter. Sustain pedal input, Include Ableton Live Lite Alesis Edition.

#ALQ25....Log On

#ALQ49....Log On

#ALQ61 149.00

behringer

UMX490 • UMX610

49- and 61-key Controllers

Velocitysensitive kevboard with 100



virtual instruments and 50 VST effects plus an unlimited number of sound creations. 300MB sound library. 8 real-time rotary controls plus 10 assignable switches. Freely assign MIDI control changes to the modulation wheel, volume fader and pedal port.

#BEUMX490......Log On #BEUMX610...... Log On UMX250 USB/MIDI Keyboard Controller (BEUMX250)......129.99

AKAI SynthStation25 25-key Piano for iPhone and iPod Touch

Built-in dock for iPhone or iPod touch gives your device a two-octave set of piano keys and audio outputs. Includes pitch and modulation wheels, along with octave up and down and sound-bank buttons. Use with virtually any MIDI music software. Trigger hardware via USB/MIDI output. #AKIPK25.....Call or Log On

MPK25 USB/MIDI

Performance Keyboard

25-key semi-weighted keyboard with aftertouch and full-sized kevs. 12 full-sized, 360° rotation pots, with 2 banks.12 genuine MPC pads with velocity and pressure sensitivity 30



switches, including transport controls MPC Note Repeat, MPC Swing, and arpeggiator.

#AKMPK25.....

......Call or Log On



USB/MIDI/CV Keyboard Controller

Revolutionary MIDI and CV control at your fingertips. Intuitive layout and AkaiConnect automatic-mapping



fully immersive experience with your music software and virtually all VST plugins. 49 semi-weighted keys, 12 real MPC pads, LED touch faders and vintage CV & Gate outputs.

#AKMAX49

software, offers a

ALESIS QX25 • QX49 • QX61

25-, 49-,61-key USB/MIDI Keyboards

Portable, lightweight with 4 drum trigger pads, 8 knobs, 6 assignable buttons and a high-quality fader. Record notes into audio software. play software synths, hard-



ware synths, trigger drums, loops and more. Keys are velocity sensitive. Come with Ableton Live Lite Alesis Edition.

#ALQX25 **90.58** #ALQX49..Log On #ALQX61 .. 172.27

KORG nanoKEY 2

25-key USB-MIDI Keyboard Controller

Slim line controller with 25 velocitysensitive keys



can respond with 4 distinct velocity curves. Perfect for a mobile setup using a laptop computer. Octave up/down buttons. Pitch and modulations buttons provide a preset amount of pitch change and modulation, but can be programmed for faster or slower pitch bends, or in the case of the modulation button, the control change number, and the values that will be transmitted.

www.BandH.com



AKAI SynthStation49 Controller with Drum Pads and iPad Dock

Direct in-app MIDI recording from the velocity-sensitive 49-keys, 9 MPC-style drum pads and transport controls. iOS CoreMIDI compatible, allowing it work with dozens of music apps in the App Store. An angle-adjustable



cradle helps position the iPod to a comfortable viewing angle.



MPK49 49-key USB/MIDI Performance Keyboard

Set of 12 tactile rubber MPC-type percussion pads (with MPC-series Note-repeat and Swing functions) and



an arpeggiator. Control surface has 8 assignable sliders. 8 fullrotation control knobs, MMC/MIDI Stop/Start transport buttons and a bright LCD. Assignable inputs include expression pedal, footswitch, pitch bend and modulation wheel. (AKMPK49). Log On

acorninstruments Masterkey

25-, 49, 61-key Portable USB MIDI Controllers



Compact design, fits perfectly on a computer desk while providing all the control needed for unfettered creativity. The keys have a dynamic and fast response ideal for programming bass lines, drums, or synthesizer lines. Include PreSonus Studio One Artist software, but is compatible with any standard MIDI program.

#ACMK25......**59.99** #ACMK49.....**79.99** #ACMK61.....**99.99**

ALESIS Vortex

USB/MIDI Keytar Controller with Accelerometer

37 velocity keys and trigger pads. USB. MIDI ports. Powered via USB bus, AA batter-



ies or DC adapter. Accelerometer allows for motion triggered expression and control over sounds and visually expressive performances. Thumb controls for volume slider and pitch-bend wheel buttons for octave selection and sustain. (ALVORTEX)....... 299.00

KORG microKEY

37-key USB-MIDI Keyboard Controller

37 velocitysensing mini keys use a "Natural Touch" key-bed.



Octave Shift and Key Transpose features access the full MIDI note range. Bend and Modulation wheels add expression to your performance. Dual USB ports for adding other USB devices to your setup. Includes 3 virtual instruments and LE edition of the M1 software synthesizer.

Keilh McMillen 12 Step Chromatic Keyboard Foot Controller

Sends MIDI notes via USB or the optional (required) KMI



MIDI Expander to control virtual synthesizers, MIDI Keyboards and MIDI sound modules. The controller is polyphonic capable and can play up to 5 notes per key. Each key is velocity and pressure sensitive and can use the tilt of the foot to control pitch bend. polyphonic aftertouch, or any other MIDI CC value.

M-AUDIO®

Axiom 49 v2 • Axiom 61 v2

49- and 61-key USB/MIDI Keyboards

Stepping up from the Axiom 25, they add four independent



configurable keyboard zones, nine MIDI-assignable sliders, and a numeric keypad for speeding up the entry of any editable values.

#MAA49V2......**236.12** #MAA61V2.....**299.00**

M-AUDIO®

Keystation 61ES • Keystation 88ES

61-and 88-key USB/MIDI Controller Keyboards



Semi-weighted, velocity-sensitive keyboards, the 11 lb. (61ES) and 22 lb. (88ES) feature 10 programming options with advanced function button; separate pitch bend and modulation wheels; volume slider doubles as assignable control slider

#MAK61ES......**139.99**

M-AUDIO®

Oxygen 49 • Oxygen 61

49- and 61-key USB/MIDI Controllers



35 MIDI-assignable knobs, sliders and buttons. Store 10 different setups. 9 MIDI-assignable sliders for software mixer volumes, or as drawbars on a virtual tone-wheel organ. Map knobs to any

synthesizer parameters. #MAO49N......**124.95** #MA061N 177.00

novation | Impulse

USB/MIDI Controllers

Semi-weighted keys with assignable aftertouch. 8 rotary controls and 8 backlit drum pads, along with pitch and



modulation wheels. Controls allow for hands on manipulation of DAW functions, virtual instruments and plug-ins. Automap control software takes the hassle out of assigning the controllers.

Impulse 25 (NOIMP25)Call or Log On Impulse 49 (NOIMP49), Impulse 61 (NOIMP61)......Call or Log On

M-AUDIO Keystation Mini

32 - Ultra-Portable Keyboard Controller

Ideal for players on the ao. Simply plug it into your com-



puter or iPad and perform two-hand parts with the velocity sensitive, low-profile mini keys. USB-powered, the keyboard features selectable velocity curves, including one specifically for drum programming. Four assignable controls add flexibility. Included Sibelius First software allows for easily playing and writing music.

M-AUDIO® Axiom Pro 25

25-key USB/MIDI Performance Keyboard

25 "TruTouch" semi-weighted keys, set of trigger pads and controls, and custom "HyperControl" that automatically maps its hardware controls to Pro Tools and other DAW programs. Piano-style keyboard and 8 velocity-

sensitive pads: dedicated

DAW transport control with 6 illuminated buttons; Pitch Bend and

M-AUDIO®

KeyRig 49 49-Key USB/MIDI Controller



Ableton's Live Lite provides recording and editing functions, while M-Audio's Key Rig software (Windows) includes four virtual instrument modules. Features pitch and modulation wheels, assignable volume slider, octave ±buttons and sustain pedal input.

M-AUDIO Oxygen 88

88-key USB MIDI Controller



Graded hammer-action keybed with 4 selectable velocity curves. 8 MIDI-assignable knobs, 9 MIDI-assignable 60mm faders, 9 MIDI-assignable buttons, 6 dedicated transport controls and 4 zones and dedicated zone buttons for layering and splitting sounds on the keyboard. Dedicated track and octave up/down buttons.

nektar

Panorama P4 49-key Controller w/Reason Integration

Comprehensive Reason implementation Additional extensive programming options for controlling other ReWired DAWs, virtual



instruments and MIDI hardware. Keyboard and pads have a solid feel. Velocity sensitivity allows for complex expression. 93 realtime controls available at any one time.

M-AUDIO® Axiom 25 v2

25-key USB/MIDI Controller Keyboard

Velocity sensitive with semi-weighted action and assignable

aftertouch. 8 assignable trigger pads, 8 assignable rotary encoder knobs, and 6 transport buttons. Assignable pitch bend and modulation wheels,



octave/transpose up/down buttons, and sustain and expression pedal jacks. Powered via USB or optional AC adapter. Includes

M-AUDIO®

Axiom Pro 49 • Axiom Pro 61

49- and 61-key USB/MIDI Keyboards

Stepping up from the Axiom Pro 25, Axiom Pro 49 and 61 feature 9 x



40mm faders with auto-mute. They also offer nine illuminated buttons underneath the faders that toggle between four functions.

M-AUDIO® Oxygen 25

25-key USB/MIDI Controller

8 assignable knobs, dedicated transport and track select buttons. DirectLink mode automatically maps controls to common DAW functions. Support for virtual instruments. 4 velocity curves and 3 fixed



velocity settings; sustain pedal input, single assignable MIDI sliders; 6 dedicated transport buttons; pitch bend and modulation wheels; and dedicated track up/down buttons. #MAO25......Call or Log-on

novation[®] SL MkII Series

Remote MIDI Controllers

Semi-weighted full DAW and plug-in control surface.

144-character display, back lit LFD buttons

and LED ringed encoders show control status. Ultra-quick mapping of all knobs, faders and buttons. Come with loops and samples, soft-synth and Ableton Live 7 Lite.

| 25 | SL | MkII | (25-keys) | #NOR25SLMK2 | Call | or Log On |
|----|----|------|-----------|-------------|------|-----------|
| 49 | SL | MkII | (49-keys) | #NOR49SLMK2 | Call | or Log On |
| 61 | SL | MkII | (61-kevs) | #NOR61SLMK2 | Call | or Loa On |

>studiologic' VMK161 Plus

61-Key Controller Keyboard

Real piano feel with 61 hammer action kevs and 30 assignable real-time controllers that are premapped to



most virtual keyboard software. All the presets are available at the touch of a button, and user programmable presets may be stored as well. There are provisions for up to 3 pedals on the rear, along with a USB port and MIDI output connection. (STVMK161P)...629.95

VMK176 Plus 76-Key Controller Keyboard (STVMK176P)679.95

CASIO SA-76 44-Key Portable Keyboard

Compact and battery operated. Play along to 10 song bank tunes and choose from 100 preset tones. There are 44 miniature size keys, five percussion pads (two with Indian



percussion sounds), built-in speakers and easy-to-read display LCD which shows tone, rhythm, song

76-Key Keyboard 76 touch-sensitive keys, 600 built-in tones, stereo piano sounds, mini input and USB

accompaniments that follow your chord changes. 5 song recorder, capable of layering up to 6 tracks. #CAWK225 Call or Log On

CASIO CTK-2100

61-Key Portable Keyboard with Piano-Style Keys

Built-in step-by-step lessons teach how to play. 400 playable tones, 150 beats and rhythms, and 110 songs. 10 additional sound effects, Built-in sampler and multiple reverb effects. Audio input for an MP3 or CD player.



Built-in metronome to help you keep in time. USB port for MIDI data transfer.

#CACTK2100.....

CASIO WK-6500 76-Key Keyboards

The WK-6500 features a full arranger, 670 built-in tones, a 16 track sequencer, 32-channel mixer, accompaniment editing built-in stereo speakers, a mic input, internal effects engine, USB port and an SD-card slot. The

CASIO WK-225

port. Play along with

180 built-in rhythms and



WK-7500 steps-up with 800 built-in tones (including 50 drawbar organ tones) and pattern sequencer.

WK-6500 (CAWK6500)......299.99 WK-7500 (CAWK7500)......Call or Log On

CASIO CTK-4200 61-Key Portable Keyboard

Features 61 keys, up to 600 built-in tones, stereo piano sounds and more. Has a 3.5mm mini input for connecting MP3 players, and a USB port. Play along with up to 180 built-in rhythms and accompaniments that follow your chord changes. Has a 5 song and 6-track recorder for sequencing original parts and layering. (CACTK4200).....



Call or Log On

CASIO AT-3 • AT-5 61- and 76-Key Oriental Portable Key-

boards They offer piano-style keys and are equipped with over one thousand tones and rhythms. They feature 54 Oriental tones and 83 Oriental accompaniment rhythms making them ideal for Asian influenced music performance and composition. They have scales used in Oriental music to get that authentic sound of the



Orient. They also features a 16-track song sequencer and an 8-track pattern sequencer.

AT-3 (CAAT2OPK)......Call or Log On AT-5 (CAAT5)......Call or Log On

PSR-E333: 61-Key portable keyboard features a total of 497 quality voices (including sound effects

kit), and up to 106 accompaniments to play along to. Also features 61 touch-sensitive keys, built-in

CASIO CTK-6000 61-Key Portable Keyboard

61 piano-style keys with authentic feel and range. 670 built-in tones for a full library of playable sounds. 16 track sequencer lets you record parts and edit notes for creating original songs. Edit your own chord progressions using the preset accompaniments. Additional features include 32-channel mixer, built-in



stereo speakers, mic input, internal effects engine, USB port and an SD-card slot for storage.

YAMAHA PSR-E433 61-Key Touch-Sensitive Keyboard

731 voices and a wide variety of arrangements and backing tracks. Create custom songs and save data to a PC. Real-time control for filtering the main melody tone, and changing the tempo of the arpeggio like an analog synthesizer. Pitch Bend wheel brings voices to life. Internal speakers provide full sound. #YAPSRE433



249 99

CASIO LK-240 61-Key Keyboard with Lighted Keys

Equipped with a built-in amp and stereo speakers, use the Auto-Accompaniment section to access over 150 rhythms, bass, and harmony parts in a wide variety of styles. Light-up keys show you which notes or chords to play when using one of the 110 built-in songs. Over 400 tones



are included, providing a huge range of instrument sounds.

10 digital reverbs to add ambience to your tones.

 Full-sized touch-response keys, 489 on-board high-quality AWM sounds including a stereo-sampled Grand Piano, and built-in digital effects with reverbs, chorusing and harmony. Pitch wheel for real-time control,

YAMAHA YPG-235 • YPG535

76- and 88-Key Portable Keyboards

master 5-band EQ, and 6-track sequencer for composing. Built-in speakers with 4.7" woofers, 1.2" tweeters and 12w amp. Includes head-



phones, foot switch and 3-year warranty. Stepping up, the YPG-535

features a 88-key keyboard with

lightly weighted action. It has a Graded Soft Touch-response and a high-tech silver finish, and comes with a matching wooden keyboard stand. It also adds 160 Auto-accompaniment styles. Comes with Yamaha Survival Kit which includes AC adapter, foot switch, and 3-year warranty.

#YAYPG235......**249.99** #YAYPG535......499.99

CASIO LK-280

61-Key Keyboard with Lighted Keys

61 light-up keys, up to 600 built-in tones, stereo piano sounds and more. Mini input for connecting external players, and a USB port for MID operation. Play along with 180 built-in



rhythms and accompaniments that follow your chord changes. There is also a 5 song recorder, capable of layering up to 6 tracks and an SD slot for storage.

CASIO Privia PX-150

88-Key Portable Digital Piano

Tri-sensor scaled hammer action, combined with a Damper Resonance simulator, gives the user a closer feel to an acoustic piano.



AiR sound source provides accurate instrument modeling with a high level of sonic detail. Oher tones, include strings, organs, electric pianos and bass.. Provides split and layering capability. An integrated two-track recorder can record and playback your practice and performances.

CASIO Celviano AP-620

88-Key Digital Piano

Enhanced "Ivory Touch" 88-key weighted scaled hammer action keyboard with 3 levels of sensitivity. 250 tones including a 4-layer stereo grand piano. 180 accompaniment rhythms. 3-pedal unit, built-in recorder, USB port, SD card slot and integrated speaker system.

#CAAP620.....Call or Log On



KORG SP-250 88-Key Portable Digital Piano

Weighted hammer-action keys and 3 stages of selectable touch response. Pair of 4" dual-cone speakers and 22w stereo amp. 30 sampled preset sounds enhanced by reverb and



chorusing processors. Versatile tuning with Key Transpose, Fine Tuning, and Temperament options. Two-voice layering, half-damper pedaling supported for realistic performance. Dual headphone outputs.

Roland FP-7F 88-Key Digital Piano

SuperNATURAL Piano engine delivers over 300 stunningly realistic piano sounds. PHA III Ivory Feel-S Keyboard offers an authentic feel. Mic input and harmony effects engine for



singers, and support for audio playback. The FP-7F's Session Partner feature provides over 80 rhythm tracks (2 variations of each) for playing along or practice. There is also onboard sequencing for recod-

YAMAHA Piaggero NP-V60 • NP-V80

76 full-sized keys with Yamaha's Graded Soft Touch keyboard. Keys are unweighted for the sake of portability (sensitivity is adjusted though). They



feature 89 preset voices, built-in reverb and chorus effects, speakers, a full accompaniment engine and built-in songs for practicing. Otherwise the same, the NP-V80 steps-up with the Intelligent Arpeggiator. NP-V80 (YANPV80)......399.99

YAMAHA P95 88-Key Digital Stage Piano

88-Graded Hammer Standard weighted keys, built-in speakers and lightweight, durable construction.



10 piano sounds cover acoustic pianos, electric pianos, strings, organ, harpsichord and more. AWM sampling system creates the realism of an acoustic instrument. 50 preset piano songs.

In Silver (YAP95S) 499.99

YAMAHA DGX-640 88-Key Portable Grand Piano Keyboard

Graded Hammer Standard keyboard. Built-in arranger, sequencer recorder, DSP effects processor, music notation display and much more. 237 DSP, 35 reverb, 44 chorus and 5 preset master EQ types. Dual and split modes, 26



harmony/echo types, 165 preset styles and 30 preset songs. Record up to 5 songs. Built-in learning tools, plus play along with a song on the instrument's keyboard and produce a perfect performance every time. USB input and built-in amplified speakers.

YAMAHA YDP-141 • YDP-161

Arius 88-key Home Digital Pianos

Authentic piano look, feel, and sound, with the convenience of 6 piano and instrument sounds, 2-track recorder and 3 pedals with half-damper effect. Yahama's 88 key Graded Hammer Standard keybed produces a subtle increase in weight at the lower section of the keybed: much like an actual piano. They include a bench



More Digital Planos -

| Casio PX-330 Privia PX-330 88-Key Digital Piano (CAPX330). Casio PX-350 Privia PX-350 88-Key Digital Piano in Black (CAPX350). Casio PX-350 Privia PX-350 88-Key Digital Piano in White (CAPX350WE). Casio AP-220 Celviano 88-Key Digital Piano (CAAP220). Casio AP-420 88-Key Digital Piano in Brown (CAAP420BN). Korg SP-170s 88-Key Digital Piano in Black (KOSP170B). | Call or Log On Call or Log On Call or Log On Call or Log On |
|---|--|
|---|--|

| Roland RD-700NX 88-Key Digital Piano (RORD700NX) | 2699.00 |
|---|---------|
| Yamaha NP11 Piaggero 61-Key Piano-Style Keyboard (YANP11) | 159.99 |
| Yamaha NP31 Piaggero 76-Key Piano-Style Keyboard (YANP31) | 279.99 |
| Yamaha P-155 88-Key Digital Piano (YAP155) | 999.99 |
| Yamaha DGX-530 88-Key Digital Portable Grand Piano (YADGX530) | 499.99 |
| Yamaha Arius YDP-C71PE 88-Key Digital Piano (YAYDPC71PE) | 1799.99 |

KORG Pa500 61-Key Professional Arranger

128 effects with a 3-band parametric EQ available on each track. 320 styles each with up to 8 parts, 4 variations, and 3 intros/ count-ins/fills/breaks/endings. Tailor performance with Tan Tempo. Fade and



| manoo wan rap rompo, rado ana | |
|---|---------|
| Manual Bass. TouchView interface, 4-way joystick, Guitar Mode and more. (KOPA500) | 1099.00 |
| microARRANGER 61-Key Professional Arranger (KOMAR1) | 499.00 |
| Pa3X 61-Key Professional Arranger Workstation (KOPA3X61) | 3699.00 |
| Pa3X 76-Key Professional Arranger Workstation (KOPA3X76) | 3999.00 |

YAMAHA PSR-S750 61-Key Arranger Workstation Keyboard

Experience Yamaha's highly expressive Super Articulation Voices. Real Distortion DSP adds high-quality distortion and overdrive effects to guitars, electric pianos or any other Voice. Assign and trigger WAV audio with Audio Link Multi-Pads. Speaker box has extended lows along



with a digital amp for increased efficiency and a digital EQ to perfectly tailor the overall sound.

Stage Pianos & Organs • Keyboard Synthesizers

www.BandH.com

CASIO CTK-7000 61-Key Keyboard/Organ Drawbar

The CTK-7000 features a full arranger, 800 built-in tones, 16 track sequencer, 250 preset rhythms, 32-channel mixer and a drawbar organ function—at an unheard of price. Plus, any piece of music



CASIO Privia PX-3S

88 scaled hammer action keys, combined with realistic grand piano samples recreate the authenticity and realism often missed with digital pianos. There are 250



KURZWEIL SP4-7 76-Key Stage Piano

Delivers world-class sound quality and intuitive functionality. Up to 128 presets including the Triple Strike Grand Piano, classic electric pianos, lush strings, orchestral instruments,



| PGSLE Series Reyboards. (RUSP47) | . Log un |
|--|----------|
| Yamaha CP33 Professional 88-Key Stage Piano (YACP33) | .999.99 |
| Yamaha CP50 Compact 88-Key Stage Piano (YACP50) | 1699.99 |

nord Stage 2 HA88

88-Weighted Hammer Action Key Digital Piano, Organ and Synthesizer

State-of-the-art sample-based acoustic pianos, vintage electric pianos, and vintage keyboards sounds. Full polyphony tone-wheel organ for faithful simulations of the classic Farfisa, Vox and B3



Arturia

MiniBrute

Analog Monophonic Synthesizer

Takes you back to the basics of analog synthesis. Its classic 100% analog audio signal path features a voltage controlled oscillator wave mixer. Supports Aftertouch and boasts 25 semi-weighted keys. Tone-shaping tools include a Steiner-Parker multimode filter, six waveforms and bi-polar modulation destinations, two ADSR envelope generators and a full function arpeggiator.



ARMINIBRUTE 499.

CASIO XW-P1 61-Key Performance Synthesizer

Monophonic lead instrument with a six oscillator design, which can be controlled in real time via four knobs and nine sliders. Presets offer everything from bright leads to ripping basses. Hundreds of waveforms, envelopes galore, and powerful tools, such as reverse key scaling on pitch. 13-track Step Sequencer, programmable



CASIO XW-G1 Groove Synthesizer

Monophonic lead instrument with a six oscillator design, which can be controlled in real time via four knobs and nine sliders. Two virtual analog oscillators, two PCM oscillators, and a noise oscillator are at your fingertips. Presets offer everything from bright leads to ripping basses. Hundreds of waveforms, envelopes galore, and



KORG microKORG

37-Key Synthesizer, MIDI Controller & Vocoder



KORG Kronos Music Workstation

Powerful keyboard with an incredibly detailed palette of sounds, integrated editing features, detailed 8" TFT TouchView display, 16 track sequencer, 16 track audio record-



ing and powerful sampling engine. Kronos implements Korg's KARMA synthesis technology to produce 9 individual sound engines. Each sound engine is dedicated to authentically reproducing its respective instrument type, resulting in authentically detailed pianos, vintage keyboard sounds, tonewheel organs, ethnic instruments, plucked instruments, analog synthesizers and more. Use up to 16 premium-quality effects at once; individual effects rival dedicated units.

Kronos' 16 track sequencer implements any combination of sound engines and imported samples for some of the most powerful and expressive arrangements heard in a keyboard instrument. The 8" TouchView display lets players easily program sounds, edit tracks, and more. Virtual Memory Technology (VMT), aided by a fast SSD (Solid State Disk) provides high polyphony and massive, ultra-long, and unlooped samples; offering unheard of performance from a hardware instrument. The 8" TouchView display lets players easily program sounds, edit tracks, and more.

| Kronos 61 61-Key Music Workstation (KOKRONOS61) | 2999.00 |
|---|---------|
| Kronos 76 76-Key Music Workstation (KOKRONOS73) | 3499.00 |
| Kronos 88 88-Key Music Workstation (KOKRONOS88) | |

KURZWEIL* PC3LE6 61-Key Performance Keyboard

Features over 1050 instruments, 700+ effects chains, and 16 arpeggiators. It provides grand pianos, vintage electric pianos, realistic orchestral instruments, Clavinets, Mellotrons, synths, drums, basses, and more. The PC3LE6 utilizes Kurzweil's V.A.S.T. synthesis engine



which pairs the detailed programming of hundreds of effect and synthesizer parameters with top-notch samples to produce the detailed and realistic sounds.

M-AUDIO Venom 12-Voice Virtual Analog Synthesizer

Delivers the warmth and tone of vintage analog synthesizers with software editing and control. Offers 49 full-size keys, 512 single-sound and 256 layered patches, Phrase Sequencer. Included Vyzex Venom software displays all keyboard parameters for endless sound design and configuration possibilities.



novation UltraNova Analog Modelling Synthesizer

37-key, monotimbral wave table synthprovides a wide range of programming and sounds for electronic music production, and performances. Sound engine based on SuperNova II provides DJs, producers and musicians with a powerful synth engine that also includes Novation's Touch-Sense controls, for manipulating any parameter the controls are routed to. Has built-in vocoder and mic as well. (NOUN)



. Call or Log On

Roland GAIA SH-01 Virtual Analog Synthesizer

37 velocity sensitive keys and huge sound with three virtual analog engines onboard, each with a dedicated oscillator, filter, amplifier, envelope, and LFO. Layer up to five simultaneous effects, including distortion, flanger, delay, reverb, low boost, and more. 64-voice polyphony for massive sounds without note drop-out. D Beam, arpeggiator, and Phrase Recorder. USB ports for saving



Roland JUNO-DI

61-Key Mobile Synthesizer with Song Player

Over 1000 great sounding presets, can run on 8 AA batteries, and has a built-in song player that enables you to trigger backing tracks right from the keyboard. Features a mic input with reverb effects, real-time sound control



knobs, front and rear panel USB ports, software editor, large LCD display and D-Beam Controller.

Roland JUNO-Gi

61-Key Mobile Synthesizer with Digital Recorder

1,300 high quality sounds and a well placed control set that includes split controls and Roland's D Beam controller. Can record up to 8 tracks plus 64 virtual tracks. There is also a full set of effects. Plug in a mic, guitar or line level device



right into the keyboard and record audio within seconds. Has a USB port and is a fully MIDI and audio

Roland Jupiter-50 • Jupiter-80


76-Key Mobile Synthesizers with Song Player and Digital Recorder

They feature 1500 SuperNATURAL tones, 70 acoustic instruments with Behavior Modeling and Live Sets. Jupiter-50 offers 128 voices of polyphony, an array of pro-quality multi-effects, color coded buttons



and sliders for easy navigation. Controllers include D-Beam and a Pitch/Mod lever. Built-in song player/ recorder supports playback of WAV, MP3 and AIFF files and records up to one stereo track in highquality, 16 bit/44.1 kHz WAV format.

| Keyboard Benches & Stools | |
|--|----------------|
| Casio ARBENCH - X-Style Adjustable Padded Keyboard Bench (CARB) | 19.99 |
| On-Stage KT-7800 - 3-Position Padded X-Style Keyboard Bench (ONKT7800) | 28.88 |
| On-Stage KT-7800+ Deluxe X-Style Keyboard Bench (ONKT7800P) | 33.98 |
| On-Stage KS8902B - Flip-Top Piano Bench with Music Compartment (ONKB8902B) | 55.99 |
| QuikLok D-749 Height Adjustable Musician Stool with Footre (QUD749) | 89.99 |
| Ultimate Support JS-MB100 Medium X-Style Keyboard Bench (ULJSMB100) | Call or Log On |
| Yamaha BB1 Traditional Piano Bench (Black) (YABB1) | 62.96 |
| Yamaha PKBB1 - X-Style Fold Up Keyboard Bench (YAPKBB1) | 24.99 |
| Yamaha WB2 Keyboard Bench for DGX-Series Keyboards (YAWB2) | |



| Casio ARDX: Double-X stand for LK, CTK and WK-series keyboards (CAARDX) | 25.49 |
|---|--------|
| Casio ARST: X-style stand for LK, CTK and WK-series keyboards (CAARST) | 19.99 |
| Casio CS-67: Keyboard stand for PX-130 and PX-330 (CACS67) | 86.49 |
| K&M 18810 Omega Table-Style Keyboard Stand (KM18810B) | 199.99 |
| K&M 18860: Spider Pro Keyboard Stand in Black (KM18860B) | |
| On-Stage KS7150: Platform-Style Keyboard Stand (ONKS7150) | 49.27 |
| On-Stage KS7190: Classic Single-X Keyboard Stand (ONKS7190) | 19.99 |
| On-Stage KS7191: Classic Double-X Keyboard Stand (ONKS7191) | 36.29 |
| On-Stage KS7350: Heavy Duty Folding-Z Keyboard Stand (ONKS7350) | 55.20 |
| On-Stage KS7365EJ: Heavy Duty Folding-Z Two-Tier Keyboard Stand (ONKS7365EJ) | |
| On-Stage KSA7500: Universal Second Tier Add-on For Keyboard Stand (ONKSA7500). | 21.99 |
| On-Stage KSA7550: -Second Tier Add-On for KS7350 (ONKSA7550) | 32.99 |
| On-Stage KSA7575: Microphone Support Bar (ONKSA7575) | 11.95 |
| On-Stage KSA8000: Second Tier Attachment (ONKSA8000) | |
| On-Stage KS8190: Lok-Tight Classic Single-X Keyboard Stand (ONKS8190) | |
| On-Stage KS8191: Lok-Tight Classic Double-X Keyboard Stand (ONKS8191) | |
| On-Stage KS8291: Ergo-Lok Double-X Lok-Tight Keyboard Stand (ONKS8291XX) | |
| On-Stage KS8390: Ergo-Lok Double-X Lok-Tight Keyboard Stand (ONKS8390) | |
| On-Stage WS8540 Heavy-Duty T-Stand (ONWS8540) | |
| On-Stage WS8550 Heavy-Duty T-Stand (ONWS8550) | |
| QuikLok QL-623: X-Style Double Brace Three-Tier Heavy Duty (QUQL623) | |
| QuikLok QL-642: X-Style Double Brace Two-Tier Heavy Duty Keyboard Stand (QUQL64 | , |
| QuikLok Z-716L: Single Tier "Z" Stand Extra-wide Keyboard Stand (QUZ716L) | |
| QuikLok Z-726: Double Tier Height Adjustable Keyboard Stand (QUZ726) | |
| QuikLok Z-727: Fully Adjustable Second Tier (QUZ727) | |
| QuikLok Z-Series Keyboard Stand Caster Kit (QUZM99) | |
| Roland KS-V7: V-Stand Keyboard Stand (ROKSV7) | |
| Roland ST-AX: Keyboard Stand (ROSTAX) | |
| Ultimate Support JS-XS300 X-Style Keyboard Stand (ULJSXS300) | |
| Ultimate Support JS-500 X-Style Keyboard Stand (ULJS500) | • |
| Ultimate Support JS-502D Double-Braced X-Style Keyboard Stand (ULJS502D) | • |
| Ultimate Support APEX AX-48 Pro Column Keyboard Stand (ULAX48PB) | - |
| Ultimate Support APEX AX-48 Pro Plus Column Stand Black (ULAX48PP) or Silver (ULA | |
| Yamaha L85: Matching Stand for P85 / P95 Digital Piano in Black (YAL85) | |
| Yamaha CP-REST: Detachable Music Rest for CP33 and CP300 (YACPREST) | |
| Yamaha L3C: Attachable Keyboard Stand for PSR293 and below (YAL3C) | |
| Yamaha LP3: Digital Piano Stand (YALP3) | |
| Yamaha L-140 Keyboard Stand for P-140 or P-155 (<i>YAL140</i>) | |
| Yamaha PKBS1: X-Style Adjustable Keyboard Stand (YAPKBS1) | 21.99 |
| Yamaha PKBZ1: Z-Style Height and Width Adjustable Keyboard Stand (YAPKBZ1) | 48.95 |
| Yamaha YKA7500: Double X-Style Professional Keyboard Stand (YAYKA7500) | 62.99 |
| | |

Keyboard Amplifiers

| Behringer KT108 - Ultratone 2-Channel 15-watt Keyboard Amplifier (BEKT108) | Call or Log On |
|--|----------------|
| Behringer K450FX - Ultratone Keyboard/PA Amplifer (BEK450FX) | Call or Log-on |
| Roland KC-150 65 Watt Keyboard Amplifier (ROKC150) | Call or Log On |

Keyboard & Digital Piano Accessories

Keyboard Cases

| Gator | |
|-------|--|
| | |

| Gig bag for micro Alesis, Edirol, Korg (GAGK2110) | 34.99 |
|---|----------|
| Case with wheels for 61-key keyboards (GAGK61) | . 139.99 |
| Case with wheels for 88-key keyboards (GAGK88) | 179.99 |
| Gig Bag for 49-key keyboards (GAGKB49) | 69.99 |
| Gig Bag for 61-key keyboards (GAGKB61) | 89.99 |
| Gig Bag for 76-key keyboards (GAGKB76) | 94.99 |
| GK-76 Keyboard Case (GAGK76) | 159.99 |
| Dust Cover for 61- or 76-note keyboards (GAGKC1540) | 19.99 |
| Dust Cover for most 88-note keyboards (GAGKC1648) | 24.99 |
| TSA ATA 61-note keyboard case (GAGKPE61TSA) | 279.99 |
| GKPE-88SLIM-TSA ATA Keyboard Case (GAGKPE88STSA). | 359.99 |
| Slim 88-note case with wheels (GAGK88S) | . 189.99 |
| Slim 88-key keyboard gig bag (GAGKB88S) | 99.99 |
| Economy 61-note keyboard bag (GAGKBE61) | 34.99 |
| Roland | |

| Gig Bag for Juno Series 61-Note Keyboard (ROJUNOBAG) 62.96 |
|--|
| Case for GAIA SH-01 or Lucina AX-09 (ROCB37SY) |
| Backpack-style Gig Bag for AX-Synth (ROAXSYNTHBAG 59.80 |
| Backpack-Style Gig Bag for AX-09 (ROLUCINABAG) |

Yamaha

| Bag for 61-Note Portable Keyboards (YAYBA611) | 33.99 |
|--|----------------|
| Bag for 88-Note Portable Keyboards (YAYBA881). | 44.10 |
| Backpack Carrying Case for NP30 (YAYBVNP30) | 58.00 |
| Bag for NP30 / 31 / V60 / V80 (YAYBNP76) | 49.99 |
| YBA-761 Keyboard Bag (YAYBA761) | 43.39 |
| Casio Soft Case for Privia (CAPXCASE) | 54.99 |
| Vora popoPAC (VONDD) | Call or Log On |

| Korg nanoBAG (KONBR) | Call or Log On |
|--|---------------------|
| Korg Soft Case for PS60 (KOSCPS60) | 59.00 |
| Korg Soft Case for microSTATION (KOSCMW1) | 59.00 |
| Novation UltraNova Gig Bag (NOUNB) | 79.99 |
| Novation Soft Carry Sleeve (NOLS) | 19.99 |
| On-Stage KSB6500 Keyboard Stand Bag (ONKSB6 | 500) 27.95 |
| On-Stage 61-Note Keyboard Cover - Black (ONKDA | 17061B) 8.99 |
| On-Stage 88-Note Keyboard Cover - Grey (ONKDA) | 7088G) 12.32 |

Yamaha YCWX5 Hardshell Case (YAYCWX5)......99.95 **Pedals and Footswitches**

On-Stage 88-Note Keyboard Cover - Black (ONKDA7088B) ... 9.99 Ultimate Support USS1-61 Keyboard Bag (ULCS1KB61) .. 55.66

Behringer Foot Controller with 2 Expression Pedals (BEFCB1010)......Log On

| Dual-Mode Foot Pedal (BEFCV100) | . 29.99 |
|--|---------|
| Casio | |
| SP-32: Triple Pedal Option for PX-130/330 (CASP32) | 47.32 |
| SP-3R: Sustain Pedal for CTK/ WK/PX Series (CASP3R) | . 14.82 |
| SP-20: Sustain Pedal (CASP20) | . 29.99 |
| M-Audio | |
| EX-P: Universal Keyboard Expression Pedal (MAEXP) | . 28.13 |
| SP-1: Switch-Style Keyboard Sustain Pedal (MASP1) | . 11.14 |
| SP-2: Universal Keyboard Sustain Pedal (MASP2) | . 14.63 |
| Yamaha | |
| FC3: Dual Zone Piano Style Sustain Pedal (YAFC3) | . 31.17 |
| FC4: Piano Style Sustain Foot Pedal (YAFC4) | . 19.82 |
| FC5: Foot Switch Style Sustain Pedal (YAFC5) | |
| YFC7: Volume Control Foot Pedal (YAFC7) | |
| LP5A Three-Pedal Unit for P85 and P85S (YALP5A) | . 74.99 |
| LP-7A: 3-Pedal Unit for YPG-635/DGX-640 (YALP7A) | . 74.99 |
| Boss: Footswitch - Unlatch (BOFS5U) | . 26.19 |
| Boss: Dual Latch & Momentary Footswitch Pedal (BOFS6). | 49.95 |

Korg DS1H: Piano Half Damper Switch (KODS1H)......47.52

Roland DP-10: Damper Pedal (RODP10)......34.00 Roland EV-5: Expression Pedal (ROEV5)......69.00

| Korg DS1H Roland DP-10 | eme | Gator Cases |
|------------------------|----------------------------|------------------------------------|
| | Gator Cases GKB-76 | GK-2110 |
| Roland Gig Bag | Roland PSB1U AC Adapter | Gator Cases GKC-1540 Dust Cover |

Keyboard Power Supplies

| AL LAGAL A C MOSSOS VOGO CAMBOS S | 40.00 |
|---|---------|
| Akai AC Adapter for MPC500 or XR20 (AKMP121) | . 19.00 |
| Alesis AC/DC Power Adapter for Alesis (ALP3) | . 16.99 |
| Boss BRC-120 - Power supply (BOBRC120) | . 37.50 |
| Boss PSA-120S AC Adapter (BOPSA120S) | . 19.99 |
| Casio AC Adapter for CTK5000 (CAAD12ML) | 24.95 |
| Casio AC Adapter for Casio keyboards (CAAD5R) | . 12.00 |
| Casio AC Adapter for SA-76 (CAADE95100) | . 14.99 |
| Casio 12V AC Adapter for Keyboards (CAADA12150) | . 22.99 |
| Hosa ACD-477 Universal AC Adapter (HOACD477) | . 11.58 |
| Korg AC Adapter for KP-1, X5D, X5DR (KOAKP) | 28.99 |
| Korg AC Adapter for KP-2 and KP-3 (KOAKP2) | . 19.99 |
| Korg AC Adapter for Triton, Karma, or Radius (KOAT) | . 34.95 |
| Korg AC Adapter f/X50, MICRO-X, R3, MR1000 (KOKA310). | . 33.50 |
| | |

| Korg AC power cable for KA-310 (KOPCKA310) | 7 99 |
|---|-------|
| Korg AC Adapter (KOA30950) | |
| Korg KA350 Power Adapter (KOKA3502) | 24.95 |
| M-Audio Power Supply (MAPSAP254961) | 24.95 |
| Roland AC Cable with Square Housing (RO2PAC1) | 13.99 |
| Roland AC Adapter (ROPSB1U) | 26.99 |
| Yamaha AC Adapter for PSR and EZ-Series (YAPA130) | 12.25 |
| Yamaha AC Adapter for Keyboards and Drums (YAPA150) | 19.99 |
| Yamaha Repl. AC Adapter for PSR-1500/3000 (YAPA300) | 79.95 |
| Yamaha Survival Kit B2 Accessory Package (YASKB2) | 34.99 |
| Yamaha Survival Kit C2 Accessory Package (YASKC2) | 34.99 |
| Yamaha Survival Kit D2 Accessory Package (YASKD2) | 34.99 |
| Yamaha Survival Kit 88B Accessory Pack (YASK88B) | 34.99 |

Sheet Music Stands

| Hosa Technology MUS-439 Adjustable Steel Music Stand (Black) (HOSMSB) | 27.95 | |
|---|--------|---|
| K&M 10065 Three-Piece Music Stand (Black) (KM10065B) | 54.95 | ####################################### |
| K&M 115/2 Sheet-Music Holder (KM1152) | 38.50 | |
| K&M 122E Classic Music Stand Light (KM12255) | 39.99 | |
| Nord Extra-Wide Music Stand for C1 and C2 Organs and Stage 76/88 (NONOMSEW) | 89.00 | |
| On-Stage SM7122BB Compact Sheet Music Stand with Bag (Black) (ONSM7122BB) | 14.97 | |
| On-Stage SM7122B Compact Sheet Music Stand (Black) (ONSM7122B) | 10.99 | |
| On-Stage Conductor Sheet Music Stand Travel (ONSM7211B) | 29.95 | Ultimate Support |
| QuikLok MS303 Clamp-on Sheet Music Stand (Black) (QUMS303) | 18.00 | JS-MS200 Heavy-Duty |
| QuikLok MS331 Sheet Music Stand (Black) (QUMS331) | 29.99 | Music Stand |
| R.A.T. Stands 82Q1 Scherzo Stand (RA82Q1) | 50.00 | |
| R.A.T. Stands Jazz Stand with Black Stem and Tray (RA69Q1) | 149.00 | |
| Raxxess Attachable Music Stand (Large) (RAAMSL) | | - 7 |
| Raxxess Attachable Music Stand (Small) (RAAMSS) | 19.95 | |
| Ultimate Support JS-CMS50 Music Stand (ULJSCMS50) | | Call or Log On |
| Ultimate Support JS-CMS100 Compact Music Stand (ULJSCMS100) | | Call or Log On |





#AKMPC500

MPC500 Portable Sampler/Sequencer Workstation

High-quality sampling and sequencing in an ultra-compact unit that's perfect for a variety of mobile applications. 12 velocity and pressure sensitive pads, analog

audio inputs and outputs, MIDI connectors and a USB port. 32-voice sampler records 16-bit/44.1kHz WAV files for CD-quality sound. Up to 99 sequences with 48 tracks each can be created for a total of 100,000 notes. The MPC500 comes with 16MB of RAM and has a CompactFlash slot.



......Call or Log On



MPC1000 Portable Sampler/Sequencer Workstation

Steps up wiht 64-track sequence and 16 velocity and pressure sensitive pads. Featuers intuitive locate and transport controls, along with two Q-Link sliders for real-time tuning, filter cutoff, layer switching, attack, and decay. Two multi-effects processors and a master output effects processor are provided, as well as multi-mode filters. Footswitch jacks for hands-free control

| Akai MPC5000 Sampling Workstation (AKMPC5000) | Call or Log On |
|--|----------------|
| Access Music Virus Tl2 Desktop - Totally Integrated Synthesizer (ACVTI2DT) | Call or Log On |
| RKE Technology Reat Thang Mobile Music Production Studio (RKREATTHANG) | 909 99 |

PRO AUDIO

ALESIS

DM Dock

Drum Module for iPad

Turn the iPad or iPad 2 into a fully featured drum module. It offers 13 1/4" TRS trigger inputs for connecting drum and cymbal pads and most any other type of electronic trigger. Access a limitless library of sounds from most

any iPad app. Mounts to most any stand or rack using the optional

kits, electronic drums, hits, and other sounds allow you to create music in any genre. Integrated effects. Plug in a guitar, and play along. Play in bass parts using the

ALESIS SR-18

Portable Drum Machine

12 responsive pads. 32MB drum

pads or connect a MIDI keyboard for fast, musical low end. Two footswitch jacks. Runs on AC power or six AA batteries.

#ALSR16 (SR-16 16-Bit Stereo Drum Machine)............ Call or Log On

XR20 Beat Production Station Make hip-hop and R&B wherever and when-

ever inspiration strikes. Over 700 sounds by Chronic Music cover standard and electronic drums, one-shot hits. bass, and synth sounds. 99 preset and 99 User patterns. Drum Roll / Note Repeat for realism and expression. Includes reverb, EQ, and compression. Plug in a mic and mix vocals with your beats. Runs on AC or battery power. Bright blue

DISC DR-880 Dr. Rhythm

Drum Machine with Guitar/Bass Inputs

Hi-Z instrument input with complementary multi-effects and proprietary COSM amp modeling. Large library includes 1,000 patterns with fills, ghost notes and chord progressions. 440 drum and percussion sounds. Four assignable footswitch and expres-



sion-pedal inputs. Individual outputs, S/PDIF digital out, USB port. #BODR880......414.99

KETRON SD2 Orchestral Wizard

Arranger Sound Module

Ideal for laptop-based applications, the voice library includes a stereo grand piano, saxophones, brass, woodwinds, guitars, organ, accordions, and more. Also provides several drum and percussion loops in a variety of styles. MIDI in and thru connectors and stereo RCA output. Up to 32 MIDI channels can be controlled, along with DSP effects. Templates are provided for seamless use with popular software. (KESD2)......380.00

KORG

DELAY

Analogue Ribbon Station

Pocket sized, all-analog synthesizer optimized for sound effects with a miniature ribbon keyboard, builtin speaker, headphone jack and 1/8" mini Aux input. In addition to



its analog oscillator, filter and LFO, it also provides an essential Space Delay for swooping, cosmic type sounds.

KORG Monotron

Analog Ribbon Synthesizer

Battery operated, pocket sized, all-analog instrument, with miniature ribbon keyboard, built-in speaker, headphone jack and mini aux input. Play the keyboard



with a swiping finger motion across the ribbon. Same analog filter found in the Korg MS-10 and MS-20. Full-fledged, true analog synthesizer: VCO, VCF, LFO. Filter any external source using the audio input. LFO can modulate either pitch of filter cutoff. #KOMT......49.99

KORG Monotribe

Analogue Ribbon Station

Incorporates analog synthesis, three-part discrete analog rhythm section (bass drum, snare, and hi-hat) and Electribe-style pattern sequencing in one batterypowered unit with built-in speaker.



Features advanced multi-function ribbon keyboard; Chromatic, Continuous, and Wide modes. Auto-tuning, selectable oscillator waveform, noise generator and versatile LFO.

KORG KAOSSILATOR 2

Dynamic Phrase Synthesizer Palm-size synth and rhythm machine, it features 150 synth sounds, 15 PCM drum kits, 25 Rhythm Loop patterns, a Gate Arpeggiator and the intuitive, Kaoss touchpad. Also offers Loop Recording which allows you to create phrases with unlimited layers and a dual Loop Recording bank to produce DJ-style mutes and cross-fades. Built-in mic, 1/8" stereo mic input and microSD/SDHC card slot.

KORG KAOSSILATOR PRO

Dynamic Phrase Synthesizer/Loop Recorder

200 sound programs. Electribe-inspired gate arpeggiator, and four loop recording banks. Rub, stroke, or tap the touchpad to instantly create gestures. Control pitch and tone parameters such as cutoff, feedback, or modulation depth. 20 one-shot sounds for kick, snare, and hi-hat etc., as well as 25 rhythm loop patterns. Mic in and 15 types of vocoder programs, USB port and SD card slot. #KOKOPRO.....

KORG DUO

Dual Oscillator Ribbon Synthesizer

Compact and portable monophonic analog synthesizer with a ribbon keyboard and built-in speaker. Dual oscillators for creating a wide range of analog sounds and intervals. There is a filter input for



routing external audio devices through the monotron DUO's filter, as well as a headphone output for playing and programming sounds privately.

#KOMONTRON......Call or Log On

KORG Electribe SXSD

Sampling Production Workstation

Up to 4 minutes of mono sampling (2 minutes stereo), real-time tempo loop stretching, preloaded drum and keyboard sounds, and more. Each pattern allows for 9 drum parts, 2 keyboard parts and 2 time-stretch loop parts. Signals can be routed to a pair of 12AX7 tubes. (KOESX1SD) 499 00 microSAMPLER Sampling Keyboard (KOMSKB)

Roland sp-404sx

Nord Drum

4-Ch. Analog Drum Synthesizer

With an amazingly vast sonic palette and astounding level of playability the Nord Drum will change your perception of what's possible with synthetic, sample-free percussion. Create classic retro-futuristic



percussion with analog waveforms or use the harmonically complex waveforms together with different colors of noise for results that both sound and respond stunningly organic. #NONORDDRUM499.00 Linear Wave Sampler Sample anytime, anywhere with the built-in mic and battery power. 29 DSP effects, including filter, delay, unique voice effects subsonic, and looper. 3 control knobs, 12 trigger pads, and Sub Pad for rapid repeat triggering. Create patterns and loops with flexible pattern sequencer with shuffle feature. Import audio files, assign samples to pads. Uses SDHC cards.

#ROSP404SX Call or Log On

audio manipulation and production. 6GB library includes drum kits, synth sounds, loops and more. MASCHINE MIKRO Production Studio (NAMASCHINEM)....... 349.00

NII NATIVE INSTRUMENTS MASCHINE

Computer Based Groove Production Studio

Hardware interface features USB 2.0

and MIDI I/O connections, 16 touch-

sensitive illuminated pads, endless

rotary encoders, back-lit buttons and

Delivers groove-box style sequencing,

2 large high-resolution displays.

www.BandH.com

acorninstruments

Triple-D5 Drum Kit

- 5-piece kit Drum module with 327 drum sounds
- . Three tom and two cymbal pads
- . Snare pad with rim shot zone
- . 30 practice tracks and Metronome
- Built-in performance recorder
- Reverb and chorus effects
 Compact aluminum stand
- Aux in / Headphone out / Stereo line out USB with MIDI I/O
- Kick drum pedal with integrated pad

ALESIS DM6 Session Kit

- 108 percussion sounds
- 15 programmable drum sets
- Low noise rubber playing surfaces
- · Natural drum and cymbal feel
- · Play along with 40 music tracks, metronome, or songs on your iPod or CD player
- · Works with iPad via optional Apple USB Adaptor
- · Includes compact, preassembled rack, pedals, drumsticks and drum key

Call or Log On

ALESIS DM6 USB Kit

- 108 percussion sounds
- 40 preset patterns and one user pattern
- 5 pads and 3 cymbals
- · Snare pad has two separate triggers for rim-shot and snare sounds
- · Built-in metronome and patterns
- . USB out to trigger software MIDI notes
- 1/8" input for CD player or iPod
- . One audio output for headphones, one for sound system or amp #ALDM6K Call or Log On

ALESIS DM8 Pro Kit

- 5-piece set features the DM8 drum module with 750 sounds. Alesis RealHead tension adjustable pads, and the durable yet stylish StageRack.
- · RealHead pads feature 8", 10" and 12" diameters, with adjustable tension to mimic the feel and action of actual acoustic drum heads
- 12" dual-zone snare, 8", 10", and 12" toms, and 8" kick
- 12" DMPad hi-hat, 16" ride & 14" crash cymbals

#ALDM8PROKIT......Call or Log On

ALESIS

DM10 Studio Kit

- . 6-piece drum set with a 10" snare, four 8" tom drums, a hi-hat, ride, and two crash cymbals.
- DM10 module is loaded with 100 preset drum kits. 1047 preset sounds
- · Trigger software drum kits via USB
- Record yourself with the sequencer; aux input to jam with a CD or MP3 player
- Includes 4-post StageRack

#ALDM10SK Call or Log On

ALESIS

DM10 X Kit

Six-piece, professional electronic drum set with full-size 10 and 12' drum nads naired with 12, 14 and 16" cymbals. Also included is the Alesis DM10 drum module with over 1,000 premium drum sounds, acoustic-like RealHead drum pads

and the heavy-duty XRack support system.

#ALDM10XKIT......Call or Log On

ALESIS TriggerliO

Trigger-to-MIDI/USB Interface

 Allows your drum pads to trigger sounds on



external synthesizers or drum modules—hardware or software.

- . Use your drum triggers to play soft synths on your computer or patches from hardware synths or drum modules.
- . Using either MIDI or USB, you can fine-tune the parameters of the triggered notes to your liking. . Mount on any stand or rack using optional E-Percussion Module
- Mount and integrate it into your drum set or percussion setup.

#ALTIO Call or Log On

ALESIS PercPad

4-Pad Percussion Instrument


- · 4 durable, velocity sensitive rubber drum pads, and up to 25 tunable sounds.
- · Built-in sound library
- · Kick input for instant expansion
- MIDI output
- · Fits a snare stand, sits tabletop, or mounts on any stand or rack using the optional Module Mount
- . Tune and edit sounds, and assign them to any of the four pads or the kick input


#ALPERCPAD Call or Log On

ALESIS Performance Pad Pro

Multi-Pad Percussion Instrument

- . 8 durable, velocity sensitive rubber drum pads, and over 500 top quality sounds.
- Trigger input allows you to connect a control pedal for triggering a kick drum sound.





• MIDI output lets you trigger sounds from external MIDI instruments and software

Performance Pad - Percussion Station (ALPP) Call or Log On

ALESIS SamplePad

Multi-Pad Sample Instrument

- · Four velocity-sensitive pads and a selectable input for a trigger or switch pedal
- 25 in-demand drum and percussion sounds
- · Add any sound sample to your setup via SD card
- · Integrates easily into most any drum or percussion setup
- . Mounts on most any snare stand or sits tabletop
- . Tune and add reverb to your sounds, then assign them
- . MIDI out lets you control and trigger sound modules, software

#ALSP Call or Log On

ALESIS E-Practice Pad

Electronic Drum Practice Pad

- . 65 drum sounds and training exercises to help you learn to play drums.
- Inputs for a kick drum
- · Output into an amp or a sound system or use the head-



- Built-in metronome
- · Record your performance so you can hear your progress
- . Mounts on a cymbal stand or a snare stand, so you can continue to use it as a part of your drum set.

#ALPPED Call or Log On



Portable Percussion Synthesizer

- · Compact design with built-in speaker
- · Battery powered and portable . Sensor clip turns objects to
- · Plays two sounds at once
- 100 sounds, 100 rhythm patterns
- · On-board looper and overdub layering

instruments

• 10 preset audio effects

#KOWDM (WAVEDRUM Mini)......299.99 #KOWD (WAVEDRUM)......399.99 #KOSTWD (STWD Extended Height Stand for Wavedrum).......79.99







PRO AUDIO

Roland HD-3 V-Drums Lite

- Compact, 5 piece electronic drum set
- 20 drum kits and patterns, plus built-in metronome with selectable sounds and adjustable tempo.
- Cloth-heads and beater-less kick deliver low acoustic noise so you can practice any time, day or night.
- Snare, crash and ride cymbals feature dual-triggers allowing you to assign multiple sounds to each pad.

 #ROHD3.....799.00



Roland

HPD-10 Trigger Pad and Sound Module

- Hand percussion trigger pad with 400-sound library (drum kits, congas, bongos, djembe, melodic percussion and more).
- 10 pressure-sensitive pads
- Backlit icon-driven LCD
- Style Guide Metronome with 70 preset backing patterns
- Rhythm Coach function for practice/performance enhancement
- · Dual-Trigger compatible external footswitch input



■Roland[®]

TD-11K • TD-15K V-Drum Sets

Affordable, mid-level drum-kit, the TD-11K incorporates Roland's SuperNATURAL sound technology and behavior modeling. Includes a 10" PDX series mesh snare pad with dual-triggering technology for the most authentic feel and response. TD-11 drum sound module offers 50 unique drumkits and 190 instruments. 10 ambience effects and a built-in EQ allow you to customize your sound. The 10" CY-5 cymbal pad for hi-hat features natural swing movement, separate bow and edge triggering and the FD-8 hi-hat controller for realistic open and close effect. KD-9 kick pad delivers impressive dynamic response, accurate triggering and great feel even when using a double pedal.


The TD-15K steps up with the TD-15 Drum Sound Module which offer 100 drum kits and 500 instruments. Also includes PDX series snare and toms and is compatible with Air Recorder iPhone App. Works with V-Drums Friend Jam iPhone App.

| | • | |
|------------------------------|---|--------------------|
| TD-11K V-Compact Series Elec | ctronic Drum Set (ROTD11KS) | 999.00 |
| TD-11KV Same as above excep | pt with 3 CY-series Cymbals and 4 PDX Series Snare and Tom Pads (ROTD11K) | /S) 1599.00 |
| TD-15K V-Tour Series V-Drum | Set with MDS-9V Stand (ROTD15KS) | 1999.00 |
| TD-15KV V-Tour Series V-Drur | m Set with MDS-9V Stand (ROTD15KVS) | 2999.00 |



TD-30K • TD-30KV V-Drums V-Pro Electronic Drum Set

Over 1,000 drum sounds and special effects. Roland's SuperNATURAL and Behavior Modeling technology makes for incredibly realistic drum sounds and highlights even the smallest of drumming nuances. Dedicated Ambience fader lets you add lush room ambience effects and overheadmic simulation. V-Pads for snare and tom drums feature Roland's dual-triggering technology for accurate and even sensing between the head and rim. The V-Kick trigger pad delivers fast, natural kick-drum triggering and offers double pedal support. V-Hi-Hat and V-Cymbals provide optimized weight-balance and sensitivity for accurate triggering and natural swinging motion. The V-Cymbal Crash even includes choke control creating a most authentic drumming experience.





YAMAHA°

DTX500K • DTX520 • KDTX520 • KDTX520K

Electronic Drum Sets-B&H Kits

They include Yamaha's DTX500 Drum Trigger Module with 427 carefully-chosen sounds that handle both subtle snare-work and dynamic, powerful drum strokes with ease and detail. 50 preset drum kits and 20 user banks for storing your own. Twelve 1/4" inputs for pads and triggers, and an Aux line input. Sequencer features practice songs, metronome click and record / play capability. You'll also enjoy the true feel and bounce of Yamaha's top-class drum pads, as well as secure support from the rack systems.

| DTX500K Electronic Drum Set B&H Kit (YADTX500K) | Call or Log On |
|---|----------------|
| DTX520K Electronic Drum Set B&H Kit (YADTX520K) | 999.99 |
| DTX530K Electronic Drum Set B&H Kit (YADTX530K) | Call or Log On |
| DTX560K Electronic Drum Set B&H Kit (YADTX560K) | 1759.99 |



YAMAHA

DD-65 Electronic Drum Kit

- · Eight touch-sensitive pads
- Over 250 stereo-sampled voices and can be assigned to any pad.
- Aux-in and MIDI I/O
- Two assignable foot pedals
- Reverb and Master EQ
- · Internal memory
- Headphone jack and built-in stereo speakers

219.99

ALESIS TransActive Drummer

Electronic Drum Amplifier

- Single-box complete practice-amp wedge system for practicing and monitoring your drums.
- Full-range 50w amp with built-in iPod dock, stereo 1/4" phone and RCA Aux inputs, headphone output and built-in handles. 10" woofer and 1" tweeter make it ideal for keyboards as well.

 #ALTD



Call or Log On

Roland PM-30

200W Drum Monitor Amplifier

Features three Class-D power amps, a 12" woofer with sub-woofer mode, and two satellite speakers that can be mounted on a drum stand or the cross-bar of the amp. Multiple I/Os, 3-band EQ and Punch feature. Side handles, top crossbar, and casters for easy transport. (ROPM30).....



..... 549.99

Electronic Drum Accessories

| Electronic Drum Accessor | C 3 |
|--|---|
| Alesis E-Percussion Module Mount (ALMM) | or Log On |
| On-Stage | , |
| DA-100: Drumstick Holder (ONDA100) Wood Tip Maple Wood Drum Sticks (ONMW5A) Wood Tip Maple Wood Drum Sticks (ONMW5B) Nylon Tip Hickory Wood Drum Sticks (ONHW5A) Hickory Drumsticks with Nylon Tips (ONAHN5A) HN5A Hickory Drum Sticks (ONHN5A) MDT2: Double-Braced Drum Throne (ONDTMD) | 2.01 2.01 2.01 3.50 2.75 |
| Roland | |
| CYM-10 Cymbal Parts Set (ROCYM10) DT-1 V-Drums Tutor (RODT1) KD-7 Kick Drum Trigger Pad & Beater Unit (ROKD7) PDS-10 Pad Stand for HPD/SPD Series (ROPDS10) MH-8: 8" Mesh Replacement Head (ROMH8) MH-10: 10" Mesh Replacement Head (ROMH10) MH-12: 12" Mesh Replacement Head (ROMH12) PM-10 Personal Monitor Amplifier (ROPM10) | 59.00 89.99 117.98 35.95 39.99 43.37 |

DTX500 Drum Trigger (YADTX500) 259.99 DS-550 Lightweight Drum Throne (YADS550) 54.54 DS-750 Medium Weight (YADS750) 79.24 FP-7210A Kick Drum Pedal (YAFP7210A 49.99 HH65 Electronic Hi-Hat Contoller Pedal (YAHH65) 59.99 PCY135: 3-Zone 13" Electronic Cymbal Pad (YAPCY135) 110.57 PCY155: 3-Zone 15" Electronic Cymbal Pad (YAPCY155) 135.00

Yamaha

ALESIS AudioLink Series

6' MIDI-to-USB Cabla

Makes it easy to connect any MIDI instrument to a Mac or PC via a USB port. Turn any device with MIDI output into a USB-MIDI controller. Control virtually any MIDI-compliant software. #ALCUMCall or Log On



LINE MIDI Mobilizer

MIDI Interface for iPhone

Provides a simple solution to quickly record and recall MIDI Data virtually anywhere. Record a Standard MIDI File (SMF) from a MIDI keyboard, or record MIDI settings (SYSEX) from any MIDI device and instantly recall that information





LINE MIDI Mobilizer II

#ARMCONNECT 29.00

R T

MIDI Interface for iPhone or iPad

MConnect USB to MIDI Cable

Separate MIDLI/O cables, LFD indicators for

power and MIDI in/out. Molded cable ends

indicate cable function

Allows you to connect your iPhone or iPad to MIDI hardware, launch CoreMIDI apps like GarageBand for the iPad, and make music any time, any place with any MIDI controller.

#LIMIDIMOBLZ259.00

1x1 USB MIDI Interface

Portable and nowered via LISB bus

Small form factor makes it easy to

connect a keyboard or controller.



M-AUDIO MidiSport UNO

1x1 USB MIDI Interface

Powered by the USB port, the Midisport UNO is convenient and great for laptop use.

#MAUNO...... 32.63



M-AUDIO MIDISport 2x2

2x2 USB MIDI Interface

MIDI 'Thru' pushbutton allows it to function even if the computer is off- no disconnecting cables. In this case Port A and Port B pass through directly to their respective outputs. #MAMS22......63.52




MOTU FastLane (USB)

Ideal for use with a laptop. (MAMS11) 34.92

M-AUDIO MIDISport 1x1

2x2 USB MIDI Interface

Provides increased MIDI throughput, better timing accuracy, support for "hot-swapping" and plug-and-play expansion. Can also function when



MOTU MIDI Express XT

8x8 USB MIDI interface with software provides comprehensive

panel presets (8 factory and 8 user programmable). Full Time

Code and MIDI Machine Control implementation.

#MAMEXTUSB

routing, merging, and muting with 16 convenient, one-touch front-





MOTU micro lite

5x5 USB MIDI Interface

Large front-panel LEDs indicate MIDI activity. Takes full advantage of



USB, providing high-speed MIDI throughput, sub-millisecond timing accuracy, support for "hot-swapping" and plug-and-play

Roland UM-ONE

1x1 USB MIDI Interface

In-line cable form factor provides a single MIDI output and a single MIDI output connector on one side, and USB cable on the other.



Data indicators for both MIDI input and output.

#ROUM1Call or Log On

YAMAHA UX16

1x1 USB MIDI Interface

Compact, cable-style 1-in/1-out USB MIDI interface. MIDI cables are engraved with "In" and "Out" labels to avoid confusion when connecting device. LED indicators for I/O signal monitoring. Features easy hot-swap connection.

349 00

MIDI Cables

Hosa **Standard Cable Premium Cable** 1' Black (HOMM1B)......6.03 5' (HOMM5)......9.49 3' Black (HOMM3B)......5.49 5' Black (HOMM5B)......2.80 10' (HOMM10) 9.39 10' Black (HOMM10B) 3.35 20'(HOMM20)......12.29 20' Black (HOMM20B).....4.70

Monster Cable

| 3' Digilink MIDI Cable (MOMMIDI3) | 14.95 |
|--|-------|
| 6' Digilink MIDI Cable (MOMMIDI6) | 19.95 |
| 12' Digilink MIDI Cable (MOMMIDI12) | 24.95 |
| 12' Paired Digilink MIDI Cable (MOMMIDI12P) | 49.95 |
| 25' Digilink MIDI Cable (MOMMIDI25) | 34.95 |
| Pro Co Sound Excellines 10' MIDI Cable (PRMM10) | 16.95 |
| Hosa 3' Midi Angled to Midi Angled Cable (HOMRAMRA3) | 4.95 |



Echo/Delay Simulator with Loop Recorder

Simulates a 4-head analog tape echo machine and includes both a normal delay effect and loop recording capabilities. Includes a Normal Delay Mode, a Tape Echo Mode, and a Looping Recorder Mode that lets youplay and record a phrase and immediately loop playback so you can overdub. (AAKE2).....



BDI21 V-Tone Bass

behringer emulation and a groundlift switch combat unwanted hum to offer greater control over a range of sounds - from vintage to funk to modern overdrive — and all points between.



Log On

#BEBDI21.....



DR400

Digital Reverb/Delay

24-bit stereo effects with Real Sound Modeling (RSM) DSP technology for emulating different



acoustic environments. Choose between 11 different 24-bit delay and reverb setting. #BEDR400



UO300 Ultra Octave

3-Mode Octaver behringer Effects Pedal

Create a monster sound. Add 2 more tones using your guitar-1 and 2 octaves below the original tone. Volume controls for all 3 tones. Flexible 3-mode Range switch.

#BEU0300





FX600

Digital Multi-Effect

behringer Guitar Pedal

Gives you a choice of six high-quality effects, with control of the two most common parameters. Stereo inputs and outputs let you get the most out of each effect. #BEFX600.....





V-TONE ACOUSTIC ADI21

Acoustic Amp Modeler/ Direct Recording Preamp/DI Box

Enhance performance with authentic tube/mic emulation, 3-band EQ with mid frequency sweep, ground-lift switch and dual DI mode. #BEADI21.....





DD400

Digital Delay/ behringer Echo Pedal

Puts up to 1.3 seconds of delay at your command, at 24-bit resolution. Also offers stereo outputs that give your sound a 3-D effect. #BEDD400Call or Log On



seamlessly into your guitar pedal rig setup. (IKIRIGSTOMP) ... 59.99

IK MULTIMEDIA iRig STOMP

Stompbox Guitar Interface

For use with the AmpliTube app or any

other guitar processing app that uses

the iOS mini-jack. Compatible with the

iPad, iPhone and iPod touch, Stompbox

enclosure is lightweight aluminum-cast and fits

BSY600

Bass Synthesizer Four waveforms in 11 modes.

Frequencies filtered and how long the filtering lasts can be dialed in. Pitch Hold lets you play over a sustained synth note. Expression pedal input allows for manual control. #BEBSY600.....



49 99

DISCOST DS-1 Distortion

Stompbox Pedal

Classic Boss distortion for your guitar or keyboard. Custom tailor your sound whether soft or loud with controls for distortion, level or tone. Reproduces every nuance of your playing. #BODS1......Call or Log On






DR600

Digital Reverb Pedal 24-bit stereo reverb effects in

six different modes: hall, plate, spring, modulate, room, and gated reverb. There are dedicated level, tone, and time knobs that enable you to dial in the perfect reverb setting for any situation.





10 12055 SD-1

Super OverDrive Stompbox Pedal

This versatile pedal produces warm, natural distortion sounds just like tube-amps without losing the subtlety of your performance style. Initiates recording as soon as you start playing.

#BOSD1.....Call or Log On





vintage units and classic delay effects techniques, all served up in discrete stereo with 24-bit resolution. Large parameter control knobs; silent, programmable

channel switches with bypass; and dedicated Tap Tempo control. #LISBDL4......Call or Log On



HB01

Hellbabe Wah-Wah Pedal

Optical control that has no moving parts reduces wear and tear. Boost function provides an overdriven signal boost so you can really "bring the funk." The Q control gives you precise control over the filter shape, yielding vocal-type effects.



#BEHB01Call or Log On

DISOSS MT-2

Metal Zone

Over-the-top Boss distortion for your quitar. The pedal has extreme mid and low level frequencies for an ultra-saturated sound. 3-band EQ has a semi-parametric mid control for a large range of textures with long sustain. (BOMT2)......74.99



M5 Stompbox Modeler

Over 100 distortions, choruses, reverbs and other effects in a single-pedal-size unit. Although it runs one effect at a time, it has a complete collection of modern and vintage effects that are delivered with excellent sonic integrity.

#LIM5......199.00



CS400

Compressor Sustain Guitar Pedal

- Compress loud and boost low signals
- · Dedicated Level, Tone, Attack and Sustain controls for awesome sound shaping
- Blue status LED for effect on/off; battery check

#BECS400.....

24.99



Loop Station

Up to 3 hours of stereo recording time, storage for 99 loops, a "real drums" rhythm guide, and USB 2.0 port to import/export WAV audio—all in a small BOSS stompbox. Auto Record feature initiates recording as soon as you start playing. #BORC3LS199.00



POD HD500

Multi-Effects Pedalboard

16 state-of-the-art HD amplifier models over 100 modern and vintagestyled M-class effects, and a comprehensive set of digital

and analog I/O. Also functions as a full featured looping, pitch shifting and harmonizing machine. (LIPODHD500)............... 499.99



NR300

Ultimate Noise Reducer Pedal

· Eliminate unwanted noise and hum without altering your tone

· Preserves the original attack and envelope while leaving your playing and dynamics intact

Dedicated Threshold and Decay controls plus a Mute mode for



Twin pedal multitrack looper with two synchronized stereo tracks with dedicated volume faders and track-select buttons and built-in loop effects. Rhythm guide with real drums, USB 2.0 port and multiple inputs. #BORC30LS 299.00





RAT 2 Guitar Distortion Pedal


Classic RAT tone in a compact, portable design. Knobs for filter, volume, and

distortion let you find the perfect settings. True bypass switching ensures that no unwanted noise enters the signal path when pedal is off. (PRRAT2)



DISC DD-3 Digital Delay

- · Three delay time modes
- . Control for adjustment of exact delay time between 12.5ms - 800ms.
- reverb-type effect, and even sitar-like tones.



DISCS DD-7 Digital Delay

- · Chorus, reverse, digital & analog delays
- 40-sec. on-sound looping
- · Control settings with expression pedal
- Tap tempo delay control
- · Stereo or dual amplifier outputs

#BODD7......Call or Log On



DISS RC-300 Loop Station

Large master expression pedal. 16 built-in effects. Onboard library with 83 rhythm tracks. XLR mic input with phantom power.



Play and record three tracks of loops. Store up to three hours of audio. WAV file Import/Export functionality. (BORC300) 549.00

OverDrive Preamp/250

DOD has resurrected the smooth, classic tones of the 70's with the Overdrive Preamp/250 pedal. This simple pedal has level and gain





Harmony and Effects Pedal

Automatic backing harmonies and vocal double tracking, plus over 200 effects. Auto Key Detection adjusts harmonies and pitch correction to fit the music. #TCVLP......249.00





High-resolution signal processing with 21 amps and stomp boxes, and 54 effects (eight at one time) in a compact square floor unit. There's also an acoustic simulator. Built-in chromatic tuner and a drum machine with 40 tempo-variable presets.



www.BandH.com



BTR2000 Racktuner



Dual-input rackmount auto chromatic tuner with 11 different tuning modes including chromatic, banjo or open tunings. Individual "A" pitch calibration. Dial wheel for quick parameter adjustment. Built-in microphone for acoustic instruments. Built-in metronome. #BEBTR2000......Call or Log On



TU300 Chromatic Tuner

· Guitar and bass tuner with a bright display

- · Seven operating modes including Regular, Flat, Double Flat, and Chromatic.
- · Reference tone is highly adjustable
- Ensures signal integrity while in bypass mode

#BETU300.....Call or Log On





5 13055 TU-3

Chromatic Tuner Pedal

Precise and guick tuning with 21-segment LED meter and note display. Accurate to \pm one cent. Change operational mode to handle flat tuning guitars, 6 string basses, and more.






5 13055 TU-10

Clip-on Chromatic Tuner

Provides reliable, dependable and accurate tuning for guitars. Easy -to-read, True Color LCD with reflection-display functionality.





BOSS DB-30

Dr. Beat Metronome with Rhythm Patterns

Supports time signatures of up to 17 beats per measure, and offers and rhythmic feel. Tap tempo, 2 LED lights as a visual tempo guide, and a 12-semitone set of internal tuning reference tones. Headphone output and volume control. #BODB30......34.94



DBDS5 TU-80 Tuner/Metronome

Supports chromatic tuning, plus 7-string guitars and 6-string basses. Accu-Pitch sounds a tone when pitch is correct. Reference Tone Play makes it easy to verify tuning. Stores tuner settings.



Metronome has 7 rhythms, 10 beats and animated LCD display. #BOTU80......Call or Log On

DB-90 Metronome

Rhythm Coach 4-mode trainer for building endurance and accuracy, assisted by an internal microphone.

Loop Play, Tap Tempo, Timer, and Stopwatch functions. Dual LED visual tempo indicators. 6 control sliders and MIDI pattern sync. Built-in speaker, headphone output, and volume control.



KORG OT-120

Chromatic Orchestral Tuner

- · Easy-to-see needle-type indicator and backlit LCD screen shows output level. calibration, key and note name.
- Runs for 100 hours on two AAA batteries (optional AC adapter)

#K00T12069.99



KORG AW2G

Clip-On Chromatic Tuner

- · Use internal mic or piezo sensor
- · Double joint for multi-angle positioning
- · Backlit display for easy viewing
- . Energy saving auto off and soft modes
- · Clips on to the headstock of your guitar

#KOAW2G.....



KORG PC-1 Pitchclip

Clip-On Guitar & Bass Tuner

- Fast pitch detection and processing. ±1 cent accuracy and A0 to C8 detection range
- · Integrated battery provides a solid base
- High-contrast display Flexible mounting system



- 8 Rhythm Types
- Beat-Counting Display
- Tap Tempo Function
- Earphone Jack

 Chromatic Tuner #KOMA1BLU.....Call or Log On



KORG microMetro MCM-1

Digital Metronome

- Compact Clip-on Metronome
- 39 Pendulum Settings
- 7 Time Signatures
- . LED Tempo Indicator and Click
- Variable Level Control

KORG GA-1 Guitar and Bass Tuner

- · LCD needle-style display
- · Supports 7-string guitars
- Reference Tone
- · Quinta flat tuning mode lets you tune your instrument between 1-5 semitones flat





KORG CA-1 Chromatic Tuner

- · LCD needle-style display
- · LED indicators and marks for major and minor thirds
- Calibration function
- Wide pitch range (C1 to C8)
- · Produces a reference tone from the built-in speaker



Effects Processor, Trainer and Tuner 158 amplifier and effects types with expressive analog characteristics such as a vacuum tube simulation and the ambient acoustic feel of a speaker cabinet. Also 200 stage-ready presets,

internal tuner and USB port for bus power. (KOPXMINIB)......169.00

KORG PX5D Pandora

Multi-Effect Processor with USB

180 effects, 744 rhythms, 80 econd phrase sampler, amp and cabinet modeling. Manage settings and presets; record to computer via USB. Practice with instant transpose and tempo change



t.c. electronic Polytune

Polyphonic Chromatic Guitar Tuner

Automatically detects the strings that require tuning when strummed. Guitarists can tune their guitars and basses polyphonically; saving time during rehearsals, recording sessions and performances. Also supports drop-tuning. #TCPT




84.96

YAMAHA YT150

Guitar/Bass Auto Tuner

- . Tunes any electric, acoustic, or bass guitar with four, five, or six strings
- . LED indicator lights for sharp, flat, and in-tune
- Built-in microphone; 1/4" input and output jacks



AmpKit LiNK

iPhone, iPod touch, iPad Interface

AmpKit Link is a powered device with circuitry that virtually eliminates feedback. A stereo mini output can be connected to headphones, powered speakers or a PA. The interface can be used with any recording, processing, or tuning application, including Agile Partners' GuitarToolkit. (PEAKL).....



29.99



The GuitarJack Model 2

iPhone, iPod touch. iPad Interface

Housed in a sleek and rugged metal shell, the GuitarJack features a guitar jack with configurable Pad, Lo-Z and Hi-Z modes, and stereo mic/line input, so you can connect instruments, mics and other audio hardware to the iPhone.

iPad and iPod touch. Two inputs, such as a voice and instru-

ment, can be recorded simultaneously using Apps like FourTrack and StudioTrack. The stereo mic /line input features Pad, Normal and Boost modes, and all inputs have 60dB of continuous level control.. There is a line out as well as a stereo mini headphone output with increased drive for louder playback.



800-947-1181 | 212-444-6681

TASCAM CD-BT2

CD Bass Trainer

- . Slow down a song without affecting the pitch
- User preset effects banks
- · Chromatic tuner and metronome built-in
- 1/4" bass and footswitch inputs; headphone and line out jacks



TASCAM CD-VT2

CD Music and Voice Trainer

- · Great for woodwind, brass, and string players
- · Slow down a song without affecting the pitch
- · Chromatic tuner and metronome built-in
- · Vocal cancellation and selectable cancelling pan point #TACDVT2 Call or Log On



TASCAM CD-GT2

CD Guitar Trainer

- . Slow down a song without affecting the pitch
- Built-in chromatic tuner. quitar and footswitch input jacks, and expanded effects banks.
- · Adjust the pitch of a song so you don't have to re-tune. #TACDGT2......Call or Log On



& Instrument Trainer

• Built-in stereo mics • Records MP3 or WAV

- Up to 24-bit/48kHz recording
- 1/4" instrument and powered mic input
- · Amp Simulation & Effects
- Over 80 built-in rhythms
- SD Flash Memory USB 2.0 port

#TAGTR1149.00



TASCAM GB-10

USB Guitar/Bass Trainer/Recorder

- · Amp modeling, delay, reverb chorus
- · Loop playback
- 1/4" guitar/bass input
- · Records 16-bit WAV files, plays 16- or 24-bit WAV, MP3 files
- USB 2.0 SD/SDHC card slot

TASCAM LR-10

USB Vocal & Instrument Trainer

- · Built-in stereo mic
- Internal speaker
- Overdub recording
- Loop playback
- Variable speed audition
- · Records 16-bit WAV files, plays 16- or 24-bit WAV, MP3 files
- Tuner and Metronome SD/SDHC slot
- #TALR10......Call or Log On

ALESIS AmpDock

Multi-Effects Guitar Processor for iPad

Durable pedalboard controller with program, effect, bypass, volume and continuous controls. Tons of inputs and outputs. Includes a kickstand for resting the processor on your amp. (ALAMPDOCK)..... 299 00



GUITAR LINK

behringer Guitar-to-USB Interface

- · Connect electric guitar or bass to Mac or PC
- 1/4" TS phone input and headphone output, that also doubles as monitor speaker source.
- · Variable-speed file playback function
- Includes Kristal 16-track and Audacity editing software



□ I3055 eBand JS-8

Audio Player with Guitar Effects

- · Over 100 guitar effects
- · Microphone/Guitar input
- · Built-In Metronome & Tuner
- . 300 Backing Track & Beat Loops
- Use as a USB Audio Interface

#B0JS8 299.99





LINE 6 Pocket POD

Portable Amp and Effects Modeler

- · Over 300 available presets, including work from top artists
- . 32 classic and modern amp models, as well as 16 cabinet models so you can find the perfect tone
- 16 effects, including compressor, tremolo, reverb, multiple chorus and delay effects

.110.48

POD Studio UX2

Portable USB Interface





- . Mic and instrument inputs with phantom power
- Includes POD Farm Software

#I IPSUX2.



POD Studio GX

USB Interface for Recording Guitar

- USB bus powered
- Quiet 1/4" guitar input, 1/8" headphone/line output and a volume knob for instant, straightforward 24-bit/96kHz recording
- Includes POD Farm Software



AT108

behringer 15w 2-Channel Acoustic Amp

8" dual-cone speaker and Virtual Tube Circuitry lets your instrumen achieve the unique sound that comes from classical tube amps. Dedicated CD input, headphone output, and an additional mic input with separate volume control.



LINE Spider IV 15

Guitar Amplifier Combo

- · 4 realistic sounding amp models
- · 4 channels of user presets
- 6 built-in effects (run 2 at once)
- Tap tempo
- . Bass, mid and treble knobs


#LISIV15......99.99



Roland

Mobile Cube

Pint-sized and battery powered, produces 5W of stereo sound combined with Roland's FX engine. Inputs includes mic, guitar, keyboard,





Wi AudioLink

Digital Wireless Audio System

- Full function 2.4GHz digital wireless stereo audio solution for live performances, personal monitoring and studio recording environments.
- 100' of secure un-compressed 16-bit, 48kHz CD quality wireless audio
- · Weighing only 1 oz. offers intuitive function buttons and easy-to-read LEDs.

#JAWAL35.....



| Behringer Guitar/Amp Selector AB100 (BEAB100)24.99 |
|--|
| Hosa: 10' 1/4" Phone Guitar Cable (HOGICTP10)4.64 |
| Hosa: Goby Labs Mic Sanitizer (GOGLS104)5.27 |
| Hosa 5' REAN 1/4" Pro Guitar Cable (HOGCRSS5)5.75 |
| Hosa Traditional-Style Guitar Stand (HOGST437)12.17 |
| Mogami: 10' Gold Instrument 1/4" Guitar Cable (MOGI10)44.95 |
| K&M 17541B Acoustic Raxe Guitar Stand (KM17541B)34.95 |
| K&M 17540B Electric Raxe Guitar Stand (KM17540B)37.99 |
| Korg: CM-100L Contact Microphone (KOCM100)9.99 |
| Line 6 AC Adapter for Pod, Stompbox Modelers (LIPX2)22.49 |
| QuikLok Short-A 16.3" Electric Guitar Stand (QUQL631)14.93 |
| QuikLok: Horizontal Wall-Mount Holder for Acoustic (QUGS410) |
| or Electric Guitar (QUGS413)22.95 |
| Sanyo Pedal Juice - rech. 9v power for Pedals (SASPJB)129.99 |
| Tascam PSP520 AC Adapter for Trainers (TAPSP520)21.43 |

Ultimate Support

| GS-100 Adjustable Genesis Guitar Stand (ULGS100) | Log | 0r |
|--|-----|----|
| GS-1000 Genesis Guitar Stand (ULGS1000) | Log | 0r |
| JS-AG100 A-Frame Guitar Stand (ULJSAG100) | Log | 10 |
| JS-TG101 JamStands - Tubular Guitar Stand (ULJSTG101). | Log | 0r |



www.BandH.com



Perception: Choose between one of the 8 available UHF frequencies. Each system includes the SR 45 receiver which provides XLR and 1/4" jack outputs. Audio level and squelch threshold are adjustable.

Presenter Set: Includes miniature PT45 Bodypack, CK99 Lavalier mic and SR 45

Vocal Set: Includes HT45 handheld mic with 3-way on/off/mute switch, gain switch and SR 45 receiver (AKPWVSA) 249.00

Sports Set: Includes PT45 bodypack transmitter and C 544 L





WMS-450: Diversity reception, up to 12 preset channels per frequency band, (1200 selectable frequencies) and integrated frequency scanner. All systems include rugged SR450 diversity receiver with programmable back-lit LCD display and rehearal function for finding "dead spots".

Presenter Set: PT450 bodypack transmitter and C407L lavalier mic in Band 1 (AKWMS450P1) or Band 8 (AK-WMS450P8)......299.00

Headworn Set: PT450 Bodypack Transmitter and C555L Headworn Mic in Band 1 (AKWMS450HS1) or Band 7 (AKWM-

Vocal Set: HT450C Handheld Transmitter with condenser (AKWMS450VC51) or dynamic element (AK-WMS450VD51)......299.00

New! WMS-470: Steps up from the WMS-450 with 16 preset channels per frequency and infrared sync between the transmitter and receiver which allows for remote channel syncing. Instrument Set: SR470 diversity receiver, PT470 bodypack transmitter and MK/GL instrument/guitar cable in Band 1 (AKWMS470ISB1), Band 7 (AKWMS470ISB7), Band 8 (AKWMS470ISB8) or Band 9 (AK-

Presenter System: SR470 diversity receiver, PT470 bodypack, CK 99 L lavalier mic and C 555 L headworn mic in Band 1 (AKWMS470PSB1), Band 7 (AKWMS470PSB7), Band 8 (AKWMS470PSB8) or Band 9 (AKWMS470PSB9) 629.00



audio technica.

Freeway 200 Series Professional VHF Wireless Systems

Reliable performance, easy setup and clear, natural sound quality. Each system includes the ATW-R250 non-diversity, single-channel receiver and body-pack or handheld mic/ transmitter. The ATW-R250 also offers volume control along with AF Peak, RF and power indicator lights.

ATW-251 Lavalier System:

Includes ATW-T201 bodypack transmitter with omnidirectional lavalier mic. Available in 169.505 MHz (AU-ATW251LT2) or 170.245 MHz (AUATW251LT3).....



Call or Log-on

ATW-252 Handheld System: ATW-T202 Handheld Mic/Transmitter with switchable RF output.



2000 Series Frequency-Agile True Diversity UHF Wireless Systems

The metal half-rack ATW-R2100a receiver features 10 user selectable frequencies and automatic frequency scanning. It has a balanced XLR and unbalanced 1/4" output. Back-lit LCD shows channel, AF, RF and diversity status information.

- · All 10 user-switchable channels can be used together
- Tone Lock tone squelch system fights interference
- · Ground-lift switch eliminates hum
- Includes rack-mount kit and detachable UHF antennas



ATW-2110 System: Includes ATW-R2100a and ATW-T210a transmitter with 4-pin Hirose connection. Transmitter runs 9 hours on two AA batteries. In Band I (AUATW2110AI) or D (AUATW2110AD).....299.00

ATW-2120 System: ATW-R2100a and ATW-T220a Handheld Mic/Transmitter with PRO 41 capsule.

ATW-2129 System: Includes ATW-R2100a, ATW-T210a UniPak and AT829CW lavalier cardioid mic.

audio-technica.

3000 Series UHF Wireless Systems

Up to 1001 selectable UHF frequencies, clear sound, intuitive and reliable operation, and easy selection of usable frequencies. Illuminated transmitter screens for clear reads on dark stages. ATW-R3100 receiver features frequency adjustable UHF reception, balanced XLR and unbalanced 1/4" outputs, LCD display and a ground lift switch.



Handheld System: Includes ATW-R3100 receiver and ATW-T341D handheld transmitter with AE4100 ATW-3110 Wireless Body-Pack System (no microphone): Includes ATW-R3100 receiver and ATW-T310 UniPak Transmitter (AUATW3110BD). 399.00 Joining plate for mounting two ATW-R310, 3000 series or 2000 series receivers in a single 19" rack



▼ Electro-Voice ■ Electro-Voice

R300 UHF Wireless Systems

32 user selectable frequency channels and diversity reception, plus ClearScan which finds the clearest channel available at the touch of a button. EZsync infrared channel transfer feature keeps the transmitter and receiver in sync. The R300 receiver has a metal receiver chassis with optional rack mount ears and front mount antenna cables. It features detachable half-wave receiver TNC antennas and has 1/4" phone and XLR outputs on the rear. Rugged metal transmitters with backlit LCD display and

hattery gauge run up to 14 hours on a pair of AA hatteries

| battery gauge run up to 14 hours on a pair of AA batteries. | |
|---|---------|
| R300-HD Handheld Wireless Microphone System (ELRE300HDA) | .299.00 |
| R300-L Lavalier Wireless Microphone System (ELRE300LB) | .299.00 |
| BPU-2 Bodypack Transmitter for RE-2 Series (ELBPI2A) | .199.00 |
| HTLI2D-767A Handheld Transmitter with ND767 Mic for RE-2 Series (FLHTLI2D76744) | 239 00 |

gemini

Gemini UHF-116HL

UHF Wireless Headworn & Lav Mic System Stable wireless operation at an affordable price, the system features the UHF-116 receiver and HSL-08 headset/lavalier combo-mic for hands-free speech while mounted to clothing, or worn around the ear. Fasily choose between 16 UHF frequencies. The UHF-116 receiver features a single antenna, unbalanced 1/4" phone output and level control dial. #GEUHF116HL90.30



UHF- 216HL Dual Wireless Head-worn & Lavalier Mic System

Stepping up, the UH-216HL features the UHF-216 receiver and two HSL-08 headset/lavalier combomics. Use both microphones individually or simultaneously transmit to the receiver on separate frequencies. The UHF-216 receiver features dual antennas, unbalanced 1/4" phone output and dual



XD-V30 Wireless Handheld Mic System

Ideal fo presentations, small perfor-

mances, bars, restaurants, houses-of-worship and more, features a compact receiver and rugged handheld transmitter with 6 selectable frequencies. 2.4GHz digital results in stabilized transmission and up to 100' operating rage, while eliminating interference due to Bluetooth, Wi-Fi networks, cell phones and other RF transmission. Clear, easy-to-read displays on the transmitters and receivers provide accurate battery life data. Get 8 hours of constant usage from two AA alkaline batteries (included). #LIXDV30.....



299 99

Wireless Microphones

800-947-1181 | 212-444-6681

Encore Duet

Dual Lavalier VHF Wireless System Individual or simultaneous wireless operation over two

VHF frequencies. System includes a rugged receiver with dual antennas, RF and AF 5-LED displays for monitoring incoming signal strength and audio level; and 1/4" phone and XLR outputs. Comes with two bodypack transmitters and omnidirectional lavalier mics for



DKW-Duo Dual Handheld VHF Wireless System

Individual or simultaneous wireless operation over two fixed VHF frequencies. The system includes a rugged receiver with dual antennas, and a 1/4" phone output. The two handheld transmitters feature DM-20B cardioid, dynamic capsules for clear sound.

DKW-Duo: On frequencies 185.150MHz and 209.150MHz

DKW-Duo: On frequencies 206.350MHz and 212.100MHz (NADKWDUOHTPR)......Call or Log On

401X Quad 4-Channel VHF Wireless Mic Systems Cost effective solution that supports simultaneous

operation of up to 4 wireless mics. Four independent VHF receivers in one convenient, rugged, all-metal single-rack space housing. The 401X Quad receiver features 4 discrete audio channels with level control and an XLR output per channel. Adjust mic level separately using the front panel level controls. Front dual antenna jacks for either onboard or remote antennas.



| 401X | Quad: | With 4 | 4 handheld | transmitters | with dynam | nic mics (| NA401QHTA | BDN) | Call or I | Log On |
|------|-------|--------|------------|--------------|------------|-------------|-------------|-------------|-----------|--------|
| 401X | Quad: | With 4 | 4 bodypack | transmitters | & omnidire | ectional la | valier mics | (NA401QLTAB | DN) | 339.99 |
| 401X | Quad: | With 4 | 4 bodypack | transmitters | & omnidire | ectional la | valier mics | (NA401QLTEF | HE) | 339.99 |



evolution 100 G3 Series

True Diversity UHF Wireless Microphone Systems

At home in theaters, clubs, town halls, houses of worship, DJ applications and more. Featuring a rugged metal housing, the rackmount EM100 is a true-diversity receiver with 1,680 tunable UHF frequencies. One-touch sync

enables it to communicate with G3 transmitters via infrared, dramatically simplifying setup. Integrates a 5-band EQ, and has a large, backlit dot matrix display for menu options and information readouts, and transmitter battery strength, Soundcheck Mode lets you check the audio and RF signal at any time-even during the performance.





FW135

EM100 Diversity Receiver

All Systems include EM100 UHF Diversity Receiver:

| EW110: Bodypack Transmitter and ME2 LE Omnidirectional Lavalier (SEEW110G3A2) | |
|--|--|
| EW112: SK100 Bodypack Transmitter and ME2 Omni Lavalier in Channel A (SEEW112G3A), | |
| Channel B (SEEW112G3B) or Channel G (SEEW112G3G) | |
| EW114: SK100 Bodypack Transmitter and ME4 LE Cardioid Lavalier in Channel A (SEEW114G3A2) or | |
| Channel B (SEEW114G3B2) | |
| EW122: SK100 Bodypack Transmitter and ME4 Cardioid Lavalier in Channel A (SEEW122G3A) or | |
| Channel B (SEEW122G3B) | |
| EW115: SKM100 Handheld Transmitter with e815 Mic Capsule in Channel A (SEEW115G3A2) or | |
| Channel B (SEEW115G3B2) | |
| EW135: SKM100 Handheld Transmitter with e835 Mic Capsule in Channel A (SEEW135G3A), | |
| Channel B (SEEW135G3B) or Channel G (SEEW135G3G) | |
| EW145: SKM100 Handheld Transmitter with e845 Mic Capsule in Channel A (SEEW145G3A), | |
| Channel B (SEEW145G3B) or Channel G (SEEW145G3G) | |
| EW152: SK100 Bodypack Transmitter and ME3 Headset in Channel A (SEEW152G3A)649.95 | |
| SK100 Bodypack: In Channel A (SESK100G3A) B (SESK100G3B) or G (SESK100G3G)279.95 | |
| SKM100-835 Handheld Transmitter: in Channel A (SESKM1835G3A) or B (SESKM1835G3B) 329.95 | |
| SKP100 G3 Plug-on Transmitter: in Channel A (SESKP100G3A), Channel B (SESKP100G3B) or | |
| Channel G (SESKP100G3G) | |
| Rackmount Kit for G3 100/300/500 Series (SEGA3) | |
| | |

SHURE

PG Series Wireless Mic Systems

UHF wireless technology with up to 8 user selectable frequencies. The PG4 receiver is a table-top or rack-mounted unit with 1/4" phone and XLR outputs and diversity reception. Systems combine the PG1 body-pack or PG58 handheld transmitters and the PG4.



DC1 with DC105 lovelier mic and DC4 Desciver

| ru i willi ru 105 lavallet tillic allu ru4 neceivet. | |
|---|--------|
| In channel H7 (SHPG14PG185H), K7 (SHPG14PG185K) or M7 (SHPG14PG185M) | 299.00 |
| PG1 with PG30 headworn mic and PG4 Receiver: | |
| In channel H7 (SHPG14PG30H7), K7 (SHPG14PG30K7), or M7 (SHPG14PG30M7) | 299.00 |
| PG58 with SM58 cardioid capsule and PG4 Receiver: | |
| In channel H7 (SHPG24PG58H7), K7 (SHPG24PG58K7) or M7 (SHPG24PG58M7) | 299.00 |
| | |

PG (Performance Gear) Wireless Systems

PG Series features UHF wireless technology with up to 8 user selectable frequencies. At the heart of the systems is the PG88 dual receiver. Table-top or rack-mounted, it has two independent, internal receivers that enable two mic transmitters to

simultaneously. Plus, it offers diversity reception to minimize RF drop-out and interference. 1/4" and XLR outputs. Systems also combine the PG2 handheld transmitter and the lightweight PG1 body-pack transmitter which runs 8 hours on a 9v battery.



PG1 with PG185 lavalier mic, PG2 with PG58 cardioid capsule and PG88 Dual Receiver: PG1 with PG30 headworn mic. PG2 with PG58 cardioid capsule and PG88 Dual Receiver: Two PG1 bodypacks with two PG185 lavalier mics and PG88 Dual Receiver: Two PG2 handheld transmitter with two PG58 cardioid capsulse and PG88 Dual Receiver: PG-1 Body Pack Transmitter Only: In H7 (SHPG1H7), K7 (SHPG1K7) or M7 (SHPG1M7)......95.00 PG2 Handheld Transmitter Only In channel H7 (SHPG2PG58H7), K7 (SHPG2PG58K7) or M7 (SHPG2PG58M7) 134.00

PGX Series Wireless Mic Systems

The PGX4 receiver operates over an 18MHz UHF bandwidth with up to 90 selectable frequencies. Features diversity reception and XLR and 1/4" phone outputs. An infrared port enables frequency information to sync with the transmitter remotely. The lightweight PGX1 bodypack has a 3-position input level switch to adjust mic and line level signals, as well as provide added headroom. The PGX2 handheld transmitter has a 2-position switch to adjust input level and reduce noise due to signal overload. Transmitters operate for up to 8 hours on 2 AA batteries.



PGX1 with WL-185 Lavalier Mic and PG4X Receiver: In frequency channel H6 (SHPGX1485H6), J6 (SHPGX1485J6) or L5 (SHPGX1485L5)......449.00

| - 1 - 2 1 1 | , |
|--|-------------------------|
| PGX1 with WL93 Lavalier Mic and PG4X Receiver: | |
| In frequency channel H6 (SHPGX1493H6), J6 (SHPGX1493J6) or L5 (SHPGX1493H6). | 493L5) 419.00 |
| PGX1 with PG30TQG Headworn Mic and PG4X Receiver: | |
| In frequency channel H6 (SHPGX14PG30H) or L5 (SHPGX14PG30L) | 429.00 |
| PGX2 Handheld Transmitter with PG58 Cardioid Mic Head and PG4X | Receiver: |
| In channel H6 (SHPGX24PG58H), J6 (SHPGX24PG58J) or L5 (SHPGX24PG58L) | 379.00 |
| PGX2 Handheld Transmitter with SM58 Mic Head and PG4X Received | f: |
| In channel H6 (SHPGX2458H6), J6 (SHPGX2458J6) or L5 (SHPGX2458L5) | 399.00 |
| PGX2 Handheld Transmitter with Beta 58 Mic Head and PG4X Receiv | ver: |
| In channel H6 (SHPGX24B58H6), J6 (SHPGX24B58J6) or L5 (SHPGX24B58L5) | 449.00 |
| PGX-1 Body Pack Transmitter: In H6 (SHPGX1H6), J6 (SHPGX1J6) or L5 (| SHPGX1L5) 198.00 |
| PGX-2 Handheld: with PG58 in Channel H6 (SHPGX2PG58H6) or L5 (SHPGX | 2PG58L5) 178.00 |
| PGX-2 Handheld: with SM58 in Channel H6 (SHPGX2SM58H6) or J6 (SHPG | X2SM58J6) 198.00 |
| | |

Shure PGX Digital Series with PGXD4 Wireless Receiver

| With PGXD1 Bodypack and WL185 Cardioid Lavalier Mic (SHPGXD1485) | 499.00 |
|--|--------|
| With PGXD1 Bodypack and WL93 Omnidirectional Lavalier Mic (SHPGXD1493) | 469.00 |
| With PGXD1 Bodypack and PG30 Headset Mic (SHPGXD14PG30) | 479.00 |
| PGXD2 Handheld Transmitter and Beta 58 Capsule (SHPGXD24B58) | 499.00 |
| PGXD2 Handheld Transmitter and SM58 Capsule (SHPGXD24SM58) | 449.00 |

SHURE

SLX Series UHF Wireless Microphone System

The SLX series include the SLX1 bodypack and SLX2 handheld transmitters, and the rack or desktop mountable SLX4 diversity receiver with XLR mic and 1/4" outputs. LCD display shows frequency, group and channel information, transmitter battery status, audio level and more. The SLX1 has an infrared sensor to remotely sync frequency settings with the receiver. An adjustable mic / 0dB / -10dB switch allows input from mics guitars, and instruments. Runs 8 hours on 2 AA batteries. SLX2 has a comprehensive display with timeout function.



| SLX4 Diversity UHF Wireless Receiver Only: In channel J3 (SHSLX4J3), L4 (SHSLX4L4), or H5 (SHSLX4H5) |
|--|
| SLX1 Bodypack with WL-193 lavalier mic and SLX4 Receiver: In channel J3 (SHSLX1493J3), L4 (SHSLX1493L4), or H5 (SHSLX1493H5) |
| SLX1 Bodypack with WL-185 lavalier mic and SLX4 Receiver: In frequency channel J3 (SHSLX1485J3) or H5 (SHSLX1485H5) |
| SLX1 Bodypack with WH30 headset mic and SLX4 Receiver: In frequency channel H5 (SHSLX14WH30H) |
| SLX-2 Handheld Transmitter with Beta 58 mic capsule and SLX4 (SHSLX24B58H5) 639.00 |
| SLX2 Handheld Transmitter with SM58 mic capsule and SLX4 Receiver: In channel J3 (SHSLX2458J3), L4 (SHSLX2458L4) or H5 (SHSLX2458H5) |
| SLX1 Bodypack with WL-185 lavalier mic, SLX2 with SM58 mic head and SLX4 Receiver: In channel J3 (SHSLX12485J3), L4 (SHSLX12485L4) or H5 (SHSLX12485H5) |
| SLX-1 Body Pack Only : In J3 (<i>SHSLX1J3</i>), L4 (<i>SHSLX1L4</i>) or H5 (<i>SHSLX1H5</i>) 199.00 |
| SLX-2 Handheld Transmitter with SM58 mic capsule: In channel J3 (SHSLX258J3), L4 (SHSLX258L4) or H5 (SHSLX258H5) |

SHURE

ULX 'Standard' and 'Professional' Series

1400 user selectable frequencies for broadcast, houses of worship, schools, and business. The ULXS4 'standard series' diversity receiver features XLR balanced output switchable between mic and line levels well as an unbalanced 1/4" output. LCD shows group and channel information, transmitter battery life, and more. Two 5-segment LED's provide audio and RF metering. ULXP4 'professional series' receiver adds frequency and volume locks,



TV channel display, SCAN indicator, squelch indicator and antenna indicators.

The ULX1 bodypack transmitter has an input attenuation switch allowing 0dB and 20dB output. LCD display on the ULX1 and the ULX-2 handheld transmitter shows group, channel information and more.

| ULX1 Bodypack transmitter with WL93 lavalier and ULXS4 Receiver (SHULXS1493M1) 689.00 |
|--|
| ULX1 Bodypack transmitter with WL183 lavalier and ULXS4 Receiver (SHULXS1483M1) 699.00 |
| ULX2 Handheld Transmitter w/Beta 58 mic and ULXS4 Receiver (SHULXS24B58M) |
| ULX2 Handheld Transmitter with SM58 mic capsule and ULXS4 Receiver: |
| In channel G3 (SHULXS2458G3), J1 (SHULXS2458J1) or M1 (SHULXS2458M1) |
| ULX2 Handheld Transmitter with SM58 mic capsule and ULXP4 Receiver: |
| In channel G3 (SHULXP2458G3), J1 (SHULXP2458J1) or M1 (SHULXP2458M1) |
| ULX1 Bodypack Transmitter with WL185 lavalier mic and ULXP4 Receiver: |
| In channel G3 (SHULXP1485G3), J1 (SHULXP1485J1) or M1 (SHULXP1485M1) |
| ULX1 Bodypack Transmitter with WL51B subminiature lavalier mic and ULXP4 Receiver: |
| In channel G3 (SHULXP1451G3), J1 (SHULXP1451J1) or M1 (SHULXP1451M1) |
| ULX1 with WL185 lavalier mic, ULX2 with SM58 mic capsule and ULXS4 Receiver: |
| In channel G3 (SHULXS12485G), J1 (SHULXS12485J) or M1 (SHULXS12485M) |
| ULX1 with WL185 lavalier mic, ULX2 with SM58 mic capsule and ULXP4 Receiver: |
| In channel G3 (SHULXP12485G), J1 (SHULXP12485J) or M1 (SHULXP12485M) |
| Two ULX2 Handheld Transmitters with SM58 mic capsules and two ULXP4 Receivers: |
| In channel G3 (SHULXP24D58G), J1 (SHULXP24D58J) or M1 (SHULXP24D58M) |
| ULX-1 Bodypack Transmitter Only: In G3 (SHULX1G3), J1 (SHULX1J1) or M1 (SHULX1M1) 193.00 |
| ULX-2 Handheld with SM58 mic : In channel J1 (SHULX258J1) or M1 (SHULX258M1) |
| UA506 Rack Mount for single ULX Series Receiver (SHUA506) |
| UA507 Rackmount Hardware for Dual ULX Recievers (SHUA507) |
| ULX-D Digital Wireless Handheld Microphone System (SHULXD248G50) |
| ULX-D Digital Wireless Handheld Microphone System (SHULXD245G50) |

SONY

UWP-X7 Wireless Microphone System

The UTX-B2 bodypacktransmitter features a mic/line selectable input and 188 selectable UHF frequencies for optimum operation. It also allows selection between 5mW and 30mW power output. Space diversity reception further minimizes drop-out radio-frequency interference and noise. The URX-M2 tuner module features a modular design and easily installs into the UWP-X7 Tuner Rase



VocaPro

UHF-5800

Professional 4-Channel Wireless Mic System

Offers affordable, multi-channel wireless mic operation for small performances, karaoke, presentations, bars, restaurants, etc. Features a rack-mountable receiver with replaceable front-loaded receiver modules, four individual outputs for flexible external mixing, as well as a mixed output for sending a mixed signal of all 4 mics. The handheld transmitters operate on individual UHF frequencies, allowing for simultaneous operation and 2 AA batteries keep them powered for 12 hours.



| UHF-5800 4-Channel UHF Wireless Handheld Microphone System (VOUHF5800A) | Call or Log On |
|--|----------------|
| UHF-5800 4-Channel UHF Wireless Handheld Microphone System (VOUHF5800B) | Call or Log On |
| UHF-5805 4 Channel UHF Rechargeable Wireless Microphone System (VOUHF5805B) | Call or Log On |
| UBP-4 UHF Wireless Bodypack Microphone Set (VOUBP4) | Call or Log On |
| UHF-3200 UHF Dual Channel Wireless Mic System (VOUHF3200C) | Call or Log On |
| UHF-3205 UHF Dual Channel Rechargeable Wireless (VOUHF3205C) | Call or Log On |
| VHF-3300 2 Channel VHF Rechargeable Wireless Microphone System (VOVHF3300) | Call or Log On |
| UBP-3 UHF Wireless Bodypack Microphone Set (VOUBP3) | Call or Log On |
| UHF-5900 UHF PLL Wireless Mic System with Frequency Scan (VOUHF5900) | Call or Log On |
| | |

SHURE

P2TR215CL Wireless In-Ear Monitoring (IEM) System



Wireless in-ear monitoring provides much more mobility on the stage and effectively eliminates the need for stage monitors, thus offering the performers a much roomier stage and a feedback-free environment for the house and monitor engineers.

This is a multi channel, 8 frequency UHF wireless monitoring system consisting of the P2T transmixer, a combination transmitter and dual input mono mixer, the P2R receiver, and the SE215 stereo earphones. The SE215 use Dynamic MicroSpeakers to deliver clear, natural audio

with an extended bass response for a rich, lifelike listening experience.

| #SHP2TR215CL | 599.00 |
|--|---------|
| Aviom A16II Personal Monitoring Mixer (AVA16II) | Log On |
| Sennheiser ew 300 IEM G3 Wireless Stereo Audio System (A) (SEEW300IEM3A) | 999.95 |
| Sennheiser EK 300 IEM G3 Wireless Bodypack Receiver (A) (SEEK300G3A) | 499.95 |
| Shure P2R Hybrid Bodypack Receiver for PSM 200 System (SHP2R) | Log On |
| Shure PSM 200 Hardwired Beltpack Monitor with SE215 In-Ear Headphones (SHP2R215CL) | 329.00 |
| Shure PSM900 Wireless Personal Monitoring System with IEMs (SHP9TRA425K1) | 1418.00 |
| Sony MDR-7550 Professional In-Ear Headphones (SOMDR7550) | 299.99 |
| | |

Wireless Microphones

PRO AUDIO

| Omni Lavalier Mics for Wireless | | | |
|---|--|---|--------|
| AKG C411L Stringed Instrument Mic (AKC411L) 139.00 AKG C417L with TA3 Mini-XLR (AKC417L) 99.00 Azden EX-503 with 1/8" mini-plug for 'Pro' Series Bodypack | Samson LM10BX | | |
| Transmitters (AZEX503) | | Shure WH20QTR DPA 4088 | |
| (AZEX503L) | ~/ • | | |
| Countryman | | | |
| B3 with TA5-F for Lectrosonics (COB3W4BLS) | Azden EX-503L | Electro-Voice OLM-10 Shure WL185 | 5 |
| B3 with Mini 1/8" locking for Sony – optimized for general speaking (COB3W4BSN) | | _ | |
| B3 with Mini 1/8" locking for Sennheiser – optimized for | Shure WL183 with TA4-F connector (SHWL183) | Sony December 2 Sony Sony Sony Sony Sony Sony Sony Sony | 20 00 |
| general speaking (COB3W4LSR) | WL93 with 4' cable and TA-4F connector (<i>SHWL93</i>) | · · · | |
| B6 with locking 1/8" mini for Sennheiser (COB6W4BSR) 329.95 | WL93T with 4' cable and TA-4F connector. Tan (SHWL93T)67.50 | ECM-44B with 4-pin connector (SOECM44BC)1 | |
| E6 Earset Mic (Beige) with TA4F for Shure – optimized for | WL93-6 with 6' cable and TA-4F connector (SHWL936)73.00 | FOR ZZDOOV with 4 min Hinney (OCEOMZZDOOM | |
| general speaking (COE60W5L1SL) | WL93-6T with 6' cable and TA-4F in Tan (SHWL936T) | FOR TIPLE III 4 (01 - 1 - 1 - 1 - 0 OF OLITITE IN 10 OF | |
| strong vocals (COE60W6L1SL) | E6 EarSet for Shure Transmitters in Tan (SHWCE6T) | | |
| E6 Earset Mic (Beige) with 1/8" mini locking for Sennheiser (COE- | WB98H/C Clip-On Instrument Mic (SHWB98HC)139.99 | ECM-88BC with 4-pin Hirose (SOECM88BC) | 49.95 |
| 60W5L1SR) | Sanken | Tram | |
| speaking (COE6IOW5L2SL) | COS-11XPT with 1/8" mini for Sennheiser (SACOS11DPTEB) 379.00 | TR50 with TTA5-pin connection (TRTR50BMLP)2 TR50 with TA5 and TR79 power supply (TRTR50BMLXLP)3 | |
| E6i Earset Mic (Beige) with TA4F for Shure – optimized for | COS-11D with TA5 connector (<i>SACOS11DPTT5</i>) | TR50 1/8" Mini for Sennheiser (TRTR50BSFTP) | |
| strong vocals (SHWCE6IT) | COS-11D in Beige (SACOS11DPT5T) | 1R50 1/8" Mini for Sennneiser in Gray (1R1R50GSE1P)2 | |
| Sennheiser (COMEMWFBSR) | Sennheiser | TR50 1/8" Mini and TR79 power supply (TRTR50BSETXL) 3 | |
| EMW with Peak Frequency Response with locking 1/8" mini for | ME2 Lavalier Mic for EW Series (SEME2) | | 29.95 |
| Sennheiser (COMEMWPBSR) | MKE-2 Gold with TA5-F for Lectrosonics (SEMKE2TA5FG) 399.00 MKE2 Gold with 1/8" mini for Sennheiser (SEMKE2EWG) 389.99 | - | E2 00 |
| (COMEMWFBLS) | THEE GOLD WITH TO COMMISSION (SEMICEEPTO) | VT500 with 1/8" mini for Sennheiser (VOVT0015) | .55.00 |
| EMW with Flat Frequency Response with Mini 1/8" locking for | | | |
| Sony (COMENWFBSN) | Cardiod Lavalier Mics for Wireless | Headworn Mics for Wireless | |
| Sennheiser (COMEMWSBSR) | AKG CK 99 L Miniature Lavalier (AKCK99L)149.00 | | 02.00 |
| Electrovoice | Anchor Audio LM-60 with Mini XLR (ANLM60)79.00 | Anchor Audio HBM-60 Headband Mic (ANHBMTA4F) Audio Technica PRO 8/HEXCW (AUPRO8HECW) | |
| OLM-10 with TA4F for Telex / Electrovoice (ELOLM10) 45.00 | Azden EX505U with 1/8" mini for 'Pro' Series (AZEX505U) 30.00 | Audio Technica PRO 8/HEMW (AUPRO8HEMW) | |
| RE-97TX Headworn with TA4-F (Beige) for Telex / Electrovoice | Electro-Voice ULM-21 Cardioid Condenser (ELULM21) 129.00 Sennheiser ME-4 for EW Series (SEME4) | Audio-Technica PRO 8-HEX (AUPROSHEX) | |
| (ELRE97TXBE) | Shure MX150 Subminiature Lavalier (SHMX150BCTQG) 199.00 | Crown Audio CM311A Headworn Mic (CRCM311A) | |
| Lectrosonics | Sony | DPA 4066 Miniature Omni Headworn Mic (DP4066F)6 | |
| M119 with TA5-F for Lectrosonics (<i>LEM1195P</i>) 100.00 | ECM-166BMP with 1/8" Locking mini (SOECM166BMP) 119.00 | Sennheiser ME3-EW Supercardioid (SEME3EW)1 | |
| M152 with TA5-F for Lectrosonics (<i>LEM1525P</i>) | ECM-X7BMP with 1/8" miniplug (SOECMX7BMP) | Sennheiser HSP2 Head-Worn Mic (SEHSP2EW3) | |
| M152 with moisture resistant sleeve (<i>LEM152SM5P</i>) | Shure WL185 with TA4-F connector (SHWL185) | CONTRACTOR OF SECTION (DOLONOSEDINI) | 20.00 |
| _ | Shure WL184 with TA4-F connector (SHWL184)100.00 | Point Source Audio | |
| Pearstone | | CO-3 Ear-Worn Omni for Audio Technica (POCO3ATBE) | |
| 0LM-10 with 1/8" Mini Plug (<i>PE0LM10</i>) | Headset Mics for Wireless | CO-3 Ear-Worn Omni for Sennheiser (POCO3SEBE) | |
| OLM2 with 1/8" (3.5mm) mini (TRS) for Sony (<i>PEOLM2S</i>) 79.95 | | - | |
| Dada | AKG HS-9 Headset with omni-directional boom mic (AZHS9) 28.95 Nady HM-5U HEADMIC (NAHM5UMXLR) 26.95 | Shure | 00.00 |
| Rode Lavalier Microphone (ROLAV) | Samson SE10T Omni Micro Headset Mic (Beige) with | WH20QTR with 1/4" connector (SHWH20QTR) WH20TQG with TA4 connector (SHWH20TQG) | |
| PinMic Wearable Microphone (ROPINMIC) | locking 1/8" mini (SASWAS5CS) | WH30TQG with TA4 connector (SHWH30TQG)1 | |
| Comoon | Samson HS5 Headset Mic (Black) with 1/8" mini | SM10A-CN - Dynamic Headworn Mic (SHSM10ACN)1 | 19.95 |
| Samson LM10BX (SALM10BX)74.99 | (SASWAS5HS5) | WH20XLR Headworn Dynamic Mic (SHWH20XLR) | |
| LM5 with Samson 3-pin connection for Samson (SALM53P) . 44.95 | (SHPG30TQG)39.00 | MX153 Earset Headworn Mic in Cocoa (SHMX153COTQG)1 | |
| LM5 with 1/8" (3.5mm) mini for Samson (SALM5MP) 37.49 | Shure E6 Omni EarSet Mic (SHWCE6LT) | MX153 Earset Headworn Mic in Tan (SHMX153TOTQG) 1: | |

Wireless Microphone Accessories

Wireless Mic Cables

Sescom

| Line to Mic Attenuation Cable (SEL2MPCDM50) | 26.95 |
|--|-------|
| 3.5mm Mic to Mic with Audio Monitor (SEDSLRMICMON) | 31.95 |
| Line Out to Camera Mic In Headphone (SEL2MZMH4MON) | 35.95 |
| Canon 5D Mkll A/V Out Headphone Cable (SE5DMKIIHOCF) | 22.45 |
| Line to Mic Attenuation Cable (SEL2MZH4N) | 26.95 |
| Line Out to Camera Mic Level In Cable (SEL2MTDR100) | 26.95 |
| XLR to Right Angled Mini Mic Cable (SESTR153) | 28.99 |
| Line Out to Camera Mic Level In Cable (SEL2MZH4N2.5) | 26.95 |
| AGC-Disable Y-Splitter Cable (SEDSLRAGCY) | 26.95 |
| Line to Mic Attenuation Cable (SEL2MZH4N6) | 31.95 |
| 50dB Line Out to Camera Mic Level In (SEL2M50DB) | 26.95 |
| Chause | |

Shure

| RPM654 Repl. Cable for the WCE6 (Tan) (SHRPM654) | 53.50 |
|--|-------|
| C122 Replacement Cable (SHC122) | 48.50 |
| WA302 Intrument & Guitar Cable (SHWA302) | 15.56 |
| WA310 Adapter Cable (SHWA310) | 17.67 |
| WA360 In-Line Remote Mute Switch (SHWA360) | 59.00 |
| WA451 TA3-F to XLR-M Cable (SHWA451) | 34.95 |
| WA-460 VP3 to TRS Mini Cable (SHWA460) | 23.95 |
| WA461 TA3-F to Mini Cable (SHWA461) | 23.95 |
| 0 | |

Sony

| EC-15CF SMC/XLR Microphone Cable (SOEC15CF) | 69.95 |
|---|--------|
| EC-0.8BM 3-pole Locking Mini to Mini (SOECO.8BM) | .13.95 |
| EC-0.46BX 3-pole Locking Mini to XLR-M (SOECO.46BX) | 29.95 |
| EC-1.5BX 3-pole Locking Mini to XLR-F Cable (SOEC1.5BX) | 34.95 |
| | |

Whirlwind

| 3.5 Line to Mic Attenuation Cable (WHH4NL3.5)2 | 1.00 |
|--|------|
| 3.5 MON Line to Mic Attenuation Cable (WHH4NL3.5MON) 3 | 5.99 |

Antennas for Wireless Mic Systems

PSC UHF Log Periodic Antenna Wireless receiver antenna for use in the field where long range use is often necessary. Coverage ranges from 450MHz to 900MHz with an average gain of 4.5dB over that of a dipole antenna. Features a standard BNC style connection, unobtrusive black finish



and 3/8"-16 thread fitting for mounting on mic and tripod stands.

| 5 |
|---|
| |

Lectrosonics

| Antennas for 200/ 400 Series in Frequency Block 21 (LEA8U21), |
|---|
| 22 (LEA8U22), 26 (LEA8U26) |
| Antenna for 400 Series in Frequency Block 21 (LEAMM21), |
| 22 <i>(LEAMM22)</i> |
| Antenna Kit for 400 Series (LEAMMKIT)36.00 |
| A8U Kit Whip Antenna & Template Guide (LEA8UKIT)21.50 |
| Remote Audio |

Remote Audio

| 2 | |
|--|----|
| ANSMAP-F Kit Ultra Flexible SMA Antenna Kit (REANSMAPF) 22.9 | 95 |
| SMA connector (REANSMA) | 95 |
| Miracle Whip Antenna for Lectrosonics Transmitters - | |
| BNC connector (REANBNC) | 95 |
| Miracle Writp Afterina for Lectrosoffics Receivers - | |

Sennheiser

| 572617 2-Section relescoping Africania (SES72817) | 10.99 |
|--|-------|
| A181 Whip Antenna (SEA181) | 12.95 |
| 182 Whip Antenna (SEA182) | 12.95 |
| A1031U Omni UHF Antenna for Evolution Series (SEA1031U) $\boldsymbol{1}$ | 59.95 |
| | |

Shure

| UA820 1/2 Dipole Receiver Antenna (SHUA820G) | 30.45 |
|---|------------------|
| Antenna for P6R, P7R and PSM Series receiver (SHP6P7F | ?A) 29.03 |
| UA820D 1/2 Wave Dipole Receiver Antenna A820D) | 30.92 |
| UA820L3 1/2 Dipole Receiver Antenna (SHUA820L3) | 30.99 |
| UA860SWB Passive Omni Antenna (SHUA860SWB) | 264.73 |
| A874US Active Directional Antenna (SHUA874US) | 349.95 |

Wireless Antenna Accessories Audio-Technica BNC to BNC Antenna Cable (AUAC12).......... 19.99

| Sennheiser BNC to BNC Coaxial Cable (SEBB1) | 6.95 |
|---|--------|
| Sennheiser BNC Antenna Cables (SEAM2) | 44.95 |
| Shure | |
| UA505 Remote Antenna Bracket Mounting Kit (SHUA505) | 22.09 |
| UA440 Front Mount Antenna Rackmount Kit (SHUA440) | 105.00 |
| BNC Antenna Cable - 6-ft. (SHUA806) | 21.95 |
| BNC Antenna Cable - 100-ft. (SHUA8100) | 203.95 |
| UA221 Passive Antenna Splitter / Combiner (SHUA221) | 131.00 |
| UA825 Antenna Extension Cable (SHUA825) | 45.42 |
| UA850 Antenna Extension Cable (SHUA850) | 95.00 |
| UA844WB Powered Distribution System (SHUA844SWB). | 437.65 |

Power Accessories for Wireless

| | _ |
|---|--------|
| Audio-Technica In-Line Powering Module (AUAT8531) | 68.16 |
| Audio-Technica AC Adapter for 3000 Series (AUATPA3000) | 22.58 |
| Audix APS910 Phantom Power Adapter (AUAPS910) | 34.95 |
| Azden BC-27H Power Supply for FMX-42 (AZBC27H) | 46.14 |
| Lectrosonics AC Power Supply for receivers (LECH12) | 16.00 |
| Lectrosonics CH20 115v AC Adapter/Charger (LECH20) | 25.95 |
| Lectrosonics PS-12 Hirose 7-4 pin plug (LEPS12) | 68.25 |
| Lectrosonics PS-212: Dual Hirose 7-4 pin (LEPS212)1 | 00.00 |
| Lectrosonics PS200 LZR to Hirose 7 to 4-pin (LEPS200) | 80.50 |
| Lectrosonics Wire Belt Clip for Transmitters (LESMDBC) | 44.10 |
| Lectrosonics Hinged Belt Clip (LESMDBCSL) | 44.10 |
| Lectrosonics SR Battery Sled (LESRBATTSLET) | 250.00 |
| Lectrosonics Battery Eliminator for UM Series (LEBEUM)1 | 09.20 |
| Pearstone 6' 4-pin XLR Power Cable (PEC4PX6) | 18.95 |
| Sennheiser BA 2015G2 Rechargeable Battery (SEBA2015G2). | 79.99 |
| Sennheiser Charger for BA 2015G2 Batteries (SEL2015G2)1 | 158.95 |
| Sennheiser DC2 - DC Camera Power Converter (SEDC2) | 64.89 |
| Sennheiser MZA 900 P - In-Line Preamplifier (SEMZA900P) 1 | 159.95 |
| Sennheiser KEN1 Color Coded Caps (SEKEN1) | 24.95 |
| Sennheiser NT 2-3-US Power Supply (SENT23US) | 19.95 |
| Shure In-Line Power Supply for UA844US (SHPS45US) | 69.95 |
| Shure RK100PK - RFI Resistant Preamp (SHRK100PK)1 | 13.38 |
| Shure Repl. Battery Cup for Handheld Trans. (SHSLXTBC) | 8.05 |
| Shure 120V AC Adapter for Shure Wireless (SHPS41US) | 24.00 |
| Shure RPM626 - In-Line Mic Preamp (SHRPM626) | 76.95 |
| Sony BATC-2AA Battery Holder Case (SOBATC2AA) | |
| Sony DC78 Battery Power Supply (SODC78) | 79.95 |
| Tram TR-79+ Power Supply (TRTR79MLP) | 59.00 |
| | |

Wireless Receiver Camera Mounts

| IDX A-WMR Receiver Mounting Bracket (IDAMWR) | 298.00 |
|--|---------|
| J-Rod Super-Strong Twin Mic Mount (JRTMSS) | 44.95 |
| J-Rod Twin Mount (JRTMO) | 69.95 |
| J-Rod -Cube Accessory Shoe Adapter & Mic Mount (JRJC). | 79.95 |
| K-Tek K-SPT Shoe Plate Mount (KTKSPT) | . 35.10 |
| Lectrosonics SRUNI Mounting Kit for Unislot (LESRUNI) | 129.00 |
| Lectrosonics SREXT SR Receiver Mounting Kit (LESREXT) | 129.00 |
| Lectrosonics SRSNY Mounting Kit for Sony (LESRSNY) | 129.00 |
| Rycote Wireless Receiver Camera Bracket (RYWRCB) | 99.00 |
| Sennheiser CA2 Shoemount Adapter (SECA2) | 20.95 |
| Sony Shoe Mount Adapter for URX-P2 Receiver (SOSMADP2) | . 17.95 |
| | |

Anton Bauer

| Universal BP Required for Certain Gold Mounts (ANUBP) | 32.89 |
|---|-------|
| Wireless Receiver Side Mounting Plate (ANABWMKSI) | 49.50 |
| JVC-BP JVC Wireless Mounting Plate Kit (ANJVCBP) | 34.95 |
| VARICAM BP VariCam Back Plate (ANVARICAMBP) | 29.95 |
| WRB-185 Wireless Receiver Box (ANWRB185) | 55.95 |
| WRB-200 Wireless Receiver Box (ANWRB200) | 54.95 |
| | |

| BEC | |
|--|-------|
| Hot Shoe Adapter Kit for V/H Mounting (BEHSAKIT) | 74.95 |
| Side Plate for Gold Mount System (BEABSPU) | 44.95 |
| Horizontal Shoe Adapter for Wireless Boxes (BEHSAHORZ) | 64.95 |
| Mounting Box for Mounting UCR 100 (BE100) | 74.95 |
| AT-1820 Wireless Reciever (BFAT1820) | 74.95 |

Wireless Microphone Accessories

800-947-1181 | 212-444-6681

Wireless Receiver Camera Mounts con't

| Bracket |
|---------|
|---------|

| Quick Plate - Receiver Mounting Plate (BRQP) | 29.95 |
|--|-------|
| Attachment Clip for Sony UWP Receivers (BRSCLIP) | 19.95 |
| Cold Shoe 1 - Optional Shoe Mount (BRCS1) | 11.95 |
| Cold Shoe Threaded Adapter (BRCSTA) | 14.95 |
| Micro Multi-Cold-Shoe Bracket (BRB1MICRO) | 59.95 |

Wireless Mic Cases

| GM-1WEVA System Bag (GAGM1WEVAA) | 59.99 |
|---|-------|
| GM-2W Deluxe Wireless 2 Mic Bag (GAGM2W) | 54.99 |
| GM-5W Deluxe Wireless 5 Microphone Bag (GAGM5W) | 59.99 |

Lectrosonic

| MICBOX for Lectrosonics Lavalier Mic (LEMICBOX) | 4.89 |
|--|-------|
| Cordura Pouch for "plug-on" transmitters (LEPHTRAN2) | 15.00 |
| Zippered Case for wireless mic sytems (LECCMINI) | 22.75 |
| PHTRAN3 Leather Pouch (LEPHTRAN3) | 13.50 |
| | |

NeoPax

SM Ankle Belt for Lectrosonics SM Transmitters (NESM110N).29.95 SM Thigh Belt for Lectrosonics SM Transmitters (NESM220N) 29.95 SM Waist Belt in Black (NESM330B) or White (NESM330W) 25.00 Standard Ankle Belt for Wireless in Beige (NEST110N)......29.95 Standard Big-Boy Waist Belt (Beige) (NEST660N)......34.95

Porta Brace

| RMB-TP01 Radio Mic Bouncer (PORMBTP01) | 42.53 |
|---|--------|
| AH-2H Audio Harness Only (Blue) (POAH2H) | 68.57 |
| AH-2M Padded Audio Harness with Belt (POAH2M) | 77.25 |
| RM-Multi/E Extreme Wireless Mic Case (PORMMULTIE) | 103.29 |
| RMB-SK100 Radio Mic Bouncer (PORMBSK100) | 42.53 |
| ATW-T1802 & HM Radio Mic Bouncer (PORMBT1802) | 42.53 |
| | |

Petrol

| Deca Wireless Pouch (Black) (PEPS613) |
|---|
| Deca Double Wireless Audio Pouch (PEPS604)19.50 |
| Wireless Pouch + Pocket to Hold a Name Tag (PEPS610) $\pmb{8.50}$ |
| |

Remote Audio

| Wireless Pouch Kit, Large (Black) | (REWLKIT400B)28.00 |
|-----------------------------------|--------------------|
|-----------------------------------|--------------------|

| Sennheiser | | |
|---|-------|--|
| CC2 Carry Case (SECC2EW) | 59.95 | |
| CC3 Carrying Case (SECC3) | 59.95 | |
| Receiver/Transmitter Belt Clip (SE543660) | 4.60 | |
| Zippered Pouch for HH Transmitter (SE86038) | 13.25 | |
| Handheld Transmitter Pouch (SEPOUCHEWSKM) | 14.95 | |
| ID Rings for G3 Handheld Transmitter (SEKEN2) | 23.95 | |
| POP1 Case (SEPOP1) | 29.99 | |
| Shure | | |
| WA555 Switch Cover for LX2 (SHWA555) | 5.95 | |

| WAGGO OWIGH OUT TO EAC (CHWAGGO) | |
|--|----------------|
| Multi-Colored Handheld Transmitter ID Rings (SHWA615M) |) 14.73 |
| WA610 Carrying Case (SHWA610) | 113.00 |
| WA570A Belt Pouch (SHWA570A) | 23.56 |
| Belt Clip (SHUR1RBC) | 10.90 |

Accessories for Headset Mics

| Audio-Technica AT8142 Foam Temple Pads (AUAT8142) 6.95 |
|--|
| Audio-Technica Small Foam Windscreen (AUAT8139S)7.04 |
| Countryman E2 Microphone Clip (COE2CLIPB2) 14.99 |
| Countryman E6 Ear Clip for E6 and E6i -Left (COECLT)69.00 |
| Countryman E6 Ear Clip for E6 and E6i - Right (COECRT) 69.99 |
| Crown Audio Windscreen for CM-311 Series (CRWS6)9.99 |

audio technica. ATW-A49

UHF LPDA (Log Periodic Dipole Array) Antennas

Provide enhanced signal pick up while extending range and reliability. The directional coverage pattern features a beam-width of 90° and is often useful in theatrical and musical performances as well as presentation.



#AUATWA49 (pair)..... 264.00





WRB-201 Wireless Receiver Box

The WRB-201 is able to hold a variety of receivers; in conjunction with an ABWMK-KIT it will mount to the side or the back of the camera.



| WRB-201 Wireless Receiver Box (ANWRB201) | 55.95 |
|---|-------|
| ABWM-KIT Universal Mounting Plate Kit (ANABWMKIT) | 62.95 |

Bracket 1 Bracket 1

Universal On-Camera Wireless Receiver Mount

Mounts to the your camcorder's tripod mounting plate without blocking controls or impeding use.

| Universal Wireless Mount (BRB1A)84.95 | |
|--|-------|
| Mini Wireless Reciever Bracket (BRB1M) | 99.95 |
| EX On Camera Wireless Receiver Mount (BRB1EX)1 | 19.95 |



NeoPax Belts

Elastic belt and pouch secures wireless bodypack transmitters around different parts of the talent's body. Touch-fasteners for a snug, adjustable fit. Ideal for actors and musicians

| toro and madicianor | |
|---|-------|
| Ankle Belt for Lectrosonics Transmitters (NESM110B) | 25.00 |
| Waist Belt for Lectrosonics Transmitters (NESM330N) | 29.95 |
| Thigh Belt in Black (NEST220B or Beige (NEST220N) | 29.95 |
| Waist Belt in Black (NEST330B), Beige (NEST330N) | |
| or White (NEST330W) | 25.00 |
| | |

GATOR GM-1W

Wireless Mobile Pack

600 denier nylon case with interior foam padding designed to carry and protect a wireless system. Room for lavalier mics, cables and

accessories. Receiver is functional while in the bag- the front and

back unzip for access. Carried by a removable, adjustable shoulder strap and padded carrying handles.

#GAGM1W Call or Log On



RM-MULTI

Wireless Microphone Case

Can hold up to four receivers and transmitters. It can fasten to Porta Brace mixer and audio cases or use various Porta Brace shoulder straps, belts and harness arrangements to give audio crews exactly the solution needed.

#PORMMULTI......85.93



△ audio technica. ATW-DA49

UHF Active Antenna Distribution System for 2000 and 3000 Series

Minimizes the bulk and excessive antenna cable runs while feeding up to



four external 2000 and 3000 series receivers. Four 12VDC outputs provide power to external receivers, further minimizing bulk and



Receiver Holders

BEC receiver holders are

manufactured using plate aluminum, formed and welded to the exact size of your receiver. Your receiver is protected by a felt lining that keeps it from the bangs and bumps of everyday use.



| For Lectrosonics UCR Receivers (BE195) 74.95 | - |
|---|-------|
| For Lectrosonics UCR Receivers (BE201) | 74.95 |
| For Sony UWP-V Series Receivers (BEURXP2) | 74.95 |
| For Sennheiser EW Receiver (BE500) | 69.95 |



Wireless Receiver Holder

Mounts under your camcorder allow-

ing connection to tripods and shoulder braces. Soft touch fastener material pads the inside; protecting the receiver from bumps and jars. Handle offers a point of balance when sitting the

camera down and stability in hand held applications.

169.95

VERSA-FLEX HS1N v2

Audio Harness

Heavy duty padded wide strap prevents shoulder fatigue while carrying audio equipment. Designed for use with audio mixer and recording cases. Features attachment rings



for securing cases, two carabineers, removable waist strap and a carry sack. (VEPAHV2)......



PS608 Deca Wireless Bag

Liahtweiaht briefcase-style bag made of heavy duty

water-resistant Cordura nylon with fully padded interior. Cold-molded laminate panels provide extra protection. Carried by padded carrying handle or a removable, adjustable shoulder strap with pad.

#PEPS608..... 64.95





AH-2.5 Padded Audio Harness

Lightweight and durable, the harness is padded along the

shoulders, chest, spine, and lumbar for lasting comfort, even with heavy loads. Designed for boom operators and recordists, breathable mesh lining creates a cool airflow between the padding and your body. (POAH25).....



181.41

www.BandH.com

A R T AV Direct

Multi-Input Audio/Video Direct Box

Accepts virtually any input/output level and offers remote level control. Has stereo RCA, 1/8" and and 1/4" TRS line level inputs, as well as a 1/4" and bare wire pressure clip speaker level inputs.





DI100 ULTRA-DI Active Direct

Box with Groundlift Switch

Buffers the input signal with an amplifier to ensure that the sound source reaches the mixer balanced and noise-free. Can also deal with a guitar amps speaker output, handling up to 3000w. #BEDI100......Call or Log On





DI600P ULTRA-DI

behringer Passive Direct Injection Box

Connect amp outputs of up to 3,000-watts. It also converts any unbalanced signal to a balanced signal. Filter switch reduces annoying hiss and buzz





COUNTRYMAN ASSOCIATES, INC. TYPE 85

FET Direct Box

High quality discrete components in a single ended class A circuit results in smooth, pristine audio fidelity with low noise floor. Ground lift switch and voltage gain selector. (CODB) 153.00



Radial ProAV2

Passive A/V Stereo Direct Box

Full two-channel stereo functionality. Includes 1/4" and RCA connectors. Transformer isolation eliminates ground loops that cause audio hum and buzz and video hum bars or snow. #RAPROAV2.....



whirlwind podDI

Personal Audio Interface

- · Stereo to mono direct box
- Single input passive DI · Ground lift switch
- 1/8" stereo mini TRS input
- Dual RCA inputs, balanced XLR output #WHPODDI.....





Two-Channel Direct Box

Interface unbalanced, stereo line output with balanced equipment. 1/8" mini TRS stereo jack or two sets of color coded RCA inputs that also feature Thru RCA connectors. Ground lift switch and 20dB pad switch in each



Dual Channel Passive Direct Injection Box

Connect instruments (or other sources) to balanced inputs. Also allows connection of a music source to an instrument amp while simultaneously patching it to a mixer. Switchable input attenuation, parallel link jack, and switchable ground lift. #ARDPDB......Call or Log On



DI20 ULTRA-DI Active

behringer 2-Channel DI Box/Splitter

Ideal for guitar and bass players, multiple modes allow for flexible usage. Can also be balance unbalanced sources. Three levels of switchable input attenuation allows input levels of up to +48dBu. #BEDI20 24.99



DI800 ULTRA-DI

8-Channel Direct Injection Box



Use in the studio or live. Each channel features an attenuator switch, pad and ground lift switches and the ability to take the speaker output of an amplifier. A front panel LINK connector can function as an additional input, or direct output. (BEDI800). Log On



PRO Single & Dual Channel Direct Boxes

1/4" phone line input, XLR and 1/4" outputs, parallel connection, and attenuation switch.

#PYPDC21 (Single-channel)......8.16 #PYPDC22 (Dual-channel) Log On



Radial ProDI • ProD2

Passive Direct Boxes

Custom-made transformer handles high levels without saturation. Exceptionally linear 20Hz-18kHz frequency response, 15dB pad and ground lift switch.

#RAPRODI (Single-channel)99.99 #RAPROD2 (Dual-channel)......149.99



59 95

whirlwind Director

Converts unbalanced line, instrument or speaker level signal to low impedance balanced mic level. Features 1/4" parallel wired in/out jacks, 30dB pad switch, switchable high cut filter and a ground lift switch.

whirlwind EDB1

Single Channel Direct Box

- 1/4" parallel wired in/out jacks
- · Three position pad switch
- Ground Lift switch

#WHEDB1......Call or Log On

IMP 2: Direct Box for PA or Studio (WHIMP2).................. 39.95



Connect instrument, line or speaker level signals to a mixer or other balanced input through a high performance audio isolation transformer.

Features a switchable low pass filter, ground lift switch, phase invert switch, Input attenuator and input link for additional routing.



DI400P ULTRA-DI

behringer Passive Direct Injection Box

Connect instruments to mixers without losing tone. Convert unbalanced signal to a balanced signal. Thru/Out jack can send the unbalanced signal to an onstage amplifier while the balanced signal is routed to a mixer. (#BEDI400P)......19.99





GI100 ULTRA-G DI Box with Speaker Simulation for Guitars

Connect electric guitars to recording and live sound reinforcement consoles. Also emulates a 4 x 12" speaker cabinet so there is no need to mike an actual speaker.







Passive Multi-Media Direct Box

Connections include 1/4" for instruments. RCA and 1/8" connectors and a +4dB XLR input. The front panel connectors can also be used as thru-puts to allow multiple patch points. (RAPROAV1).....



ROLLS DB14 Director

Stereo Direct Box/Signal Separator

For applications where a stereo source signal can be separated, and then individual volume controls can be used for the level of each track. Use in situations like rehearsing a choir to the background music track. Stereo RCA inputs, RCA and XLR outputs. (RODB14B).... 43.96



whirlwind Direct2

Two-Channel Passive Direct Box Each channel features a ground lift switch and a 20dB pad. Input and output grounds are isolated from each other, allowing use as if it were two separate DIs without worrying about ground loop interaction.



#WHD2......Call or Log On

| Avalon Design U5 Mono DI with EQ (AVU5)Call | or Log On |
|--|-----------|
| Golden Age Project PRE-73 MKII (GOPRE73MK2) | 349.99 |
| Hosa DIB-443 Passive Direct Box (HODIB443) | 13.67 |
| Pro Co Sound CB-1 Direct Box (PRCB1) | 59.89 |
| Pro Co Sound DB-1 Direct Box (PRDB1) | 79.95 |
| Radial Engineering J48 Active Direct Box (RAJ48) | 199.99 |
| Radial Engineering JPC Direct Box (RAJPC) | 199.99 |
| Rolls DB24 - Stereo Direct Interface (RODB24) | 58.50 |
| Summit Audio TD-100 Direct Box (SUTD100) | 449.99 |

3-Channel Mic Mixer

PRO AUDIO

A R T ProMIX

Three-Channel Mic Mono Mixer

• Three low-impedance XLR mic inputs

and one XLR and one 1/4" phones

power, low-frequency cut switches

#ARPM3

M∧ZDEN CAM-3

• Each channel has phantom

and level control

· Add and mix sound from

three wireless or hard wired

mic sources simultaneously.

• 31/4 x 1/4 x 21/8", it weighs 3

ounces, uses no batteries.

or the hand strap.

and attaches to a camcorder

aux output.

Call or Log On

ART

MacroMIX

Four-Channel Personal Mixer

- · Active preamp and mixing circuitry
- Stereo RCA and 1/4" inputs with RCA output
- · Headphone jack for mix



.Call or Log On

A R T MyMonitor

Personal Headphone Monitor Mixer

- · Set mic levels without effecting the level on output
- · Although mic (XLR) and line level signal (1/4") are fed into the mixer, only the mic signal is sent via Mic Thru output.
- Dual headphone outputs.



MicroMix MX400

- Four 1/4" line inputs and a single 1/4" phone output.
- · Features quiet level controls on each input.
- · Suitable keyboard mixer, or use to mix signal from CD and MP3 players.




behringer Four-Channel Low-Noise Mixer



ROLLS MX28 MiniMix VI

3-Channel Miniature Stereo Line Mixer

- Each channels has individual L/R 1/4" input and individual right and left 1/4" jacks.
- · Each channel has a level and pan (balance) control.
- Master Level controls and two headphone outputs.





ROLLS MX44s MiniMix IV

Four-Channel Stereo Mini Audio Mixer

- Mix up to four stereo line-level signals to a single stereo output
- · Powered by 9v battery, it has four 1/4" and four 1/8" TRS inputs jacks.

ROLLS MX124

Individual phantom power

· Balanced XLR connectors

· Individual level control

Headphones or alternate

Runs on two 9v batteries

· Low cut filter

stereo outputs.

Portable 4 Channel Stereo Mixer



ROLLS MX310 MorMic

- 3-Channel Mic Mixer/Combiner
- 3 XLR Mic Inputs, one output
- Individual Level Controls
- · Phantom Power
- 3 5mm I/O
- Low cut filters

#ROMX310



R T PowerMIX III

Four-Channel Personal Mixer

- Three sets of L/R unbalanced 1/4" inputs and a headphone output with level control.
- Individual level and pan control
- Mix mono or stereo signals down to stereo or identical L/R mono signals.



A R T USB Mix 3-Channel Mixer and Interface

- XLR/TRS combo input with +48V phantom power can be switched for mic or line use.
- Balanced 1/4" line inputs, 1/4" main outputs and 1/4" headphone jack for convenient monitoring.
- · LED signal/clip indicator; gain and level controls #ARI ISRMIY





DOD AC240 Resistance Mixer

ROLLS MX41b

Four 1/4" TRS line level inputs

and one output. Can also be

used as a 1-in/4-out stereo

splitter box when all controls

#ROMX41B.....

Two 1/4" inputs and six RCA

· Individual volume controls for

each channel and a senarate

inputs mixed to MONO.

headphone/line output.

ROLLS MX51 MiniMix II

Four-Channel Stereo Mini Audio Mixer

are set to maximum.

external power.

Requires no batteries or

- · Passive, four-to-one resistance mixer with four 1/4" unbalanced inputs and one 1/4" unbalanced output. Each input has its own level control.
- · Housed in a cast alloy chassis and car be reversed for four outputs from one input. #D0VAC240.....

Stereo Four-Channel Passive Mixer

ROLLS MX22s MiniMix 2-Channel Audio Line Mixer

#AZCAM3

- 1/8" and RCA line-level signals
- Mix a microphone and a CD player into a single input.
- Individual controls for each channel
- Two separate outputs, one stereo mini-plug the other stereo RCA. #ROMX22S



ROLLS MX42

4-Channel Passive Mini Stereo Mixer

- . Mix four RCA-connected devices to a common output, with individual level control for each.
- · All signals are mixed via stereo 100K ohm potentiometers to stereo RCA output connectors.





ROLLS MX56c MiniMix A/V

Four-Channel Stereo Mini Audio Mixer

- Stereo 1/8", mono 1/4", stereo RCA line input and XLR (phantom powered) mic input.
- · Each input channel has its own level control
- 1/4" phone, stereo RCA and 1/8" stereo headphone outputs.

#ROMX56C



ROLLS PM351

Personal Monitor Station

- XLR mic. 1/4" phone line and instrument inputs
- · Selectable stereo or mono line in
- Independent level control over mic, line and instrument signals.
- . Mic Thru and line level output



#ROPM351

(BOXILE)

· Includes bottom mounts and power supply

Analog Recording Mixers

www.BandH.com

ALLEN&HEATH ZED12FX

12-Channel USB Mixer with Effects


 6-mono inputs with mic preamps and 3-band EQ and three -stereo channels with 2-band EQ. Pair of balanced XLRs on output section.



- · Delay and reverb effects.
- Inserts on all mono channels and stereo output

ALESIS MultiMix 4 USB

4-Channel USB Mixer





· Low-latency, 16-bit/44.1kHz multi-channel audio recording.

ALESIS MultiMix 8 USB FX

8-Channel Mixer with FX and USB Interface

. Channels 1/2 offer high and low-shelving EQ, and switchable high-pass filtering at 75Hz to eliminate handling and wind noise.

ALESIS MultiMix 8 USB

8-Channel Mixer with Effects and USB

- High-gain mic/line (XLR & 1/4" balanced) inputs with phantom power, 2 stereo balanced 1/4" line inputs
- Integrated USB 2.0 audio interface
- Supports 24-Bit/44.1-96kHz audio
- 100 onboard 28-bit preset effects
- 3-band EQ per channel with high/low shelving and mid band pass/reject
- Includes Cubase LE software

#ALMM8USB2FX.....

239.99

More Allen&Heath Mixers

ZED-10FX Multi-Purpose Miniature Mixer (ALZED10FX)299.00



mids on CH-1/2, 3-band on CH-3/4 Built-in DSP effects processor with footswitch bypass control #ALMM8USBFXCall or Log On

Mic, 1/4" line and guitar level inputs

· XLR inputs have gain trim, high-pass

• 3-band EQ with sweepable parametric

filters, and 48v phantom power

ALESIS iMultiMix 9R

9-Channel Mic/Line Mixer with iPod Dock

- · All-in-one solution for video and audio playback,
- 9- channels with 1/4" TRS connectors, 5 phantom-

powered XLR mic preamps, two stereo channels, and iPod docking station for full AV playback capability.

MultiMix 8 Line 8-Ch.Stereo Line Mixer (ALMML8)......Log On



XENYX 502 • XENYX 802

5- and 8-Channel Audio Mixers

XLR mic with +48v phantom power, line channel with 2-band EQ, and two stereo line level channels. RCA line input and separate volume controls for the main and headphone outputs. XENYX 802 has 6 line inputs on 1/4" connectors and two XLR mic inputs.

XENYX 502 (BEX502).....44.99 XENYX 802 (BEX802).....64.99



XENYX 1002 • XENYX 1002FX • XENYX 1202 • XENYX 1202FX

10- and 12-Channel Audio Mixers

The XENYX 1002 has 2 XLR mic inputs with user switchable +48v phantom power and 10 line level inputs. Inputs 3/4, 5/6, 7/8 and 9/10 are stereo paired. An additional stereo I/O is provided for connecting tape and CD devices. Otherwise the same, the 12-channel XENYX 1202 has 12 line inputs and 4 XLR mic inputs. Otherwise the same as the XENYX 1002 and 1202 (respectively), the XENYX 1002FX and 1202FX incorporate a 24-bit effects processor with 100 user selectable "real-world" presets that include, reverb, chorus and delay effects.

1002B: AC or battery operated (BEX1002B)............. Call or Log On

1202 (BEX1202) ...



XENYX 1204USB • X1204USB

behringer 12-Channel 2/2 Bus USB Mixers

- · 4 phantom-powered mic preamps
- · 4 compressors with "one-knob" functionality and control LED
- "British" 3-band EQs 2 aux sends per channel · Clip LEDs and mute/alt 3-4 function on all channels
- · 2 subgroups with separate outputs for added routing flexibility
- Built-in FX processor with 16 editable presets including reverb, chorus, flanger, delay, pitch shifter, multi-effects, tap function and storable user parameter settings.
- Control room and headphone outputs with multi-input source matrix
- · Long-wearing 60mm faders and sealed rotary controls
- Includes audio recording. editing, and podcasting software plus 150 instrument and effect plug-ins and ultra-low latency driver





XENYX X1222USB

behringer Steps up from the 1204USB with six mono mic inputs. It also features channel inserts, stereo 7-band graphic EQ, and proprietary FBQ Feedback Detection System. Has full-sized faders (for MON and FX SENDs), XPQ 3D stereo surround effect (creates a broader, enhanced stereo image), and a Voice Canceller function.

#BEX1222USB.....



XENYX behringer X1622USB • X1832USB

Premium 16- and 18-input 2/2-Bus Mixers

4 or 6 phantom-powered XENYX mic preamps. 4 or 6 compressors with easy "one-knob" functionality and control LED and "British" 3-band EQ. Efsealed rotary controls, and built-in

fects processor with 16 presets, long-wearing 60mm faders and USB audio interface.

#BEX1622USB (with energyXT2.5 Audio Software).... Call or Log On #BEX1832USB (with energyXT2.5 Audio Software) Call or Log On



XENYX 2222USB • XENYX 2442USB

behringer 22-Input 2/2-Bus and 24-input 4/2-Bus Mixers

- Ultra low-noise, high headroom analog mixers with 8 or 10 (respectively) mic preamps and neo-classic "British" 3-band EQs with semi-parametric mid band.
- 24-bit stereo FX processor with 100 presets

. 8 compressors with easy "one-knob" functionality and control LED

- Channel inserts on each mono channel. Peak LEDs, mute, main mix and subgroup routing switches, solo and PFL functions on all channels. Multi-functional stereo aux returns with flexible routing.
- · Control room/phones outputs with multi-input source matrix; Tape inputs assignable to main mix or control room/phones outputs
- . Long-wearing 60mm logarithmic-taper faders and sealed rotary controls. They offer USB audio interface an come with energyXT2.5 music production software, and have a built-in drum machine. They also include rack mount brackets.



PRO AUDIO

800-947-1181 | 212-444-6681



MX882 ULTRALINK PRO

8-Channel Splitter/Mixer



- Flexible enough for use in homes, theaters, conference rooms, houses of worship, PA, live sound reinforcement, and recording.
- Servo balanced inputs and outputs allow use as a DI-Box
- · Can be used as multi-channel line matching transformer
- 8-segment metering of input gain on each channel. 4-segment metering on Main In and Main Output Channels.

#BEMX882.....

RX-1202FX

12-Channel Mic/Line Mixer with FX

 19" rack mountable audio mixer with eight mono and two stereo channels.



· All channels feature a 2-band EQ with gain and level control.

On-board effects processor

#RERX1202FX

RX1602 16-Ch. Rackmountable Line Mixer (BERX1602)......149.99

MACKIE, 402-VLZ3

4-Channel Mixer

- · Four channels with 2 mono line inputs, a stereo line input and two XDR2 mic preamps.
- Mono line inputs are switchable between instrument and line signal, making it guitar friendly.
- . 2-band EQ on the mono channels
- . Comes with Tracktion 3 Software #MA402VLZ3.....



99.99

MACKIE. 802-VLZ3

8-Channel Mixer

- Two mono line inputs, three stereo line inputs and three XDR2 mic preamps.
- . Mono line inputs are switchable between instrument and line, making it guitar friendly.
- All channels feature 3-band EQ
- . Balanced XLR Main output. ALT 3/4 bus assignment and stereo AUX send and return routing.

MACKIE. 1202-VLZ3 • 1402-VLZ3 • 1604-VLZ3 • 1642-VLZ3

12-, 14- and 16-Channel Mixers

- The 1202 and 1402-VLZ3 have 12 or 14 balanced line inputs, four or 6 XDR2 mic preamps, four insert points. The 16-channel mixers offer 16 line inputs switchable
- Super guiet XDR2 (Extended Dynamic Range) mic preamps deliver studio-grade sound—over a 130dB dynamic range—
- All except the 1202-VLZ3 have 60mm tapered faders
- Aux sends, level, pan and PFL solo on each channel
- 3-Band Active EQ (80Hz, 2.5kHz, 12kHz)
- Control Room/Phones source matrix
- · Rack-mountable design using optional rack ears



• Includes Tracktion 3 Music Production Software for Mac or PC

| #MA1202VLZ3 | 269.99 | #MA1604VLZ3 | 899.99 |
|-------------|--------|-------------|--------|
| #MA1402VLZ3 | 399.99 | #MA1642VLZ3 | 699.99 |

MACKIE.

Onvx 820i • 1220i

8- and 12-Channel FireWire Mixers

Tap into the power of computer recording with their deep DAW integration. Fully compatible with Pro Tools M-Powered 8 software making them full-featured audio tools that can adapt to any situation. Ideal for use with Final Cut Pro. Dedicated talkback section with mic.



Onyx 820i (MAO820l) 449.99

Onyx 1220i (MAO1220I).....

MACKIE. Onyx 1620i • 1640i

16-Channel FireWire Recording Mixers

8 or 16 mic inputs with 4-band dual sweep Perkins EQ and Onyx mic preamp. 4 or 6 aux sends for monitor mixes on stage, headphone cue mixes in the studio, and for effect sends. The Onyx 1640i also has a 4-bus architecture for flexible sub-grouping of channels.

| Onyx 1620i | (MAO1620I) with rack ears | 949.99 |
|------------|---------------------------|---------|
| Onyx 1640i | (MAO1640I) with rack ears | 1599.99 |

ROLLS RM82

8-Channel Mic and Line Mixer



- 8 XLR mic inputs and eight 1/4" phone line input
- · Line inputs can function as channel inserts or direct outputs
- Front panel features level tone, trim and master level controls
- . Inserts allow loop routing to external processing gear,
- . Microphone or line level output
- Pre-fade RCA phono input and output connections can be used. as alternate I/O or for cascading multiple RM82 mixers.

YAMAHA MG102 10-Channel Mixer

- · All line inputs feature balanced 1/4" TRS phone line and XLR mic connections.
- 1-knob compression-adjust for compressing incoming vocals, instruments and other signal.
- Inserts connections on the mono channels



| # | AIVIG IUZU | J | | | 99 . 99 |
|---|------------|---|------|------|----------------|
| | | | | | |
| | | | | | |

Presonus StudioLive 16.4.2

Recording & Live Sound Digital Mixer

Versatile 16-channel digital mixing console with integrated 22 x 18 FireWire audio interface. Capable of handling 22 simultaneous inputs, its compatible with Logic, Sonar, and any ASIO and Core Audio DAW software. 16 XLR inputs with XMAX mic preamps, inserts, and direct outputs, and every channel has a dedicated Fat Channel dynamics and EQ section, Bundled with Studio One Artist DAW software, 20 PreSonus Native Effects plug-ins and virtual instruments and third-party loops, software and instrument sounds. (PRSL1642)...



1999.95

| Mackie DL1608 Digital Live Sound Mixer (MADL1608)99 | 9.99 |
|---|-------|
| PreSonus StudioLive 16.0.2 (<i>PRSL1602</i>) | 9.95 |
| PreSonus StudioLive 24.4.2 (PRSL2442) | 99.95 |

| Tascam DM-3200 32-Channel Digital Mixer (TADM3200) Log Or |
|---|
| Tascam DM-4800 Digital Mixing Console (TADM4800) 3499.99 |
| Yamaha 01V96i Multitrack Digital Mixer (YA01V96I) 2399.00 |

Black Lion Audio

| PM8 8-Channel Analog Summing Mixer (BLPM8) | . 895.00 |
|---|----------|
| JamHub | |
| GreenRoom Silent Rehearsal Studio System (JAJHGRS) | Log On |
| Nady RMX-6 Rackmount 6-Ch. Mic/Line Mixer (NARMX6). | Log On |
| Rane MLM82S 8-Channel Mic/ Line Mixer (RAMLM82S) | 439.00 |
| Rolls RM65B 6-Ch. Mic/Line Mixer (RORM65B) | 265.00 |
| Toft Audio ATB04M 4-Channel Mixing Console (TOAB04M). | 1999.99 |
| Tascam LM-8ST Rackmount Line Mixer (TALM8ST) | 285.04 |
| Yamaha MW10C 10-Channel USB Mixer (YAMW10C) | 149.99 |
| Yamaha MG166C-USB | |

16-Channel 4-Bus Rackmountable Mixer (YAMG166CUSB) ... 399.99

| Gator Cases | |
|--|----------|
| G-MIX-B 1212 Padded Bag (GAGMIXB1212) | 32.47 |
| G-MIX-B 1515 Padded Bag (GAGMIXB1515) | 39.99 |
| G-MIX-B 1815 Padded Bag (GAGMIXB1815) | 44.99 |
| G-MIX-B 1818 Padded Bag (GAGMIXB1818) | 49.99 |
| G-MIX-B 2020 Padded Bag (GAGMIXB2020) | 54.99 |
| G-MIX-20x25 ATA Mixer Case (GAGMIX20X25) | . 199.99 |
| G-MIX-B 0909 Padded Nylon Mixer Bag (GAGMIXB0909) | 29.99 |
| G-MIX-B 2118 Padded Nylon Mixer Bag (GAGMIXB2118) | 64.99 |
| G-MIX-L-16X22 Lightweight Mixer Case (GAGMIXL1622) | 89.99 |
| | |

Mixer Cases & Covers

| Gator Cases GMC-2222 Dust Cover (GAGMC2222) | 19.99 |
|--|--------|
| Gator Cases G-MIX-20x30 ATA Case (GAGMIX20X30) | Log On |
| PreSonus StudioLive 24 Dustcover (PRSLMDC) | 39.95 |
| SKB ATA Pop-Up 12U Mixer Case (SK19P12) | Log On |
| Mackie | |
| 1202 VLZ D Padded Mixer Bag (MAB1202VLZ) | 39.99 |
| 1402 VLZ D Padded Mixer Bag (MAB1402VLZ) | 44.99 |
| Mixer Bag for ProFX 8 (MAPROFX8BAG) | 34.99 |

Mixer Bag for ProFX 12 (MAPROFX12BAG).....

ALESIS RA150 150-Watt Stereo Power Amplifier

Constructed on heavy gauge steel chassis. the RA150 uses convection cooling with massive extruded aluminum heat-sinks for reliable operation. Features electronically-



balanced 1/4" balanced TRS and balanced RCA inputs, detented front panel input level controls and overload/protect indicators. Outputs are heavy-duty dual binding posts. Active circuitry continuously monitors the output stage for short circuits and thermal overload. Protection circuitry will disconnect the loudspeaker load. Runs on 120/230v AC.



SLA-1 • SLA-2

100w- and 200w 2-Channel Power Amplifiers

Two-channel power amps with XIR and 1/4" inputs along with five-way binding



post outputs. They can operate in stereo or bridged mode, have a ground-lift switch and offer full protection against short circuits, overloads, and overheating. SmartFan system offers silent fan-assisted convection cooling to keep them running reliably

| SLA-1: 100w (ARSLA1) | Call or Log On | SLA-2: 200w (ARSLA2) | 269.00 |
|-------------------------|-------------------|----------------------|--------|
| SLA-4: 4x 140w Power Am | nlifier (ARSI A4) | | 369.00 |



A500

600W Power Amplifier

behoinger Inexpensive professional reference power amp, the A500 features ultra-reliable Toshiba / Fairchild power transistors, bar graph level metering



with precise level meter and clip indicators, thermal overload protection,

230w of power output per side at 4 ohms, and fan-free convection cooling for minimal operating noise. Input connections on balanced XLR, 1/4" TRS and RCA connectors. Speaker outputs on professional "touch-proof" binding posts and 1/4" TS connectors.



toroidal transformers and Toshiba/Fairchild power transistors for rock-solid reliability and an ultra-high transient response. They feature XLR and 1/4" inputs, Speakon and binding post outputs, protection circuitry, and rear-to-front ventilation. They have independent limiters to prevent distortion, front-panel gain controls for each channel, selectable LF filters to reduce hum, and LED lights for monitoring power, signal, and clip status.

#RFFP4000 379.99

Rack Furniture

Middle-Atlantic 8 Space Desktop Rail Rack (MIDR8)

Middle Atlantic 12 Space Desktop Rail Rack (MIDR12)......50.58

QuikLok RS-10 10U Tabletop Rack Stand (QURS10AM)29.50

Raxxess ER-04 Space Economy Rack (Black Oak) (RAER4)...........79.95

Raxxess ER-08 Space Economy Rack (Black Oak) (RAERO8) 94.95

Raxxess ER-12 Space Economy Rack (Black Oak) (RAER12)..........99.50

Raxxess ER-20 Space Economy Rack (Black Oak) (RAER20) 109.95

XLS Series DriveCore Stereo Power Amplifiers

DriveCore technology drives internal Class-D electronics to consistently provide great audio, regardless of power issues. Peakx limiter technology



achieves high SPL levels with minimal distortion. They feature XLR, 1/4", and RCA inputs, along with Speakon and binding post outputs. They can operate in stereo or bridged-mono mode. Individual level controls let you adjust each channel separately.

XLS 1000 215W/Channel (CRXLS1000......299.00 XLS 2000 375W/Channel (CRXLS2000).... 499.00 XLS 1500 300W/Channel (CRXLS1500)... 399.00 XLS 2500 440W/Channel (CRXLS2500)..Log On

PTA1000 • PTA1400 • PTA3000

1000-, 1400- and 3000-Watt Power Amplifiers

Ideal for installations, they feature 1/4" and XLR inputs, Speakon and binding post outputs and can operate in stereo or bridged modes. They offer individual level control knobs and LEDs for power, signal, clipping, protection, and volume level. Also internal dual-speed



cooling fans, protection circuitry, ground-lift switch, and offer selectable voltage for worldwide use. PTA1000 250W/Channel (PYPTA1000)... Log On

PTA1400 350W/Channel (PYPTA1400)... Log On

GX3 • GX5 300-watt and 500-watt Power Amplifiers

Easy to install, they feature balanced XLR and 1/4" phone, and unbalanced RCA phono inputs. Outputs have speaker binding posts and Speakon connections. Detented gain controls provide precise level settings. QSC's GuardRail protection delivers full peak power while preventing overloads. Built-in 180Hz crossover splits low



and mid frequency signal between the left and right channel, ideal for driving sub-woofers.

RMX850 200-watt Power Amplifier

A high output rack-mountable (2RU) 2-channel power amplifier with stereo/parallel/bridged mono modes. Features 200w per channel driven into 8 Ohms, high-current toroidal transformer, fully



selectable low-frequency filtering with a choice of 30 or 50Hz roll-off, independent, user-defeatable clip limiters, and front panel LED indicators for signal and clip. Offers full short circuit, open circuit, thermal, ultrasonic and RF protection. Equipped with barrier strip, XLR, and 1/4" balanced inputs; speakon and binding post outputs.

| #QSRMX850 | 9.99 |
|--------------------------------------|------|
| RMX 2450 Power Amplifier (QSRMX2450) | 9.99 |

Rack Drawers

| Gator Cases GE-DRAWER-2U 2U Rack Drawer (GAGRD2U) | Call or Log On |
|--|----------------|
| Gator Cases GE-DRAWER-2US 2U 10" Deep Rack Drawer (GAD210) | 89.99 |
| Gator Cases GE-DRAWER-3U 3U Rack Drawer (GAGRD3U) | 99.99 |
| Gator Cases GE-DRAWER-4U 4U Rack Drawer (GAGRD4U) | 129.99 |
| Gator Cases GE-WIRELESSDRWR Wireless Rack Drawer (GAGEWD) | 149.99 |
| Middle-Atlantic FI-2 2U Foam Drawer Insert (MIFI2) | 28.95 |
| Middle Atlantic 2-Space Rack Drawer (Black) (MID2) | 109.00 |
| Middle Atlantic UD1 1-Space Utility Rack Drawer (MIUD1) | 99.95 |
| Middle-Atlantic UD2 2-Space Utility Rack Drawer (MIUD2) | 99.95 |
| Middle Atlantic UD3 3-Space Utility Rack Drawer (MIUD3) | 109.95 |
| Raxxess Sliding Rack Drawer, 2-Space (RASDR2) | 98.50 |
| Raxxess Sliding Rack Drawer, 3-Space (RASDR3) | 119.50 |

Rack Cables & Power Management

| Gator Cases GE-CBLMNGWC-1U Cable Management Panel (GAGECM1UCMC) | 12.00 |
|--|--------|
| Gator Cases GE-PDU-6-UL 6 Outlet Power Strip (GAPDU6UL) | 89.99 |
| Gator Cases GE-PDU-12-UL 12 Outlet Power Strip (GAPDU12UL) | 119.99 |
| Gator Cases GE-PDU-18-UL 18 Outlet Power Strip (GAPDU18UL) | 149.99 |
| Middle-Atlantic CLAW14 14" Wallmount Cable Hanger (MICLAW14) | 14.50 |
| Middle-Atlantic PD-2015R-NS Multi-Mount Rackmount Power (MIPD2015NS) | 69.95 |
| Middle-Atlantic CLAW Wallmount Cable Hanger (MICLAW) | 14.50 |
| Middle-Atlantic TW12 8" Cable Management Straps, 12-Pack (MITW12) | 12.50 |
| Middle Atlantic LBP-1A L-Shaped Horizontal Lacer Bar, 10-Pack (MILBP1A) | 29.50 |
| Middle Atlantic PD-815SC-NS 15A 8-Outlet High-Density Slim Power Strip (MIPD815SCNS) | 66.50 |
| Middle-Atlantic Rack Fan (MIQFAN) | 56.95 |
| Middle-Atlantic CAB-COOL Cabinet Cooler (MICABCOOL) | 82.95 |
| Middle Atlantic COMP-COOL Cabinet Cooler (MICOMPCOOL) | 46.95 |

Power Conditioners

Rack Hardware

800-947-1181 | 212-444-6681

| Mid-Atlantic | |
|-------------------------|--|
| 01.0 1 0.1 (4.401.4.50) | |

| 8' Rackspace Ruler (MIRULER) | 19.95 |
|---|-------|
| Philips Truss-Head Screws & Washers 100 pc. (MIHP) | 26.95 |
| Philips Truss-Head Screws & Washers 500 pc. (MIHP500) | 84.95 |
| Philips Trim-Head Screws & Washer 100 pc. (MIHW100) | 21.00 |
| Classic Philips Trim-Head Screws 500 pc. (MIHW500) | 99.95 |
| Star Post Screws & Washers 50 pc. (MIHTX) | 13.50 |
| CN1032-50 Cage Nuts (MICN103250) | 34.95 |
| Philips Truss-Head Screws & Washers 25 pc. (MIHPS) | 5.50 |
| | |

Raxxess

| Philips Truss-Head Screws & Washers 25 pc. (RAPTSW25)4.95 |
|--|
| Philips Truss-Head Screws & Washers 50 pc. (RAPTSW50)8.50 |
| Philips Truss-Head Screws & Washers 100 pc (BAPTSW100) 12.95 |

Rack Lights & Accessories

| Allen & Heath 18" LED Lamp (ALLEDLAMPX)Log On |
|--|
| Allen & Heath LED Lamp with Dimmer Control (ALLEDLSX) Log On |
| Hosa LED Gooseneck Console Lamp-BNC (HOLTE503BNC)19.49 |
| Hosa LED Gooseneck Console Lamp-XLR (HOLTE503XLR)21.99 |
| Littlite 1815 - 2.4 Watt Low Intensity Bulb (L11815) |
| Littlite 1815 Incandescent Bulb (2-Pack) (L118152) |
| Littlite Q5 - Tungsten Halogen Bulb (2-Pack) (LIQ52)15.00 |
| Littlite L-1 L-Series Lampset (12") (LIL12LED)Call or Log On |
| Littlite L-3 L-Series Lampset (12") (LIL312)Call or Log Or |
| Littlite Q5 - Tungsten Halogen Bulb (LIQ5)Call or Log On |
| Mid-Atlantic LT-GN Gooseneck Light with USB (MILTGN)16.50 |
| Numark Pro Gooseneck Light (NUPDL) |

Rack Panels & Covers

| Gator Cases 1 Flat Panel (GAPNLSTFLT1) | 5.99 |
|--|------------------|
| Gator Cases 1U Vented Panel (GAPNLVNT1U) | 9.99 |
| Gator Cases 1U Perforated Panel (GAPNLVNSTD1U) | 10.99 |
| Middle-Atlantic PHBL-1 1U Flat Blank Panel (MIPHBL1) | 9.95 |
| Middle-Atlantic Universal Connector Panel UNI-1-C (MIUNI | 1C) 31.95 |
| Middle-Atlantic PBL-2 2U Flanged Blank Panel (MIPBL2) | 8.95 |
| Middle-Atlantic EVT1 1U Vent Panel (MIEVT1) | 13.50 |
| Middle-Atlantic PBL-1 1U Flanged Blank Panel (MIPBL1) | 7.50 |
| Middle-Atlantic VT1 1SP Vent Panel (MIVT1) | 9.95 |
| Middle Atlantic 3-Space (5.25") Panel (MIRMLCDPNLK) | 104.95 |
| Middle Atlantic 1-Space Security Cover (MIS1) | 24.50 |
| Raxxess Steel Flat Panel, Model SFT2 (RASFT2) | 7.50 |
| Raxxess Steel Flat Panel (RASFT1) | 5.95 |
| Raxxess RKRL 14 Space Rack Rail (1-Pair) (RAKRL14SP) | 22.95 |
| Raxxess Steel Rack Rail RKRL-3, 3 Spaces (Pair) (RAKRL3S | P) 4.95 |
| Raxxess RKRL 10 Space Rack Rail (1-Pair) (RAKRL10SP) | 16.50 |
| | |

Rack Shelves

Gator Cases

| GE-SHLF-UNIV-1U Shelf (GAGESUNIV1U) | . 29.99 |
|--|---------|
| 2U Vented Rack Shelf (GAGESEVH152U) | .54.99 |
| I-space 10" Deep Utility Shelf (GAGES101U) | . 29.99 |
| IU Vented Sliding Rack Shelf (GAGESSLD1U) | .74.99 |
| 2-space 15" Deep Utility Shelf (GAGES152U) | .44.99 |
| . , , , , | |

| 3.50 |
|---------------------------------------|
| 9.95 |
| 4.95 |
| 6.77 |
| 6.50 |
| 9.95 |
| 7.50 |
| 9.92 |
| 1.95 |
| 7.50 |
| 9.95 |
| 9.95 |
| 8.95 |
| 6.99 |
| 6.95 |
| ֡֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜ |



PB 4x4 • PB 4x4 PRO

"4x4" Power Distribution Systems



Four of the outputs are 1.25" apart. This lets you plug in wide power cables and multiple wall wart devices, and still have 8 outlets to choose from. Built in surge and spike protection, RFI and EMI filtering, and circuit breaker reset switch. 1800w capacity.

| #ARPB4X4 | . 49.00 |
|--|---------|
| #ARPB4X4PRO (with APF™ Advanced Power Filtering) | 85.00 |

FURMAN

PL-8 C • PL-PLUS C • PL-PLUS DMC

8-Outlet Power Conditioners



Exclusive SMP (Series Multi-Stage Protection) technology, LiFT noise filtration, and EVS voltage protection. 8 rear outlets (3 with wide spacing), and one front outlet. Also features dual retractable LED lights, LED status indicators and BNC for gooseneck lamp. The PL-PLUS C adds a segmented LED voltmeter which monitors and displays incoming line . The PL-PLUS DMC steps up with a large digital voltmeter/ammevoltageter, with discrete dimmer button, displays line voltage and true RMS current draw.

| i urtoc109.9 | |
|--------------|--------|
| #FUPLPLUSC | 229.95 |
| #FUPLPLUSDMC | 324.95 |

APC AP7900

#ELIDLOC

Switched 8-Outlet Rack PDU

Horizontal PDU (power distribution unit) remotely controls power to individual outlets



A R T

PS 4x4 PRO

"4x4" Power Distribution System



FURMAN

M-8x • M-8Lx • M-8Dx

8-Outlet Power Conditioner & Surge Protectors



AC noise filtering to reduce radio frequency and electromagnetic interference (RFI/EMI). Spike & surge protection. 8 rear outlets (3 with wide spacing), and one front outlet. 15 amp rating, with circuit breaker. Front panel indicator LED lets you know that your equipment is being protected. Otherwise the same, the M-8Lx has two retractable incandescent light fixtures with dimmer control for convenient rack illumination, while the M-8Dx adds a Digital Voltmeter which displays incoming line voltage.

... 99.95

129 95

#FUM8LX

| Alesis PowerTrip8 (ALPOWERTRIP8) | Log Or |
|---|----------|
| APC AV Network Rack Power Filtert (APG50NETB20A) | 304.34 |
| APC AV 15A G Type Rack Power Filter, 120V (APG5BLK) | Log Or |
| APC 24-Outlet Rack Power Distribution Unit (APAP7930) | 652.99 |
| Furman D10-PFP Power Distributor (FUD10PFP) | 49.00 |
| Furman Miniport 15 Power Relay Outlet (FUMP15) | 119.95 |
| Furman PL-PRO DMC Power Conditioner (FUPLPRODMC) | . 439.95 |
| Furman Locking Outlet Strip 120v/15a (FUPLUGLOCK) | 44.95 |
| Furman PS-8R Series Power Conditioner (FUPS8RII) | Log Or |
| Furman PST-8 Power Station (FUPST8) | Log Or |
| Monster Cable PRO 600 PowerCenter (MOMPPRO600) | 59.95 |
| Pyle Pro PC0800 Power Conditioner (PYPC0800) | Loa Or |

Audio Rack Cases

190 05

#FI IMRDX

Gator Cases

| GRB-2U Rack Bag (GAGRB2U) | 69.99 |
|---|---------------|
| GRB-4U Rack Bag (GAGRB4U) | |
| GR2L Standard Rack Case (GAGR2L) | |
| GR4L Standard Rack Case (GAGR4L) | 149.99 |
| GR6L Standard Rack Case (GAGR6L) | 159.99 |
| GR8L Standard Rack Case (GAGR8L) | 189.99 |
| GR12L Standard Rack Case (GAGR12L) | 234.99 |
| GR2S Shallow Rack Case (GAGR2S) | 99.99 |
| GR3S Shallow Rack Case (GAGR3S) | 114.99 |
| GR4S Shallow Rack Case (GAGR4S) | 139.99 |
| GR6S Shallow Rack Case (GAGR6S) | all or Log On |
| GRR-4L Roller Rack Case (GAGRR4L) | 179.99 |
| GRR-6L Roller Rack Case (GAGRR6L) | 199.99 |
| GRR-8L Roller Rack Case (GAGRR8L) | 229.99 |
| GRR-10L Roller Rack Case (GAGRR10L) | 249.99 |
| GR12L Standard Rack Case (GAGR12L) | 234.99 |
| Pop-Up Console Rack Case (GAGRC12X10PU) | 479.99 |



| | 9VD |
|----------------|--|
| Call or Log On | SKB-R4 4U Rack Case (SKR4) |
| Call or Log On | SKB-R8 8U Rack Case (SKR8) |
| Call or Log On | SKB-XRACK2 2U X-Rack Case (SKXRACK2) |
| Call or Log On | SKB-XRACK3 3U X-Rack Case (SKXRACK3) |
| Call or Log On | SKB-XRACK4 4U X-Rack Case (SKXRACK4) |
| 184.00 | 194U 4-Space Standard Rack Case (SK194U) |
| Call or Log On | SKB-RLX6 6U Rack Case (SKRLX6) |
| Call or Log On | 1SKB-R8W 8U Roto Rolling Rack (SKR8W) |
| Call or Log On | SKB-R904U20 4U Shock Case (SKR904U20) |
| Call or Log On | 1SKB-R6W 6U Roto Rolling Rack (SKR6W) |
| Call or Log On | SKB19-R1406 Gig-Rig Case (SK19R1406) |
| - | |

www.BandH.com

ADAM A3X • A5X • A7X

2-Way Active Studio Monitors

4.5" (A3X), 5.5" (A5X) or 7" (A7X) carbon fiber/rohacell/glass fiber midwoofer and an X-ART tweeter deliver crisp, natural audio with a wide frequency response. Each driver is powered by its own 25W, 50W or 150W amplifier. Dual bass ports extend the bass response. XLR and RCA inputs.



| A3X (ADA3X) | . ea. 329.00 | A5X (ADA5X) | ea. | 499.00 |
|--------------------|---------------------|--------------------|-----|--------|
| A7X (ADA7X) | | | ea. | 699.00 |



Carbon fiber/rohacell/glass fiber midwoofer and an X-ART tweeter deliver crisp, natural audio with a wide frequency response. Provides 200W of total power. Front-panel gain control and rear-panel tweeter gain control for precise adjustments, plus high and low shelving filter controls. Dual bass ports extend the bass response. XLR and RCA inputs.

#ADA8X ea. **999.00**



ADAM A77X 7" 2-Way Active

ever one is crossed-over to deliver mid-range frequencies. X-ART tweeter delivers extended frequency response up to 50kHz. Can use as a single cabinet, however, they are optimized for pairing.

A77X Left (ADA77XL) or A77X Right (ADA77XR)...... ea. 1399.00

AKAI RPM3

3" Production Monitors

Deliver crisp, natural audio with a wide frequency response, 2x2 USB audio interface allows you to connect the speakers to your computer for simultaneous recording and monitoring. The rear panel



of the right speaker offers stereo RCA, 1/4", and 3.5mm inputs. #AKRPM3 (sold as a pair).....Call or Log On

ALESIS Monitor One MKII

2-Way Passive 6.5" Studio Reference Monitors

Provides wide frequency range, clear imaging and high-power handling. The 6.5" polypropylene low-frequency drivers deliver tight, accurate bass response. The 1" pure silk-dome high frequency transducers deliver a smooth and even response. Frequency response is 45Hz to 20kHz. The cabinets are mirror image, left/right pair for symmetrical speaker placement.

#ALM1M2 sold as a pair Call or Log On

ALESIS M1Active 320/520 USB

USB 2-Way 3" and 5" Stereo Nearfield Monitors

Plug into the USB port on a Mac or PC and go. 3" or 5" polypropylene woofers and 1" silk dome tweeter provide a wide frequency response. They also act as an interface. allowing audio devices to be played through them or directed to the computer and recorded. They support 16-bit/48kHz for crystal clear sound.



| #ALM1A320 | sold as a pair Call or Log Or |
|------------|-------------------------------|
| #ALM1A520U | sold as a pair Call or Log Or |

ALESIS M1Active 520

2-Way Active 5" Nearfield Studio Monitors

75W of bi-amplification powers a 5" woofer and 1" tweeter, housed in a minimal-resonance, bass-ported cabinet, replete with a cleverly mounted combination power switch and clip light. Features a set of frequency control switches for fine-tuning, Gain control knob, XLR and 1/4" connectors, and dual-voltage power supply.



#ALM1A520 sold as a pair Call or Log On

ALESIS M1Active MKII

2-Way Active 6.5" Studio Reference Monitors

Internal active crossover and dual amps ensure consistent performance. 6.5" carbon fiber woofer offers high tensile strength and low weight for quick transient response. The 1" pure silk dome tweeter offers a natural response. Bass driver amps deliver 75w and the high frequency amps provide 25w. Monitors can be mounted in either a horizontal or vertical placement.

#ALM1AM2sold as a pair 299.00



MS16 2-Wav Multimedia Monitor System

Magnetically shielded 2-way speakers, each with a 4" woofer and a 1.5" tweeter powered by an 8w amp. Features a mic input and headphone output, bass and

treble tone controls, and two

line inputs which allow for simultaneous monitoring of different sources. Speakers connections via RCA.

#BEMS16......Call or Log On





MS20 • MS40 20- and 40-watt 24/192kHz Digital Monitors

Built-in 20 and 40w amps power powerful woofers and high-resolution tweeters to provide ultra-linear frequency response. Optical and coaxial inputs. Volume controls for line inputs plus Bass and Treble EQ controls.



#BEMS20......sold as a pair Call or Log On #BEMS40.....sold as a pair Call or Log On



B1030A • B1031A 2-Way behringer Active 5.25" and 8" Monitors

5.25" or 8" long-throw Kevlar woofer and 1" dome tweeter. Advanced waveguide technology provides a wide sweet spot for great results no matter where the speaker is. XLR, RCA, and 1/4" inputs. Adjust volume and tone, and even compensate



#BEB1030A (75-watts)......**299.98** #BEB1031A (150-watts)..... 399.98



dynaudi

B2030A • B2031A

behringer Active 2-Way 6.75' and 8.75" Studio Monitors

The B2030A (6.75") and B2031A (8.75") have a linear frequency response meant to increase the area of the elusive "sweet spot". They offer extensive control of speaker response to room acoustics. The

1" tweeter and woofer are housed in a sturdy, vibration-resistant cabinet powered by a 75 and 150w amp respectively. #BEB2030Asold as a pair Call or Log On

#BEB2031A.....sold as a pair **393.98**



eXo2 Active 2.1 Desktop Speaker Monitoring System







Reference-quality audio in a compact package. 8" subwoofer houses the amp and offers XLR/TRS combo inputs, stereo RCA input and highquality binding post outputs. A set of isolation feet decouple the sub from the floor to prevent vibrations and reflections. Satellite speakers have a 3" woofer with a neodymium motor structure and a 1" fabric neodymium tweeter. Place them anywhere, or mounted on a wall or ceiling. Desktop HUB remote controls system gain and subwoofer level. Also has a 3.5mm input as well as a 3.5mm headphone jack. #BLEX02 499.00

MediaDesk 5.1 MKII 5.1 Desktop System (BLMD5.1MK2).......1595.00

7" woofer and 1" high-resolution soft dome tweeter each powered by 50W RMS amplifier. A high-pass filter switch and level control are provided

Active 2-Way Studio Monitor

as well as a set of analog room filters to create best results.



#DYBM6A sold as a pair **1698.00**

800-947-1181 | 212-444-6681



20/20BAS

8" 250W 2-Way Active Nearfield Monitor Speaker

8" mineral-impregnated polypropylene woofer, and 1" silk dome tweeter provide realistic audio with a wide frequency response. Large bass port on the front helps to extend low frequency response. Protection circuitry for current limiting and thermal cutoff ensure reliable

operation. Selectable voltage for international use.

#EV2020BAS.....

449.00



2030

Dynamic 3-Way Studio Monitor Discrete high, low and midrange drivers deliver defined audio quality, low distortion and accurate

monitoring in studio recording, mixing and production applications. Rear nanel features HF LF and Gain control

dials, as well as an XLR input.

2030 Left (EV2030L) or 2030 Right (EV2030R)...... ea. 599.50



for horizontal positioning.

Rotating high frequency wave guide is ideal

F05teX 6301D

in and thru jacks so you can connect to

virtually any system. Selector switch for left,

it comes with a multi-voltage power supply.

#F06301D.....

GENELEC' 8020B

Ultra-compact, 4" woofer and a 0.75"

tweeter provide a wide 66Hz to 20kHz

frequency response. Power is supplied by a

pair of 20W amplifiers. A Directivity Control

Waveguide is incorporated for a smooth

Iso-Pod keeps the monitor stable on a

table or desk, and helps to reduce audio

Opal





CMS Series Active

FOCAL 2-Way Studio Monitors

Reinforced and damped die-cast aluminum cabinet houses a Polyglass woofer and an aluminum/magnesium inverted dome tweeter. Volume, sensitivity, parametric EQ, high-pass filter, and shelving controls allow

| you to customize their acoustic response. | |
|---|-------------------|
| CMS 40 4" with 25W Amp (FOCMS40) | ea. 425.00 |
| CMS 50 5" with 130W Amp (FOCMS50) | ea. 695.00 |
| CMS 65 6.5" with 160W Amp (FOCMS65) | ea. 895.00 |

Solo6 Be 6.5" Active 2-Way

FOCAL Nearfield Studio Monitor

6.5" "W" composite sandwich midwoofer and a 1" Beryllium inverted dome tweeter provide full, neutral sound with a wide frequency response. A front laminar bass port extends bass response. Drivers are powered by their own amps for a total of 250w of power for distortion-free performance.

#F0S0L06BE......**1350.00**

Twin6 BE 3-Way 6.5" Nearfield Monitor (FOTWIN6BE)1850.00



229.00

6301B 10W 4" Powered Analog Speaker (F06301BE).......179.00

Fostex

PM_{0.4}n

5" Active Nearfield Studio Monitor Speaker

4" woofer and 0.75" soft dome tweeter provide a wide frequency response. Biamplified design sends 36W of power to the drivers to deliver tight, punchy sound, RCA and 1/4" inputs. Can be wall mounted. In Black (FOPMO.4NB), White



(FOPMO.4NW) or Red (FOPMO.4R) sold as pair only... Call or Log On

GENELEC" 6010A

Active Nearfield Monitors

Need superior sound but space is at a premium? The 6010A delivers clear, realistic sounds with solid bass response and low distortion via 3" low frequency driver and 0.75" tweeter. Dual internal amplifiers each produce 12W and use an active crossover for exceptional response throughout the frequency spectrum.

In Mystic Black (GE6010AMM), or White (GE6010AWM)299.00 **7050B** 8" Active Companion Subwoofer (GE7050B).......**1007.50**

reflections and vibrations. Volume and tone controls and threads



JBL Control 2P

GENELEC[®] 8030A

Active Nearfield Monitors

Small, 2-way speakers with twin 40w amps and shielded 5" and .75" LF and HF drivers. Directivity Control Waveguide (DCW) and rear panel reflex port design for accurate and balanced wave dispersion. Balanced XLR I/O for daisy-chaining units or connection to subwoofer. Tone control DIP switches for adjustment to the room's acoustic environment. #GE8030A



GENELEC® 8040A

Active Nearfield Monitors

Small, 2-way speakers with twin 90w amplifiers and shielded 6.5" and .75" LF and HF drivers. Housed in a sturdy die-cast aluminum enclosure. DCW and rear panel reflex port design for accurate and balanced wave dispersion. Balanced XLR I/O for daisy-chaining or connection to subwoofer. Tone control DIP switches

for adjustment to the room's acoustic environment. #GE8040A 1149.00



a 0.75" dome tweeter. An internal amp provides 35W per channel. Offers XLR, 1/4", and RCA inputs. Side-mounted control lets you adjust the volume of both speakers simultaneously. A stereo headphone jack is provided for private monitoring.

#JBC2PS.....



UBL LSR2325P

90W 5" Active 2-Way Studio Monitor

5" long excursion woofer and 1" soft dome tweeter provide clear, wide frequency response with superb detail. XLR. TRS. and RCA input jacks. Volume control knob, and LF and HF trim switches to customize response. Has 4 standard M6 threaded mounting points. Neoprene rubber pad on the bottom minimizes audio reflections. #JBLSR2325P



JBL LSR2328P

165W 8" Active 2-Way Studio Monitor

Class A-B monolithic power amplifiers deliver 165W to the 8" long excursion woofer and 1" soft dome tweeter. XLR, TRS, and RCA inputs. Vlume control knob, along with LF/ HF trim switches, let you customize speaker response. Neoprene rubber pad on the bottom help minimize audio reflections.

#JBLSR2328P.....**349.00**

LSR2310SP 10" 180w Powered Sub (JBLSR2310SP)........ 399.00

KRK¶ _{R6}

6" Two-Way Passive Nearfield Monitor

6" glass aramid composite cone woofer maximizes performance while minimizing distortion. 1" neodymium soft dome tweeter provides a more natural sound than metal-domed tweeters. Recessed high frequency waveguide focuses the sound away from the cabinet and provides optimal pattern control.



#KRR6......149.50

www.BandH.com

KRK¶ vxT6 • vxT8

6- and 8" Active Monitors

Low-resonance cabinet houses a rigid woven Kevlar woofer and a 1" silk dome tweeter. Sleek, curved design creates terrific imaging qualities and offers a wide sweet spot. XLR/TRS combo input. High and low frequency, level control, auto mute, clip indicator/limiter switches.



| #KRVXT6 (90w total power) | 449.00 |
|----------------------------|--------|
| #KRVXT8 (180w total power) | 599.00 |

KRK RoKit 5/6/8 G2

5-, 6- and 8" Two-Way Active Monitors

5-, 6- and 8" (respectively) glass aramid composite cone woofers maximize performance while minimizing distortion. 1" neodymium soft dome tweeters provide a natural sound. Bi-amp design provides 45, 68 and 90-watts of power to the speaker elements.



| RoKit 5 (KRRP5G2) | 149.50 | |
|-------------------|--------|--------|
| RoKit 6 (KRRP6G2) | | 199.50 |
| RoKit 8 (KRRP8G2) | | 249.50 |

Add powerful, punchy low range frequencies to your nearfield monitor setup. The compact KRK10s has curved edges and yellow glass-aramid composite woofer with a front firing port for accurate bass frequency reproduction.

KRK KRK10s

10" 225W Powered Subwoofer

#KRK10S.....

M-AUDIO Studiophile BX5 D2

Deluxe 70W 5" Studio Reference Monitors

Rear-ported cabinet houses a 5" Kevlar woofer and a 1" waveguide-loaded tweeter to provide full, detailed frequency response. The drivers are powered by two internal amplifiers, with a combined



power of 70W for a strong performance. XLR and 1/4" input connectors and volume control knob.

M-AUDIO Studiophile BX8 D2

130W 8" Studio Reference Monitors

Rear-ported cabinet houses a 8" Keylar woofer and a 1 25" waveguide-loaded tweeter to provide full, detailed frequency response. The drivers are powered by two internal amplifiers, with a combined power of 130W for a strong perfor-



mance. XLR and 1/4" input connectors and volume control knob. #MABX8D2 (sold as a pair).....

M-AUDIO SBX10

240W 10" Active Subwoofer

Ideal for the BX series, the SBX10 delivers a response all the way down to 20Hz. Continuously variable crossover can be set from 50 to 200Hz, allowing use with any full-range speaker. Has a 180° phase switch, and a bypass footswitch connector for further customization Rear-panel volume control, and voltage selector switch for worldwide use.



#MASBX10.....

M-AUDIO Studiophile AV 30

30-Watt Active 2-Way Desktop Monitors

Wooden cabinets feature a 3" composite woofer and a 0.75" silk dome tweeter each powered by 10w amp. The rear panel features a stereo RCA input and the front panel a 3.5mm aux input. Optlmage III wave guides





on the front baffles help to improve detail and clarity, as well as provide an accurate stereo image.

M-AUDIO Studiophile AV 40

40-Watt Active 2-Way Desktop Monitors

4" polypropylene-coated woofers, 3/4" silk dome tweeters and 40W of power for wide frequency response of 85Hz to 20kHz. RCA and 1/4" input connectors. An auxiliary 1/8" input and





an 1/8" headphone output on the front panel Bass boost switch provides extra low-end response.

MACKIE. MR5 mk2 • MR8 mk2

5.25- and 8" Active Two-Way Monitors

Steel-frame woofer and a waveguide-loaded 1" tweeter provide full frequency response. Class A/B amplifiers provide a total of 85W or 150W of power.

A precisely-molded minimum-diffraction baffle allows sound to travel smoothly in a wide dispersion pattern. This provides a wide sweet spot for accurate mixing.



MR5 mk2: 5.25" woofer/85W (MAMR5MK2)......149.99 MR8 mk2: 8" woofer/150W (MAMR8MK2)......249.99

MACKIE. HR624 MK2 • HR824 MK2

6.7- and 8.75" Active Two-Way Monitors

THX pm3-certified with low-distortion woofer and 1" titanium dome tweeter. Amps provide 140W or 250W of power. OmniMount ready for easy mounting on a wall or ceiling. XLR, TRS, RCA inputs and controls for LF and HF filters, along with acoustic space matching.





5.25" 2-Way Active Monitor

sandwich cone woofer and a 1" titanium fabric dome tweeter to provide clear, natural audio with a wide frequency response. Large ports on the cabinet help to extend bass response, while an elliptical MMD waveguide on the tweeter provides a wide sweet spot.

5.25" composite



#NEKH120AG**749.95***

AYRA 5

Active 5" 2-Way Studio Monitor

5" composite fiberglass woofer and a 1" soft dome tweeter provide clear, natural audio reproduction with a wide frequency response. White woofer adds a unique contrast to the black cabinet for a combination classic 70's look and modern style. Biamped Class-AB design with 55w of power. XLR, 1/4", and RCA inputs, input sensitivity and HF trim controls. #RCAYRA5



SAMSON MediaOne

2-Way Active Monitors

Rear-vented enclosures feature a custom woofer and a 1" silk dome tweeter to provide a full frequency response. Dual Class A/B internal amplifiers. Front panel






offers volume control, headphone jack, and a 3.5mm mini input.

| MediaOne 3a 3" woofer/30W | (SAM3A)99.99 |
|---------------------------|--------------|
| MediaOne 4a 4" woofer/40W | (SAM4AQ) |

TANOY Reveal 501A • 601A

5 & 6.5" Active 2-Way Studio Monitors

5 or 6.5" low-distortion low/mid driver and a 1" soft dome tweeter. Front firing bass-reflex port helps extends low frequency response to 64Hz, Rigid. sculpted front baffle minimizes diffraction and provides clear stereo imaging. XLR and unbalanced 1/4" inputs. Rearpanel volume and HF trim controls.





TANOY Reveal 601P

6.5" Passive 2-Way Studio Monitor

6.5" low-distortion low/mid driver and a 1" soft dome tweeter. Front firing bass-reflex port extends low frequency response as low as 63Hz. Rigid, sculpted front baffle minimizes diffraction and provide clear stereo imaging. Power handling capability of 50-100W. Standard wire terminal inputs. Rear-panel HF trim controls let you adjust the monitor's response to match environment. (TAR601P)125.00



YAMAHA MS101III 10W 4" Powered Monitor

4" driver housed in a bass-reflex enclosure offers a smooth frequency response of 75Hz to 18kHz. Internal EQ boosts bass response while maintaining clarity. Independent high and low EQ controls for optimization within your listen-

ing space. RCA and 1/4" line inputs, as well as a 1/4" mic input



YAMAHA MSP3 Powered Two-Wav

Compact Monitor

Built-in 20-watt amp drives both the 4" woofer and the 7/8" tweeter. Magnetic shielded, can also be mounted on a mic stand with optional BMS10A adapter. Volume controls for the two line inputs plus high and low tone controls. Balanced XLR input, a balanced 1/4" TRS phone jack and an unbalanced RCA coaxial



MSP5 5" Active 2-Way Nearfield Monitor (YAMSP5S)......274.99

YAMAHA HS50M • HS80M

5" and 8" Two-Way Active Monitors

HS50M features 70W of power, a 5" woofer and 0.75" dome tweeter, housed in a sturdy bass-reflex MDF cabinet. The HS80M offers 120 watts of power, an 8" woofer and 1" dome tweeter. Both offer rear panel level and room acoustics control switches, balanced XLR and bal/unbal 1/4" inputs



HS50M (YAHS50M) 199.99

HS80M (YAHS80M).... 349.99

YAMAHA HS10W

8" 120W Active Studio Subwoofer

Extra-large magnets for greater dynamic range. Extensive controls include input level knob. 3-way High Cut and Low Cut filter switches, Phase switch and on/off switch for Low Cut Filter, Extra-high subwoofer feet isolate speaker from floor rumble. XLR and 1/4" connectors. #YAHS10W......399.99



More Studio Monitors

Avantone Pro

MixCubes 60w Powered Monitors in Cream - Pair (AVA)469.00 MixCubes 60w Powered Monitors in Black - Pair (AVABM) ..479.00 MixCubes Mini Reference Monitors in Cream - Pair (AVP) ...269.00 MixCubes Mini Reference Monitors in Black- Pair AVPB)....279.00

Behringer

BEHRITONE C5A 5.25" 30W Monitor (BEC5A)......Call or Log On BEHRITONE C50A 5.25" 30w Monitor (BEC50A)...Call or Log On

Numark

NPM5 Active Stereo Speaker System (Pair) (NUNPM5)...... Log On

RCF

| AYRA 5 Active 5" 2-Way Studio Monitor (RCAYRA5) | 199.00 |
|---|--------|
| AYRA 6 Active 6" 2-Way Studio Monitor (RCAYRA6) | 289.00 |
| AYRA 8 Active 8" 2-Way Studio Monitor (RCAYRA8) | 319.00 |
| AYRA 10 Active 10" Subwoofer (RCAYRATENSUB) | 399.00 |

Technical Pro

MRS-4 4" 25W Nearfield Studio Monitors (Pair) (TEMRS4)....59.00

MACKIE, BIG KNOB

Studio Command System

Tabletop level control / monitor switcher and source selector and talkback box with built-in



talkback microphone. Big, convenient volume knob for precise level adjustments. Switch between 3 sets of studio monitors.

t.c. electronic Level Pilot

Analog Stereo Volume Control

Gives you precise control over your levels without cluttering your desk. Constructed from aluminum, the Level Pilot



has a slip-free design and a tight grip rubberized bottom plate to keep it from sliding on your desk. Rquires no power supply, and employs quad-core cabling with XLR connectors. (TCLP)......65.00

PSPVC6 6-Channel High Power Speaker Selector

Add up to 6 pairs of stereo



speakers to your amp. Can handle 100w per channel from 1 of 2 amps. Each channel has an independent volume control and an amp selector for custom tailoring your sound scenario.

| #PYPSPVC6 (6-Channel Selector) | Call or | Log | Oπ |
|--------------------------------|---------|-----|----|
| #PYPSPVC4 (4-Channel Selector) | Call or | Log | 0n |



MON800 Stereo Monitor Matrix behringer Mixer with Talkback Mic

Four selectable, mixable stereo inputs and three speaker outputs with their own level control for precise monitor-



ing. All I/Os offer both RCA and 1/4" connectors and there is a six-level, multicolor LED output level meter. Internal talkback mic offers mute, dim, and mono functions for flexibility. (BEMON800)

......Call or Log On

PreSonus Monitor Station

Desktop Studio Control Center

Compact desktop monitoring and communication system that brings a high level of control to your recording studio. Provides you with input source switching, speaker switching, talkback, and four highquality headphone amps. (PRMS).....



Radial MC3 Studio Monitor Controller with Headphone Amp

Select between monitors, subwoofer or headphones and compare how the mix translates. Features.

mono sum for AM radio compatibility and phase check. Sub output can be switched to a 180° polarity reversal. Each output is equipped with a topmount "set and forget"



dial. Two 1/4" headphone outputs with a volume control and a

*Auralex Mopad Monitor Isolation Pads

Provides sonic isolation between monitors and whatever they are resting

on-be it speaker stands or the meter bridge of a console, instantly improving the accuracy of the entire monitoring system. Made of proprietary, high density foam, "tightens" and increases sonic detail of studio reference monitors, particularly low frequencies. #AUMPS (one set of four pieces – two per speaker)40.81

PRO AUDIO

QUIK LOK BS-300

Adjustable Speaker Stand

Features a stable, three-point triangle base, with adjustable leveling floor spikes, and five locking height adjustment positions from 32.7 to 45.3". The speaker shelf is 9" square. All-steel, arc-welded construction with a 125 lb. capacity. High-tech design incorporates cable management.

#QUBS300



On-Stage SMS6000-P

Stands Adjustable Studio Monitor Stand

Height is adjustable in 4" increments, up to 61", for seated or standing monitoring, and locks into place with a security pin. 3 leveling spikes secure the 18" base for carpet and rug placement. Disassembles for storage or transport, 9.5" speaker mounting platform has a 1mm-thick polymer pad to prevent slipping.

#ONSMS6000P sold as a pair......**80.25**



Additional Studio Monitor Accessories

| Crown Audio D-45 Amplifier (CRD45) | |
|---|--------|
| Dynaudio Repl. Tweeter for BM5A (DYRTBM5A) | 139.00 |
| Fostex PC-1EX Speaker Volume Controller (FOPC1EX) | 49.00 |
| Hosa SLW-333 Passive Stereo Speaker (HOSLW333) | 72.95 |
| IsoAcoustics ISO-L8R155 Speaker Stands (ISL8R155) | 99.99 |

Adam Professional Audio

Desktop Stands for A3X Monitors (Pair) (ADA3XS)49.00 Desktop Stands for A5X Monitors (Pair) (ADA5XS)......59.00

Blue Sky International

BMC MK III - Bass Management Controller (BLBMCMK3).....978.71

Genelec

| Adj. Wall-Mourit Bracket for 8000 Series (GEBWIN8000)99.95 |
|--|
| Floor Speaker Stand for 8000 Series (GE8000408) |
| |

Pyle-Pro

| r 334 4 High r ower Speaker Selector (F1F334) Log Oil | ı |
|---|---|
| PSS8 High Power Stereo Speaker Selector (PYPSS8) Log On | ı |
| | |

Samson

| C-control Control Room Matrix (SACCZ) | 99.99 |
|--|-------|
| MS100 Adjustable Nearfield Monitor Stand (SAMS100) | 59.00 |
| MS200 Adjustable Nearfield Monitor Stand (SAMS200) | 67.40 |
| | |

SM Pro Audio

| M-PATCH 2 Controller/Switch Box (SMPMP2STD) | 179.99 |
|---|--------|
| Nano Patch+ Passive Volume Controller (SMPNPP1) | .59.99 |

Ultimate Support

| JS-MS70 Studio Monitor Speaker Stands (ULJSMS70) | Log On |
|--|---------|
| MS-100 Column Studio Monitor Stands (ULMS100B) | .399.99 |
| MS-80 Desktop Studio Monitor Stand-Pair (ULMS80) | Log On |
| MS-90/45 Column Studio Monitor Stand (ULMS9045B) | 249.99 |
| | |

Whiteridge Industrial

| CRM-1 Rackmount Monitor | (WHCRM1) | 399.99 |
|-------------------------|----------|--------|
|-------------------------|----------|--------|

PRO AUDIO

Studio Headphones



K141 MK II

- Semi-open supraural headphones
- Varimotion speakers provide realistic sound with a wide frequency response.
- · Self-adjusting headband with leatherette and velvet earpads. Single-sided straight and coiled detachable cables.


#AKK141MK2**129.00**



K271 MKII

- Closed-back studio headphones with Varimotion speakers
- · Self-adjusting headband with leatherette and velvet earpads
- headphones when you take them off

#AKK271MK2





K702

circumaural headphones with Varimotion speakers, flat-wire voice coils,



K77

extended frequency response.

cushions for lasting comfort

• Single-sided detachable straight cable

- · Excellent ambient noise reduction
- · Circumaural closed-back with self-adjusting headband and leatherette ear pads for long-



K240 MK II

- · Semi-open dynamic headphones with Varimotion speakers.
- · Acoustic ventilation for uncolored sound
- · Self-adjusting headband with leatherette and velvet earpads. Single-sided straight and coiled detachable cables.

#AKK240MK2......**179.00**



www.BandH.com



K99

Circumaural, open-back reference phones with extended HF to nearly 40kHz. Varimotion speakers and flat-wire voice coil technology, offer high sensitivity and clarity, with high definition of sonic detail and stereo imaging. Self-adjusting leather headband, soft cloth "3-D Form" ear cushions. (AKK701) .. 349.00







· Reference-quality open-back

and high-performance neodymium drivers. · Genuine leather, adjustable headband and

heavy-duty replaceable 3D cut earpads.



audio technica.

· Circumaural closed-back dynamic head-

phones with an extended high-frequency

response and full low-frequency sound

ATH-M3X

reproduction.

- · Detachable single-sided cable
- lasting comfort.

K171 MK II

· Self-adjusting headband with leatherette

and coiled detachable cables.

and velvet earpads. Single-sided straight

#AKK171MK2 149.00

K240 Studio

Varimotion speakers for uncolored sound and

· Semi-open circumaural with

Varimotion speakers

Closed-back studio headphones

ideal for broadcasting or DJ use.





- Circumaural semi-open with self-adjusting headband and leatherette ear pads.
- · Large 40mm drivers provide a wide frequency response with deep bass and clear treble.

#AKK99

ATH-M20

circumaural design and 40mm Neodymium

response, and extended high-end presence.

· Closed-back dynamic headphones with a

drivers. Good sound isolation, full bass

• Coiled cable with detachable 1/4" and 1/8"

79.00



audio technica. ATH-M2X

- Supra-aural open-back stereo headphones with a wide frequency response and welldefined dynamics; especially suited for use with portable digital listening devices.
- Extra-long 11.5' cable with 1/8" stereo miniplug (includes 1/4" TRS phono adapter)



(A) audio technica. ATH-M30

- · Closed-back with exceptional sound reproduction for audio recording and monitoring situations.
- · Neodymium magnets and copper-clad aluminum wire voice coils
- · Single-sided cable with stereo 1/4" and 1/8" mini connections

#AUATHM30..... Call or Log On



(A) audio technica.

Extra-long 10-ft. cable

ATH-M35

- · Closed-back with folding design with 40mm Neodymium drivers
- Padded, adjustable headband with around-ear cushions
- · Ultra-long single-sided cable

#AUATHM35.....Call or Log On





△ audio technica ATH-M40fs

- · Circumaural closed-back with extended frequency response; particularly well suited for mixing and monitoring.
- Superb ambient noise isolation

stereo connectors

 Single sided cable with stereo 1/4" stereo and 1/8" mini connections

#AUATHM40.....**79.00**

(A) audio technica ATH-M50WH





- 40mm neodymium drivers with copperclad aluminum wire voice coils produce bass-enhanced frequency response
- · Swivel earcups with around-ear cushions.
- Single sided cable with stereo 1/4" plug
- Field-serviceable

#AUATHD40......Call or Log On






(A) audio technica. ATH-M50s/LE

- · Incredibly accurate listening experience in a lightweight and comfortable design.
- 45mm neodymium drivers provide a wide frequency response of 15Hz to 28kHz so you hear the lowest bass and highest treble.
- 180° swiveling earcups #AUATHM50SLE (in silver) Call or Log On








- 45mm neodymium drivers provide a wide frequency response of 15Hz to 28kHz so you hear the lowest bass and highest treble.
- 180° swiveling earcups #AUATHM50W (in white)......Call or Log On





HPS3000

- · 40mm cobalt capsules deliver full frequency response
- · Comfortable, padded headband and earcups built for durability.







HPS5000

- · Studio headphone with a circumaural, closed-back design.
- 40mm cobalt capsules
- · Padded headband and earcups with over-the-ear design. Single-sided cable.

#BEHPS5000......**29.99**





- for broadcast, studio or field use · Foam-filled headband and earcup
- · Highly efficient transducers, high output, very low impedance
- 12 dB of ambient noise attenuation #BEDT48E25......Call or Log On



Studio Headphones

beyerdynamic))) DT770 PRO

· Extremely wide-range, closed-back

· Very soft viscose earcups for comfort

• 5Hz-35kHz frequency response

· Rugged with replaceable parts

circumaural headphones

Excellent noise isolation

beyerdynamic))) DT1350

- On-ear closed-back studio headphones
- Drivers use Tesla technology to provide exceptional efficiency and low distortion
- · Closed-back earcups and thick on-ear soft-skin cushions
- · Earcups have 90° swivel mechanisms

#BEDT1350......Call or Log On



beyerdynamic))) DT770 M

- · Wide-range closed-back circumaural headphones for low impedance operation without compromising quality.
- · Excellent noise isolation
- · Powerful bass reproduction
- · Very soft viscose earcups for comfort
- 5Hz-30kHz frequency response

#BEDT770M......Call or Log On



beyerdynamic)))) DT990 PRO

beyerdynamic))) DT250 80

headphones ideal for audio monitoring in

Closed-back circumaural dynamic

broadcast and recording studios.

Neodymium magnet driver system

• 10Hz-30kHz frequency response

Coiled cable

· Open-back circumaural headphones with excellent sound reproduction and wide frequency response.

#BEDT25080......Call or Log On

- · Single-sided coiled cable
- · Soft viscose ear pads
- 5Hz-35kHz frequency response

#BEDT990PRO Call or Log On



beyerdynamic))) DT990

#BEDT770PRO Call or Log On

- · Open-back design
- · Offers analytical, high-resolution audio reproduction with strong bass and treble, yet he lightest headphone in its class.
- · Adjustable, padded headband and swiveling, cushioned earcups



DENON AH-D5000

- · Lightweight magnesium frame with adjustable headband and thick around-ear cushions for comfort and noise isolation.
- · Microfiber diaphragms provide faithful reproduction of delicate sonic details
- · Acoustic optimizer adjusts sound pressure to balance low and mid frequencies.

#DEAHD5000Call or Log-on



Spirit One

- · Closed-back design
- · Pivoting and articulating ear cups
- · Sealed, insulated ear cups deliver passive sound insulation over 20dB
- OFC detachable anti-tangle cable with Apple compatible in-line remote

#F0SPIRIT1 279.00



FOSTEX T20RP

- · Circumaural semi-open studio headphone features smooth vocal reproduction along with punchy low and well balanced mid/ high frequencies.
- · Head pad and leatherette padded ear cushions provide excellent sound isolation

#F0T20RP



FOSTEX T40RP

- · Circumaural closed-back stereo studio headphone
- · Leatherette padded ear cushions · Head pad supplied for extra comfort
- . Lockable 10' headphone cord

#FOT40RP Call or Log On



FOSTEX T50RP

- Damped, semi-open design with adjustable earpiece rails and lockable cable
- · Cushioned earpieces for comfortable fit
- RP diaphragm provides resistance to high level input peaks of up to 3000 mW for improved transient handling. #F0T50RP Call or Log On



KRK₹ KNS 6400

- · Closed-back design with 40mm neodymium
- Adjustable, padded spring steel headband
- Thick around-ear cushions; swivel earcups #KRKNS6400......99.00



KRK

KNS 8400

- · Closed-back design with 40mm neodymium drivers
- · Adjustable, padded spring steel headband
- · Thick around-ear cushions; swivel earcups



M-AUDIO Studiophile Q40 Closed-back, circumaural design

- · Large 40mm drivers
- · Adjustable, padded headband and cushioned around-ear earcups
- Single-sided, detachable cable
- · Collapsible design, ideal for travel #MAQ40......119.88



REMOTE AUDIO HN-7506

- · High noise isolating headphones with Sony MDR-7506 drivers and custom baffling, designed for use in high-noise field environments
- 40dB of attenuation in the voice range #REHN7506 285.00



Roland RH-5

- · Closed-back design and thick around-ear cushions for comfort
- · Large 40mm drivers
- · Adjustable, padded headband
- 10' single-sided cable

#RORH5......39.95



Roland RH-300

- · Circumaural stereo studio headphones
- 45mm driver with neodymium magnet.
- High-tech appearance with aluminum housing plate. Soft earpad for comfortable prolonged listening

#RORH300......179.00



SENNHEISER HD 25-1 II

- · Lightweight, rugged design with padded headband and cushioned earcups
- · Great for high-noise environments
- · Neodymium drivers provide extra wide frequency response • Detachable steel cable
- Rotatable capsule for single-ear monitoring



MISENNHEISER HD 25-SPII

- · Closed-back earcups and thick on-ear cushions block out unwanted ambient noise and provide lasting comfort
- · Neodymium drivers and aluminum/copper voice coils provide detailed, natural audio with a wide frequency response and high SPL capability.



MISENNHEISER HDA 200 · Audiometric closed-back stereo headphones.

- they provide reference-quality audio ideal for testing and calibration applications.
- · Dynamic drivers provide a wide frequency response, suitable for high frequency

#SEHDA200 599.95



SENNHEISER HD-280 Pro

- · Around-the-ear, closed-back headphones
- · Collapsible design with swiveling earcups
- Use for critical monitoring applications Thick, padded leatherette earcup:
- adjustable padded headband





SENNHEISER HD 380 Pro

- · Large drivers provide a wide, accurate frequency response and a high SPL
- E.A.R. technology and patented Duofol diaphragms
- · Closed-back design and around-ear cushions
- Padded, adjustable headband



SENNHEISER HD650

- · Audiophile playback headphones
- · Open-back design
- 10Hz-39.5 kHz frequency response
- · Comfortable, plush Velour-covered cushioned earpads for extended wear
- · Adjustable headband with interior padding



SMURE SRH1440

- 40mm Neodymium Drivers
- Open-Back Earcups





SONY MDR-7506

- Circumaural closed-back design helps eliminate "headphone bleed" when overdubbing in the studio.
- 40mm diameter drive, Neodymium magnets for maximum energy and minimum size.
- Compact, foldable design

#SOMDR7506



.99.99

SONY MDR-7520

- 50mm LCP diaphragms
- · Neodymium magnets
- · Closed-back design Swivel earcups
- Around-ear cushions
- Adjustable, padded headband


#SOMDR7520399.99



TASCAM LaunchPad

Headphone/Mic Starter

Ideal for beginner musicians on a budget, the perfect starter kit to begin recording music at home. Consists of a pair of HP-VT1 studio headphones. MCVT-1XLR dynamic mic and XLR cable.



MULTRASONE Signature PRO

- · Hand crafted in Germany S-Logic Plus Natural Surround Sound
- 40mm Titanium-plated drivers
- · Ear cushions and headband are made from genuine Ethiopian sheepskin leather
- · Decentralized driver positioning create snatural 3D sound.

#ULSIGHP......1299.00



SENNHEISER HD 600

- Open circumaural high-def stereo headphone
- High-quality open metal mesh earpiece-covers aid in delivering extremely transparent sound
- Computer optimized magnet system
- Neodymium ferrous magnet system
- · Extremely lightweight aluminum voice coils

SHURE SRH940

Professional Reference Headphones

- 40mm neodymium drivers
- · Closed-back earcups
- Around-ear velour cushions
- Adjustable, padded headband
- Includes hard travel case

#SHSRH940

SONY MDR-7502

- Supra-aural closed-back stereo headphone designed for general sound monitoring in the studio or in the field.
- 30mm diameter drive
- · Neodymium magnets
- OFC cable and gold plated Unimatch plug #SOMDR7502 49.99



SONY MDR-7510

- · 50mm PET Diaphragms
- · Neodymium magnets
- · Closed-back design
- · Around-ear cushions
- Adjustable, padded headband

#SOMDR7510......129.99



SONY MDR-V6

- · Circumaural, closed back studio headphones with reversible earcups
- Neodymium magnet and copper-clad aluminum voice coil for extended 5Hz - 30kHz frequency reproduction
- 40mm aura-nomic designed drivers #SOMDRV6.....



ULTRASONE PRO 750

- S-Logic Natural Surround Sound
- Titanium-plated drivers
- · Speed-switch earpads
- Two detachable cables
- Includes hard case
- · Foldable design, includes hard case



YAMAHA' RH5Ma

- · Supra-aural semi-closed stereo headphone
- 40mm diameter drive units deliver deep bass with low distortion and wide dynamic range
- OFC cable provides both 1/8" mini and 1/4" TRS phono connectivity

#YARH5MA



ALESIS MultiMix 6 Cue

6-Channel Stereo Headphone Amplifier/Mixer

3 20 00 00 00 00 00 00

- Slim 1RU rackmount chassis Individual input/mix sections
- 3 headphone jacks on each channel

#ALMULTMIX6C......Call or Log On

APHEX Headpod

- 4-Channel Headphone Amp
- · Compact and rugged metal chassis
- Independent amplifier circuits
- Analog and S/PDIF inputs
- 1/4" stereo outputs





A R T HeadTAP

- 2-Output Headphone Tap
- · Passive headphone monitoring solution with dual headphone outputs
- · Direct connection to stereo or mono headphone and monitor amplifiers; stereo/mono input selector switch



... Call or Log On

A R T HeadAmp4

Four-Channel Stereo Headphone Amplifier

- . Up to two users per channel, for a total of eight users
- Both 1/4" and 1/8" connectors are available for all I/Os
- Four front panel level control knobs



A R T HeadAmp6

Rackmount 6-Channel Stereo Headphone Amp

- Can drive up to 18 headphones simultaneously
- . Mix and balance controls for each channel
- Operating modes; Stereo, Mono Left, Mono Right, or Mono Both #ARHA6P (HeadAmp6 PRO) 169.95



MA400 - MICROMON

Miniature Monitor Headphone

• Allows for simultaneous independent mic and line level monitoring

 Accepts balanced and unbalanced 1/4" inputs with accompanying mono/stereo monitoring switch.





HA-400 MicroAmp

4-Channel Miniature Headphone behringer Amplifier

- · Individual channel level controls
- 4 separate low-noise 4580 op-amps (operational amplifiers) for efficient, maximized output levels per channel #BEHA400......19.99



Headphone Amplifiers & Accessories

800-947-1181 | 212-444-6681

AMP800 MiniAMP Compact

4-Channel Headphone Amp



- 8 headphone outputs
- Accepts balanced or unbalanced inputs
- · Individual channel level control and input selection switching



VRM Box Headphone FOCUSTICE Monitoring/Mixing Solution

Consists of a robust, pocket sized audio interface and the company's Virtual Reference Monitoring (VRM) software, allowing you to mix anytime,





The amp has a 3.5mm male input which can connect to the headphone jack of virtually any MP3 player or computer. Provides 15W per channel RMS (150W per channel peak) of output power with a stable 4 ohm impedance.



HA8000 PowerPlay Pro-8 8-Channel Headphone Amp DA

PRO AUDIO



. Individual direct ins, meters, volume controls, and two headphone jacks for each of the 8 headphone output channels.

#BFHA8000 Call or Log On

DYLE PHA25

300W Stereo Audio Amplifier

HA4700 4-Ch. Headphone Amp

Distribution System

· 4 amp sections offer 4 different mixes and individual output

· Individual EQ, Balance, Muting, and Stereo/Mono monitoring.

level control. Left and Right Mute switches

#PYPHA25...... 11.81

PYLE PHA40

4-Channel Headphone Amplifier

- Stereo 1/4" input jack and 4 stereo 1/4" outputs
- · Each output has its own level control knoh
- · Red power LED provides visual indication that the amp is receiving power #PYPHA40......Call or Log On



PreSonus HP4

4-Channel Headphone Distribution Amplifier

- · Four discrete outputs each with its own volume potentiometer and 150mW of amp per channel.
- · Adjust control-room monitors with a separate volume control, monitor mute and mono switches.



ROLLS HA204

4-Output Stereo Headphone Amplifier

4-channel portable headphone amp powered by a 9v battery or optional AC adapter. Has a unique translucent blue appearance, and provides separate level control sliders for each of the 4 outputs. All connectors are 1/8" stereo mini



. Four output level controls

4-Output Stereo Headphone Amplifier

ROLLS HA43

- · Small footprint
- · Extremely low noise
- · Each output boasts a whopping 20 dB of clean channel gain. #ROHA43P......**45.38**

SAMSON S-amp



ROLLS PM50s

Personal Monitor Amplifier

- · Personal monitor amplifier with microphone pass-through
- · Seperate volume controls for monitor feed and microphone input
- Pair of headphone outpute

| | r all of floadpriotio outputo |
|-------|---|
| 45.36 | #ROPM50S |
| 94.65 | RA53B - 5-Channel Headphone Amp (RORA53B) |



ROLLS PM55 Personal Monitor Amp

- . XLR mic input and thru connectors and a stereo/mono 1/4" monitor input
- · Individual mic and monitor controls
- 3.5mm and 1/4" headphone jacks
- · Ground-lift switch
- · Runs on battery or AC power

#ROPM55

SOUND DEVICES HX-3

67.95





for each output

· Supports wide variety of

Portable Miniature 4-channel Headphone Amp · Separate volume control knobs

headphone impedances • Standard 1/4" stereo input jack

#SASAMP.....

C-que 8 - 4-Channel Compact Headphone Amp (SACQ8)......99.99



SM Pro Audio Q-AMP

4-Channel Stereo Headphone Amplifier

- Durable extruded aluminum chassis
- . 2 stereo inputs, each with a pair of 1/4" connectors
- 1/4" and 3.5mm headphone jacks for each channel

#SMP0AMP1 99.99

TASCAM, MH-8

8-Channel Headphone Amplifier



· Each output has input selector switch and volume control


extruded aluminum chassis

- High output, very low noise;
- frequency response from 10 Hz 50 kHZ
- · Three isolated headphone outputs with volume controls
- . 125dB dynamic range with flat frequency response
- Dual XLR line level plus 1/4" and 1/8" stereo input connectors

whirlwind PA-1

Personal Headphone Monitor

Use with headphone distribution systems to boost weak headphone outputs and more. Can accept balanced or unbalanced line-level stereo signals via XLR or TRS





AM-300

Compact, single-channel headphone monitor

intended for microphone boom operators. Features balanced XLR mic inputs and outputs that connect between the mic and input device. Both 1/4" and 1/8" mini headphone outputs are provided. Level control, on/off switch and belt-clip are also provided. Runs on a 9v battery. #STAM300. 149.00



Headphone Accessories K&M 16085 Table Clamp Headphone Holder (KM16085B)..... 39.99

| (&M 24116 Connector Plate (KM24116) | Log Or |
|---|--------|
| Pearstone 1/4" Stereo Phone Screw-On Adapter . Change 1/8" to Male 1/4" (PEAMPS3S) | |
| Raxxess Headphone Hanger -Straight (RAHH1) Raxxess Headphone Hanger - Angled (RAHH2) | |
| Rolls PS27s 15v DC 100-240v AC Adapter (ROPS27S) | 18.36 |
| Sennheiser Headphone Cable for HD Series (SEH92885) | 13.26 |
| Shure Replacement Earcup Pads (SHHPAEC840) | 14.25 |
| Shure HPACA1 Replacement Cable (SHHPAC1) | 14.25 |
| Shure HPACP1 Carrying Pouch (SHHPCP1) | 3.99 |
















| #TAMH8 | 299.00 |
|---|---------|
| Nady HA-1X4 4-Channel Headphone Amp (NAHA1X4) | 29.99 |
| Grace Design m903 Headphone Amp (GRM903) | 1895.00 |





Sound Reinforcement Mixers

www.BandH.com

• 14 inputs (6-mono and 4-stereo)

· Mono inputs provide high

quality mic preamps and

ALESIS MultiMix 12R

12-input Recording/Sound Reinforcement Mixer



- Rack mountable enclosure
 Mono & dtereo channels
- Balanced mic inputs Channels 1-8 feature insert points

#ALMM12R Call or Log On

ALLEN&HEATH Mix Wizard 3 16:2

16 x 2 Sound Reinforcement Audio Mixer

mono connectors. Provides quality reverbs and delay effects.

16 balanced 1/4" TRS line and

16 XLR mic inputs. Every input

channel features a direct output

dedicated stereo inputs. Master

via 1/4" phone connectors.

Six Aux sends and a pair of

output section includes dual

XLR L/R stereo and single XLR

ALESIS MultiMix 16 USB 2.0

16-Channel Recording / Live Sound Mixer



and 2 aux sends

#ALMM16USB2 Call or Log On

3-band EQ USB connector . Inserts on all mono channels and stereo output.

14-Channel Recording/Live Sound Mixer

ALLEN&HEATH ZED14

#ALZED14 (with Sonar LE software) Call or Log On

MX622 6-Channel Rackmount Mixer



- . Three balanced XLR mic/line inputs. 15v phantom power for mic channels.
- Three stereo RCA inputs with separate level controls. Balanced TRS 1/4" main output jacks with master level control.
- · Level control and clip indicators. Two-band master EQ.
- · Separate stereo record outputs. Effects loop with level control.



PMP1000 12-Channel behringer Powered Mixer with Effects

- Mixer and integrated 500w power amplifier with 24-bit effects processor.
- Balanced XLR mic and 1/4" phone line inputs. 3-band EQ, effects level control and send level. Stereo paired 1/4" line inputs.
- 7-band graphic EQ and FBQ feedback detection



PMP2000 10-Channel Powered Mixer with Effects

- · Audio mixer and integrated 800w amplifier with built-in 24-bit effects processor.
- 9 channels balanced XLR mic and 1/4" phone line inputs
- · 3-band EQ. effects level control and send level.
- . Dual 9-band graphic EQ and FBQ feedback detection system



PMP1680S 10-Channel behringer Powered Mixer with Effects

- 2 x 800w stereo powered mixer (1600w bridged mode).
- · 8 mic preamps with switchable +48 V phantom power
- 6 mono and 2 stereo channels plus separate CD/Tape I/O
- Two 24-bit stereo FX processors with 100 presets
- · Stereo 7-band graphic EQ and FBQ feedback detection system #BEPMP1680S......Call or Log On

MACKIE 2404-VLZ3

24-Channel 4-Bus Mixer with Effects and USB



channels plus CD/Tape I/O

• 12 mono and 4 stereo

- XPQ 3D stereo surround effect
- . Two 24-bit FX processors
- . Stereo 7-band graphic EQ and FBQ feedback detection system

PMP6000 20-Channel

Powered Mixer with Effects

MACKIE.ProFX 8

8-Channel Desktop Mixer with USB

- USB I/O (Mac & Windows)
- · 32-Bit "Gig Ready" Effects
- Built-In Instrument Inputs
- 3-Band Channel EQ
- Dual 7-Band Graphic EQ

ProFX8 (MAPROFX8) 229.99 ProFX12 (MAPROFX12)......279.99 ProFX16 (MAPROFX16)......499.99 ProFX22 (MAPROFX22)......649.99



• 20 XDR2 Mic Preamps Phantom Power · 3-Band Active FQ

- Dual 32-bit RMFX+ Processors
- 4x2 24-bit USB Interface • 4 Subgroups with

| compressors | |
|------------------------|--------|
| 2404-VLZ3 (MA2404VLZ3) | 1149.9 |
| 3204-VLZ3 (MA3204VLZ3) | 1349.9 |



MACKIE. Onvx 24.4

24-Channel Live Sound Mixer

24 input channels with 1/4" phone line level connectors and Onvx mic preamps with 123dB dynamic range.

Internal compressor / limiter and each channel features 4-band Perkins EQ for "British" EQ style signal contouring. 6 x 2 matrix provides sufficient monitor sends.



PV6 • PV8 • PV14

6, 8 & 14-Channel Live Sound Mixers

Ideal for small venue installation, schools, house-of-worship. 6, 8 or 14 input channels and RQ (Reference Quality) mic inputs 3-hand EO on all channels. PV14 has built-in DSP effects processor.



PV6 (PEPV6)99.99 PV8 (PEPV8)......134.99



PV6U • PV8U

6-, 8-Channel Live Sound Mixers

Same features as their PV6 and PV8 counterparts, except the PV6U and PV8U feature a USB port to digitize and playback audio using your favorite recording software. They also have DSP effects processor.

PV6U (PEPV6U) 129.99 PV8U (PEPV8U)...... 169.99



PYLE PMX402M 400W 4-Channel Powered PA Mixer/Amplifier

- USB 2.0 input for MP3 & WMA playback with an LCD display
- Effects with level controls
- 5-band graphic EQ
- · Tone control on every channel
- · Aux/tape/effect feedback input

#PYPMX402MCall or Log On



Sound Reinforcement • Live Sound Signal Processors

800-947-1181 | 212-444-6681

YAMAHA EMX-212S

12-Channel Stereo Powered Mixer

- . 8 balanced XLR mic inputs, with 15v phantom power
- 200watts per channel
- Internal Effects
- · Effects engine . Dual 7 Band Graphic EQs
- · Feedback channel locating
- · High, Mid and Low frequency adjustment dials on every channel
- Stand-by switch mutes all channels

YAMAHA MG82 CX

8-Channel Stereo Mixer with DSP FX Engine

- 8 line level 1/4" TRS phone and 4 XLR mic inputs with +48v phantom power.
- 16 user selectable presets
- Compressor on mono inputs for ynamics control over instruments and vocals.
- Inserts on channels 1 and 2

#YAMG82CX.....



.... 159.99

YAMAHA MG124 CX 12 Channel 4-Bus Mixer with DSP Effects and Compression

frequency adjustment dials are provided on every channel Dual 7-band graphic EQs for stereo signal contouring on output.

- 12 line 1/4" TRS balanced phone and 6 XLR mic inputs with +48v phantom power.
- 4 stereo inputs

• 12 line inputs

Effects engine

(4 mono and 4 stereo).

8 halanced XLR mic

inputs, capable of

High, Mid and Low

15v phantom power.

- 16 user selectable presets
- Compressor on mono inputs for dynamics control over instruments and vocals.

YAMAHA EMX-512SC

12-Channel Stereo Powered Mixer

 3-band EQ with sweepable mid-range and high pass filter #YAMG124CX...... 289.99



YAMAHA MG12/4 12 Channel 4-Bus

Rack-mountable Mixer

- 12 line inputs via 1/4" TRS balanced
- 4 Stereo Inputs
- . 6 XLR mic inputs with phantom power
- 1/4" TRS phone connections on every mic input for flexible routing
- All mono channels feature a 3-band EQ with sweepable mid-range and high pass filter.
- 4 output buses

#YAMG124C......239.99



YAMAHA MG166CX 16-Channel 4-Bus

Rack-mountable Mixer

- 12 line inputs via 1/4" TRS balanced
- 10 XLR mic inputs with phantom
- . Compressor on 6 mono channels
- 1/4" TRS phone connections on every mic input for flexible routing
- Effects processor with 16 presets including reverb, delay, chorus, flanger, distortion and more.



dbx DriveRack PX

Powered Speaker Optimizer



- · Stereo feedback elimination with twelve feedback notch filters
- Stereo 28-band graphic EQ Classic dbx compressor
- 120A sub-harmonic synthesizer
- Stereo PeakPlus limiters Pink noise generator
- Auto-EQ with 28-band RTA (Real Time Analyzer)
- JBL preset speaker combinations
- Includes dbx M2 measurement mic and zippered pouch
- Front panel RTA microphone XLR input with phantom power

#DBPAPLUS (DriveRack PA+)......Call or Log On

SHURE DFR22

Audio Processor with Feedback Suppression



- 2-input, 2-output digital audio processor with feedback reduction.
- Stores 16 presets and provides 24-bit/48kHz sampling and a minimum dynamic range of 100dB.
- Combining and non-combining 10 and 30-band graphic EQs
- 3- to 10-band parametric EQs with cut and shelf filters
- Two-way crossover and splitter
 Subwoofer control
- · Gate/downward expander · Ducker and Peak stop limiter
- Mono and stereo compressor/limiter with soft knee option

Behringer DCX2496 ULTRADRIVE PRO (BEDCX2496) Log On

Ear Plugs & Hearing Protection

Etymotic Research

ER-20 ETY-Plugs Triple-Flange - Clear/White (ETER20CCCC), 12.95 ER-20 ETY-Plugs Triple-Flange - Clear/Blue (ETER20SMBC) .. 12.95 ETYPlugs High-Fidelity Earplugs in Blue (ETER20BSCC),

V-Moda

Faders VIP Tuned Earplugs in Electro Pink (VMEAVFDEP), Gun Metal Black (VMEAVFDGB) or Rouge (VMEAVFDR)......19.99

SureFire

EarPro EP3 Sonic Defenders -Clear in Small (SUEP3SPR) or Medium (SUEP3MPR).....12.56 EarPro EP4 Sonic Defenders Plus in Medium





BBE. 882i Dual Mono Sonic Maximizer



The sound-improving benefits of a Maximizer signal processor in dual mono operation. For each channel there is a pair of Low Contour and Process knobs plus an LED input level meter. There is a bypass switch for comparison of processed to unprocessed signal. Balanced XLR and 1/4" inputs/outputs.



CX2310 SUPER-X PRO

2-Way Stereo/3-Way Mono Crossover



- Separate sub woofer section with independent frequency control
- Individual output level controls for all bands
- · Individual output mutes for easy band adjustment and individual phase reverse switches for instant phase correction



CX3400 SUPER-X PRO

Stereo 2-Way/3-Way or Mono 4-Way Crossover with Limiters



- Individual output level controls for all bands
- · Individual output mutes for easy band adjustment and individual phase reverse switches for instant phase correction
- CD horn equalization for constant directivity horn compensation



DSP1124P

Dual Channel 24-Bit Feedback Suppressor/Parametric EQ



- Two digital processing engines provide independent or coupled functions on left and right channels
- Automatically and "intelligently" searches out and destroys up to 12 frequencies per channel

#BEDSP1124P......Call or Log-on



FBQ2496

2-channel 24-bit/96 kHz Feedback Destroyer and Parametric EQ



- . Automatically and "intelligently" locates and destroys up to 40 feedback frequencies
- Ultra-narrow FBQ filters "Set-and-forget" default setting SHARK FBQ100 Automatic Feedback Destroyer (BEFBQ100)...99.99

dbx AFS 224

Two Channel Feedback Suppression Processor



- dbx's Advanced Feedback Suppression (AFS) technology
- 24 programmable filters per channel
- Filter types include Speech and Music Low, Med and High
- Live and fixed filter modes with selectable filter lift times
- Input channel and 24 LED per channel filter metering

PRO AUDIO

Live Sound Speakers



B212XL • B215XL

behringer 2-Way Passive PA Speakers

- 12" (B121XL) or 15" (B215XL) woofer and 1.75" titanium driver
- 800w (B121XL) or 1000w (B215XL) peak power
- Two Speakon and 1/4" connector
- Mounts onto a speaker stand
- · Overload-protection circuitry

#BEB215XL219.99





B1500D-Pro

behringer Active Subwoofer (15" Driver)

Compact and powerful, this subwoofer delivers bass with thunderous results and pristine audio fidelity. Rated at 1400w (peak), itfeatures a class-D amplifier, active crossover and 15" longexcursion driver. Has balanced XLR input and thru connections, controls for crossover frequency and level. #BEB1500DPR0.....



499 99

IBL EON 305

· Mic/line input with volume

· High-resolution 1" HF driver

and 12" long-excursion driver

• Integrated 35mm pole socket

control and peak LED

Dedicated 3-band EQ

for stand mounting

15" Passive Two-Way Portable Speaker

#BEF1220A.....

Eurolive F1220A

behringer 125-Watt Active Stage Monitor

· Adjustable feedback filter and integrated limiter

- · Durable composite enclosure houses a 15" woofer and a 1" neodymium compression driver
- 200-watts continuous with up to 800-watts peak output power
- Speakon/TRS combo I/O allows loop-thru; daisy-chain options
- Built-in handles; M10 suspension points; 36mm pole mount socket #JBEON305Call or Log On





B208D • B210D • B212D **B215D** 2-Way Active Speakers

Class-D amplifiers provide 200 or 550w of power to 8-, 10-, 12- or 15" long-excursion drivers 1.35" compression drivers. They feature XLR and 1/4" mic/line input with volume control and Clip LED. Additional line output to link additional speakers. Stand mount or tilt for use as a floor monitor. #BEB208DB (200w, 8" woofer)...... 179.99 #BEB210DB (200w, 10" woofer)...... 199.99



www.BandH.com

#BEB212DB (550w, 12" woofer)

JBL EON 315

15" Powered Two-Way Portable Speaker

- Durable composite enclosure houses a 15" woofer and a 1" neodymium compression driver
- . 280-watts continuous with up to 560-watts peak output power
- I ine level and direct mic input: selectable EQ settings
- Built-in handles; M10 suspension points; 36mm pole mount socket #JBEON315......**549.00**



IBL EON 510 • EON 515XT

Powered Two-Way Portable Speaker

- 10" (EON 510) or 15" (EON 515) woofer and 1" neodymium compression driver
- 280w (EON 510) or 450-watts (EON 515) continuous power
- Efficient Crown Class-D amplifier
- · Built-in 3-channel mixer
- Integrated M10 suspension points, 36mm pole mount socket

#JBEON510......**629.00**



#JBEON515XT......699.00

JBL JRX112M • JRX115

250W Two-Way Passive Speakers

- 12" (JRX112M) or 15" (JRX115) woofers • 250w continous and 1000-watts peak
- performance
- SonicGuard circuit protection
- · Dual-angle pole-mount socket allows 10° angle tilt for more uniform coverage as a main speaker
- · Non-resonant steel handles and high-quality MDF

#JBJRX112M......**289.00**



#JBJRX115299.00

JBL JRX125

Dual 15" 2-Way Passive Speaker

- Dual 15" woofers, 90° x 50° waveguide horn and 500w power handling capacity
- · Quasi 3-way design offers extra bass with uncompromised midrange performance
- 2.5" edgewound ribbon voice coil for woofers, ferrofluid-cooled compression driver with titanium diaphragm
- Rugged MDF enclosure with 18-gauge perforated steel grille • Non-resonant all-steel carrying handles #JBJRX125 Call or Log On

MRX515 15" 2-Way Speaker

- 15" woofer handles 400w of continuous power.
- Dual-angle pole mount allows placement in vertical position with a 10° angle tilt.
- Dual-angle pole socket for situations where tripod mounting is optimal.
- 16-gauge protective screen-backed steel grill and a Duraflex enclosure



#JBMRX515 Call or Log-on

JBL PRX615M

15" 1000W 2-Way Powered Speaker

- 15" Differential Drive Woofer
- 1.5" Neodymium Compression Tweeter
- Dual 500W Class-D Crown amplifiers
- DSP input section with EQ
- XLR/TRS combo iput with XLR loop-thru
- Dual-purpose enclosure
- · Fly points and pole socket
- Aluminum handle with rubber grip

#JBPRX615M **899.00**



MACKIE. C300z

300W 2-Way Passive PA Speaker

- 1.75" HF compression driver and 12" LF transducer
- 750W peak power handling
- · Inputs and thruputs for parallel connection of up to 2 sets of speakers
- · Rugged impact-resistant enclosure with sturdy side handles, pole-mount, and integrated rigging points for "flying" the speakers.

#MAC300Z.....**349.99**



MACKIE. SRM350v2

Powered Two-Way Portable Speakers

- Servo-controlled 10" neodymium woofer and 1" titanium tweeter
- 165W low frequency amplifier · XLR input and pass-thru
- · Active Electronic time alignment, phase correction, and EQ
- Can be flown, pole-mounted, or placed on stage in a vertical or wedge position



MACKIE. SRM450v2

12" Powered Two-Way Portable Speaker

- Servo-controlled 12" neodymium woofer and 1.75" titanium tweeter
- 300W low frequency amplifier
- XLR input and pass-thru
- · Active Electronic time alignment, phase correction, and EQ
- · Can be flown, pole-mounted, or placed on stage in a vertical or wedge position



MACKIE. TH12A • TH15A THUMP

12- and 15" Powered Speakers

- 12- or 15" high-precision woofer
- 1" compression driver
- . 300W low frequency amplifier
- · Adjustable 3-band contour EQ with sweepable mid-frequency
- Mic/line input
- · Pole-mountable and floor wedgeable

#MATH12A 12-inch **299.99**

#MATH15A 15-inch 349.99




Live Sound Speakers • Portable PA Systems

800-947-1181 | 212-444-6681



PM-200A 5" Active Personal Stage Monitor Speaker

- Dual 5" drivers 150W RMS Amplifier
- Volume control and 3-band FQ



· Integrated mounting socket #NAPM200A189.99





PR10 • PR12 • PR15

Passive Two-Way Portable Speaker

Capable of 800 watts of power, the PR10 (10"), PR12 (12") and PR15 (15" woofer) feature a 1.4" tweeter, heavy-duty crossover, heavy-duty metal grille, and lightweight molded polypropylene enclosure. Use them on the floor or on a speaker pole. Two 1/4" phone jacks run in parallel allowing daisy chaining.



| R10 10-inch | 159.99 |
|-------------|--------|
| R12 12-inch | 189.99 |
| R15 15-inch | 229.99 |



Powered Two-Way Portable Speaker

Packed with a powerful 1000w amplifier, tough yet professional looking exterior, and some really flexible input and output mixing capabilities. Use them as a stand-alone PA system, without need for external mixer. Easy to use switches let you accentuate a speaking voice, or add depth to the bass in music.



| #USN8 (8-IIICII) | . 099.99 |
|-------------------------------|------------------------|
| #QSK10 (10-inch) | .749.99 |
| #QSK12 (12-inch) | 849.99 |
| #QSKW181 (KW181 1000W 18" Act | ive Subwoofer) 1399.00 |



#OCVO (O inch)

ART310A • ART312A

10- and 12" Active Speakers

Lightweight, polypropylene enclosures packed with high-quality neodymium woofers, 1.5" compression drivers, 350w amp and RCF low distortion. System processor controls crossover, transducers, phase alignment, limiter and protection functions. Monitor functions via four status LEDs. Built-in pole mount adapter and M10 fly-mounting points.



#RCART310A.. Call or Log On #RCART312A......599.00

YAMAHA BR12 • BR15

12- and 15" Passive Speakers Portable P.A. speakers with 300- or 400watt power handling capacity, featuring a 12- or 15" woofer and a 1" titanium horn-loaded tweeter, housed in a rugged, steel-cornered enclosure. Ideal for small club installations, or club-date musicians, they are equipped with overload protection circuitry and offer recessed, gravity-centered steel carrying handles, for safe and simplified transportation. #YABR12......**249.99** #YABR15 289.99



| Behringer B815NEO: Powered Speaker and Integrated Mixer (BEB815NEO) | 599.99 |
|---|--------|
| Behringer B208D: 2-Way Active Loud Speaker in White (BEB208DW) | 199.99 |
| Ion BLOCK ROCKER: AM/FM All-in-One Portable Speaker System (IOBLOCKRKRFM) | 199.99 |
| Ion TAILGATER: AM/FM Portable PA System with iPod Dock (IOTAILGATERF) | 139.95 |
| Nady PM-100 5" Nearfield Personal Stage Monitor Speaker (NAPM100) | 84.99 |
| Peavey PV12M: 12" 2-Way Stage Monitor Speaker (PEPV12M) | 199.99 |
| Yamaha MSR100: 8" Two-Way 100-watt Powered Speaker (YAMSR100) | 299.99 |
| Yamaha YAS115V: 15" Two-Way 500-watt Passive Speaker (YAS115V) | 379.99 |
| Yamaha BR12M: 12" 2-Way 300-watt Floor Monitor (YABR12M) | 259.99 |

Additional Live Sound Speakers

Speaker Cases & Covers

| Anchor-Audio CC-100 Carrying Bag (ANCC100) | 40.00 |
|--|--------|
| Gator Cases GPA-SCVR450-515 Cover (GASCMS) | 59.99 |
| Gator Cases GPA-450-515 Speaker Bag (GASBMS) | 69.99 |
| JBL EON10-BAG-DLX Carry Bag (JBEON10BAGDX) | 64.99 |
| JBL Carry Bag for two EON P210's (JBEP210BDLX2) | 109.99 |
| JBL EON15-BAG-1 Speaker Bag (JBEON15B) | 74.99 |
| JBL EON15-BAG-DLX Carry Bag (JBEON15BAGDX) | 84.99 |
| JBL Deluxe Padded Cover for PRX612 (JBPRX612MCVR). | 44.99 |

| JBL Deluxe Padded Cover for PRX615 (JBPRX615MCVR) | 54.99 |
|---|--------|
| Mackie SRM350B Speaker Bag (MACSRM350) | 71.99 |
| Mackie SRM450B Speaker Bag (MACSRM450) | 74.99 |
| QSC Soft Tote Bag for K8 (QSK8TOTE) | 69.99 |
| QSC Soft Tote Bag for K10 (QSK10TOTE) | 74.99 |
| QSC Soft Tote Bag for K12 (QSK12TOTE) | 84.99 |
| Yamaha Stagepas 300 Rolling Case (YACSP300) | 119.99 |
| Yamaha Stagepas 500 Rolling Case (YACSP500) | 89.99 |
| | |

Portable PA Systems

AMERICAN AUDIO PPA-210

Portable Sound System

8-channel powered mixer delivers 300w to a pair of detachable 10" pole-mountable sneakers Mixer



has 4 mic/line channels, and 2 dedicated stereo channels. Also offers USB connection, internal effects, 7-band graphic EQ, LED peak metering and more.

#AMPPA210.....

AMPLIVOX'

Sound Systems S610A

Half-Mile Hailer Megaphone

50w of power and an amp with separate tone and volume for line in. Has corded dynamic handheld mic, but you can use all three mic inputs simultaneously. There is also an auxiliary input jack. Watherproof for indoor and outdoor venues. 10 "D" batteries provided 200 hours of talk time.

#AMS610A..... 330.00

AMPLIVOX SW222

Wireless Audio Portable Buddy

50w amp with built-in wireless mic receiver powers Jensen speaker to reach 1000 people. Has three mic inputs and separate line inputs and includes a handheld mic transmitter. Hard-shell plastic enclosure, handle and shoulder strap for portability. Runs 200 hours on 10 D-Cell batteries. #AMSW222....



AMPLIVOX SW720

Portable PA System

Fully portable enclosure weighing only 15 lbs, with handle for easy transport. Features full-range 8" speaker, 12v rechargeable battery, built-in DVD/ CD/MP3 player with video output, pitch, tone and echo controls, iPod



dock, USB connection, line and mic inputs, and integrated wireless mic system (includes wireless handheld mic). #AMSW720......**859.99**



AN-30

Portable 30W Speaker

Powerful audio in a compact speaker that weighs just 2 lbs. 4.5" neodymium speaker and a 30W amp provide strong, clear audio up to 109dB for addressing crowds of 50 people or more. Runs on 12-24V DC power and has an integrated mount for attaching a wall or



ceiling bracket for easy installation. 1/4" and 3.5mm line inputs and a 3.5mm line output.



AN-130 30-Watt Powered Wall-Mount Speaker

2-way, magnetically shielded speaker with 30w of amplification. Speaker features independent front panel bass and treble controls, along with



a volume knob. 1/4" mic and instrument inputs, and RCA stereo line level inputs. Universal power supply.

www.BandH.com



AN-135 30-Watt Powered Wall-Mount Speaker

Compact 2-way speaker features a 30w amplifier and weighs just 3.5 lbs. The rear panel features 1/4" phone and 1/8" (3.5mm) mini connections. A 1/8" mini daisychain output is also provided.



Additional features include a 4.5" neodymium woofer.




AN-1000X Powered 2-Way Portable P.A. Speaker

2-way, magnetically shielded speaker with 50w of amplification. Features independent front panel bass and treble controls, along with a volume knob. The rear panel has balanced XLR switchable Mic/ Line input, 1/4" connectors for the



speaker out and line in, and RCA line level I/O's.

ANAN1000X ANAN1001X (companion speaker for use with AN-1000X)..... 122.00



Briefcase format sets up

behringer

mic / inst. input and CH-4/5 stereo line. 24-bit FX processor with 100 presets. 7-band graphic EQ and Feedback

150w active

speaker with 5.25" full-range neo-

three XLR / 1/4" combo inputs for

dymium driver for vocal and

keyboard monitoring. Features

EPA150 Ultra-Compact

5-Channel 150-watt PA System

B205D Active PA and Monitor



EPA300

300w Portable PA System

Integrated 300w amp and 6-channel mixer with mic, line and instrument inputs. Adds studio-grade 24-bit effects processor, 2-band EQ per channel, 5-band



graphic EQ and voice-canceller function for removing vocals and creating pseudo karaoke tracks.

#BEEPA300 499.99



EPA900 900w Portable PA

900w and

8-channel mixer with mic, line and instrument inputs. 4 mic preamps with switchable +48v phantom power. Powerful 10" woofers and



1.35" aluminum-diaphragm compression drivers. 24-Bit effects processor, 2-band EQ per channel, 7-band graphic EQ and voice-canceller function.



mic (with +48v phantom power), line level and instruments. XLR "through" connector with mic/line switch for linking more B205Ds. Integrated ultra-low noise 3-channel mixer with 3-band EQ. Can mount between a mic stand

CALIFONE

PA-300 Plus

Powered Two-Way Speaker



Compact, self-contained 2-way, 30w amplified 10 lb. speaker, with balanced and unbalanced XLR and 1/4" mic inputs, and a 1/4" line level I/O. A stereo

RCA connection is also included. Bass and treble tone controls allow for adjustment to the acoustic environment. Daisy-chain up to 20 units for fuller coverage of larger spaces.

BOSE L

Portable Line Array PA System

Ideal for travelling musicians, presenters, mobile DJs, etc. 2-channel mixer amplifier also serves as the speaker's base. The mixer features an XLR mic input, RCA line input, 1/8" mini line input and 1/4" phone input can accept line or instrument signals. Six small drivers deliver nearly 180° of horizontal sound coverage. Tailor the system's sound coverage with extended (78.5") and collapsed (16.5") positioning,

#BOL1999.00



BUSE B1 Bass Module

Passive Low-Frequency Speaker for the L1

The B1 speaker enhances the low-frequency response of the L1, adding depth and bass to musical instruments, DJ rigs and other sound reinforcement applications. Connects to the base of the L1 system, or use the optional A1 amplifier to provide added power to a pair of B1 speakers. #B0B1BM.....



299 00

BOSE

L1 Model II Single Bass Package

The L1 Model II series is Bose's elite system, ideal for pro-level sound reinforcement - musicians, DJ rigs, and more. The L1 Model Il Single Bass Package features an integrated mixer amplifier that also serves as the speaker's base. The power stand provides clean, precise amplification for L1 Model II system with up to two B1 bass modules. Also included is the Bose B1 Bass module for reinforcing low-end frequencies and enhancing the sound of bass guitar, DJ rigs and more. The speaker features 24 small drivers, carefully positioned to ensure balanced audio signal t the direct and off-axis (sides) of the system. Setting up the L1



Model II is quick and easy; simply place the speaker extensions into the amplifier base, and slide the speaker on top of the extensions. Two extensions are included and allow easy height adjustment.

FENDER Passport P-150 Pro

Portable Sound System

Collapses into a molded luggagestyle case. Pair of full range 5.25' woofers, mic and line inputs, 4-input mixer with EQ, panning and volume controls. Digital reverb may be assigned to either the mains or individual channels. Stand adapters are built in to each speaker cabinet. Runs on 12v DC power or via the internal switchable AC power supply. (FEPP150PSS) Call or Log On



Finder Passport 500 Pro

Portable Sound System

Steps up from the 300 Pro with 500w amp and two speaker cabinets with 10" woofer and 1.2" horn loaded tweeter. USB port lets you record with CD quality (.way) straight to a USB flash drive.



#FEPP500PSS......Call or Log On

TENDER Passport 300 Pro

Portable Sound System

300w amp, 8" speaker drivers and 6-channel mixer (4 inputs with balanced mic/line and 2 stereo inputs). LED indicators above each channel input



Detachable speakers are pole mountable. Subwoofer out with 120Hz High Pass Filter. (FEPP300PSS) Call or Log On

TENDER Passport Executive PA

State-of-the-art NXT flat-panel speaker technology results in a slim-profile no bigger than a briefcase. Its 100w amplifier is perfect for addressing small audiences, and a built-in wireless receiver, bodypack transmitter and headworn mic allow for hands-free speech. Also has 1/8" mini input and XLR mic input.



Portable PA Systems

800-947-1181 | 212-444-6681

JBL EON 210P

300w Powered Speaker System

Features a pair of two-way speakers with 10" drivers, and an 8-channel powered mixer which stores into one of the speakers. Onboard effects processor features 4 reverb variations and a variable limiter control #JBEON210P.....Call or Log-on



MACKIE. SRM150

5" Compact Active PA System

Built-in three-channel mixer has two combo XLR/line inputs with 48v phantom power, instrumentready input, a stereo channel for CD/MP3 and a 3-band active EQ. Built-in limiter for system



protection. Use as a floor monitor, stand-mounting, or mount in a flying arrangement. (MASRM150)......249.99

MA-120 Portable Wireless PA System Lightweight, battery and AC powered speaker and wireless mic system for presentations, tours, fitness, worship and more. WA-120 speaker/ receiver features a 20w amp,

mic and line-level inputs, and a carrying handle. Includes bodypack transmitter and lavalier mic.

#NAWA120LTF.....

129.99



Escort

Portable P.A. System

Self-contained system packed into a molded case with wheels and a handle Two speakers, mic and 5-channel powered mixer. 4 XLR mic inputs with phantom power, and 2 stereo line level inputs with bass, treble and reverb controls.

#PEESCORT 649.99



PYLE Waistband Portable PA System with USB Input

Portable self contained PA speaker worn around the waist. Ideal for fitness instruction, coaches, tour guides, teachers and more. Full-range loudspeake features a projection range of up to 1/2 mile, and the included headset mic

delivers hands-free operation. Connect USB storage devices and play audio files. (PYPWMA60UB)......Call or Log On



PYLE PAMP75

150w Portable Amplifier Speaker

Bull-horn style PA speaker system with 150w of power to address audiences of up to 3,000 people at sporting events, outdoor events, schools and more. 1/4" mic input plus 1/4" phone input for line level device. Comes with a handheld mic.

#PYPAMP75......**86.99**



▶ PYLE PWMA230 • PWMA330

200W or 300W

VHF Wireless PA Systems

Integrated wireless receiver and handheld wireless VHF mic. Two mic inputs, plus guitar and line level 1/4" inputs. 8" speaker with echo, bass and treble controls. Runs up to 5 hours on internal rechargeable battery. Integrated handle and wheels plus 35mm socket for use with standard speaker mount. PYPWMA230 (200 watts)...... Call or Log On PYPWMA330 (300 watts) Call or Log On



PYLE PCMX260MB

Portable PA System |

Delivers 400 watts of power to full-range speakers. Includes handheld mic, plus has USB and SD card slots for playing MP3 files. Mic/line input with volume control. Built-In 7 AH rechargeable battery. 35mm speaker stand mount and telescoping handle and caster wheels

#PYPCMX260MB Call or Log On



400w of power and 12 hour rechargeable battery. USB input and SD card slot for playing MP3 files. DJ style cueing, pitch control, loop, reloop capability and reverse make it a perfect system for DJ applications. Combi-jack for mics or instruments. Has a retractable handle for easy transport and is easily mounted onto a speaker pole.

#PYPCMX265B 223.00



PCMX240i

Portable PA with iPod Dock

Compact unit with 2-way full range speakers powered by 400W amp. Mic, line and instrment inputs, plus dock for iPod. Powered by 110 or 220v or by internal rechargeable battery for up to 12 hours. Easy to transport with its telescoping handle and sturdy caster wheels.





PYLE PWMA930I **PWMA940BTI**

600W VHF Wireless PA Systems with iPod Dock

PWMA930i is the same as the PWMA330 (previous box), plus has built-in iPod dock (charges iPod nano or classic while docked) and 600w of peak power. Otherwise the same, the PWMA940BTI includes a wireless mic.

#PYPWMA930ICall or Log On #PYPWMA940BTI......Call or Log On



PWMA1080i

Portable PA with

10" woofer, mid-driver and tweeter powered by 800W amp. Two mic inputs, guitar or 1/4" audio input or use the included wireless VHF mic or your iPod classic or nano. Battlery (up to 5 hours) or AC powered. Easy to transport with telescoping handle and casters.

Wireless Mic and iPod Dock

PYPWMA1080I.....Call or Log On

PYPWMA1050 (same as above without iPod dock) Call or Log On



2-way, 6.5" active speaker with 30w of built-in amplification. XLR mic or line input plus two Aux inputs. Stereo headphone output with level control, built-in 2-band EQ. Link up two units via Stereo Link function. Metal grill cover for speaker, metal corner protectors for enclosure. All-metal, recessed carrying handle.



Roland BA-330

Portable Stereo PA Amp and Speaker System

Four custom-designed 6.5" speakers and two tweeters for wide stereo projection. Two channels for mic/ instruments plus two stereo input channels. Stereo aux input with volume control. Built-in EQ, reverb, delay, and wide (on/off per channel). Advanced anti-feedback function. Built-in tilt-back stand, plus speaker-stand adapter.



YAMAHA

STAGEPAS 300 • 500


STAGEPAS 300 consists of two two-way speakers 8" LF driver and 1" horn tweeter), and an 8-channel 300w powered stereo mixer which conveniently mounts in the rear panel of one of the speakers. YASP300

...549.99

YASP500 (10" speakers, 500w powered 10-channel mixer).... 849.99

Live Sound Speaker Stands and Mounts

| merican Audio SPS-1B Speaker Stand (AMSPS1B) | |
|--|-------------------|
| &M 24110 Speaker Wall Mount (KM24110B) | - |
| SC K Series Pole Extension (QSKSERSPEXT)eavey Speaker stand for any speaker with a 1%" stand adapter (PESSB) | |
| observed operation of any operation with a 17% officer dataptor (7 2005) | |
| Anchor-Audio | |
| B-1: Stand mounting bracket for AN-1000X (ANSB1BK) | |
| B-3: Wall-mounting U-bracket for AN-130 (ANSB3BK) | |
| S-250: Speaker stand for the AN-130 (ANSS250) | |
| - 100 Heavy duty speaker stand for Explorer and Attente Systems (Andousse) | 104.0 |
| Fender | |
| T-275: Speaker stand kit (for two speakers) with case for Passport systems (FEST275) | - |
| T-280: 2-speaker and 2-mic stand Combo Kit with case for Passport Series (FEST280). peaker wall mount kit for Passport Series (for single speaker) (FESWMP) | - |
| | |
| JBL S2-BK: Tripod stand for EON, MPro, SR-X and SoundFactor (JBSS2BK) | 105.0 |
| S3-BK: Tripod stand for EUN, MPTO, SR-A and SoundFactor (JBSS2BA) | |
| SO-DR. Speaker Fule for INFTO and INFA Series Subwooters (JBSSSBR) | LUG C |
| OmniMount | |
| OWB Wall Speaker Mount for up to 30 lb. (OM300WBIFKB) | |
| O.O ST-MP Bookshelf Speaker Mount for up to 30 lb. (OM300STMPIFB) | 53.2 |
| On-Stage | |
| %" Heavy-Duty Plastic Speaker Stand Adapter (ONEB9760B) | 5.5 |
| %" Speaker Cabinet Insert (ONSSA1.375) | |
| 375" to 1" Stand Adapter (ONSSA3) | 6.9 |
| S-7030: Desktop Mixer Rack Stand (ONRS7030) | |
| S-7730: Steel Speaker Stand supports up to 200 lbs. (ONSS7730B) | |
| S-7740: 42" Subwoofer/Speaker Attachment Pole (ONSS7740B) | |
| S-7745: Adjustable P.A. Subwoofer Speaker Attachment Shaft (ONSS7745) | |
| S-7761B: Lightweight Aluminum Reversible Shaft 150 lb. Speaker Stand (ONSS7761B). | |
| S7913B: Wall-Mount Speaker Brackets (Pair)-100 lb. capacity (ONSS7914B) | |
| S-7730: Lighting Stands with Truss (ONLS7730) | |
| S-7322B: Pair of Wall Speaker Brackets (Black) (ONSS7322B) | |
| S-7920: Dual Mount Speaker Bracket (ONSS7920) | |
| S-8800BP: Power Crank-Up Speaker Stand with 100 lb. capacity (ONSS8800BP) | |
| SP7950 Aluminum Speaker Stand Pak: Two aluminum height-adjustable (44-80") | |
| nd reversible speaker with stand bag. (ONSSP7950) | 79.9 |
| IIX-400: Autolocator/Mixer Stand (ONMIX400) | 79.9 |
| QuikLok | |
| L-400: Adjustable, Roll-Around Mixer/Remote Stand with Casters (QUQL400) | 64.7 |
| S-540: Heavy Duty Collapsible T-Shaped Stand (QUWS540) | |
| Ultimate Support | |
| MB-200K: Mounting Bracket (Black) (ULBMB200K) | Lon O |
| S-MPS1: Multi-Purpose Mixer/Keyboard Stand (ULJSMPS1). | - |
| S-TS50: Pair of Height Adjustable Speaker Stand with 110 lb. capacity each (ULJSTS50. | |
| S-KD50: Kick Drum/Amp Mic Stand (ULJSKD50) | |
| S-SRR100: Heavy-Duty Rolling Rack Stand (ULJSSRR100)99.99 | 1 |
| TB-48B: 48" Lighting Tree Crossbar for TS-88/TS-99 (<i>ULLTB48B</i>) 45.99 | 1 |
| TV-24B: 24" Lighting Tree Vertical Extension (ULLTV24B)Log On | |
| S-70B: Economy Aluminum Speaker Stand (ULTS70B)Log On | r |
| S-80B: Adjustable (44-79") Aluminum Speaker Stand with 150 lb. capacity ILTS80B) | |
| S-88B: Adjustable (62-110") Aluminum Speaker Stand with 150 lb. capacity | L |
| 109.99 January 10 Aluminum Speaker Stand With 150 lb. Capacity | 1 |
| S-90B: Adjustable (44-79") Aluminum Speaker Stand with 150 lb. capacity | < IN |
| | Ultimate |
| | |
| // ILTS90B) | Support TS_88R |
| // ILTS90B) | TS-88B |



Yamaha

| ADP138: Stand Mount for Stagepas 300 & MSR100 Speakers (YAADP138)9.99 |) |
|---|---|
| BMS10A: Adapter to mount speakers up to 11 lbs to a mic stand (YABMS10A)22.59 |) |
| SS238B: Tripod Speaker Stand (Pair) support up to 70 lbs. each (YASS238B) |) |



Gator

| GPA-50: Single Speaker Stand Bag (GASSB) 19.99 |
|---|
| GPA-88: Dual Speaker Stand Bag (GAGPA88) |
| GX-33: Utility Case for 3 Mic Stands, 5 Mics and accessories (GAGX33) |
| GPA-450-515: Single Speaker Bag <i>(GASBMS)</i> |
| JBL |
| JBL-SS2/SS4-BAG Deluxe Padded Carry Bag (JBSS2SS4BAG) |
| K&M |
| 21311 Carrying Case for Speaker/Light Stands (KM21311) |
| On-Stage |
| SSB6500: Heavy Duty Bag for 2 Speaker Stands or up to 6 Mic Stands (ONSSB6500) |
| MSB6500 Mic Stand Bag (ONMSB6500) |
| SKB |
| X-Large ATA Stand Case with Wheels: Holds Audio and Lighting Stands up to 49½ x 20½ x 13½" |
| (SKH5020W) |
| Freedom ATA Stand Transport Case with Wheels: For Audio or Lighting Stands up to 48 x 12½ x |
| 12½" (SKR4913S) |
| Ultimate Support |

800-947-1181 | 212-444-6681

AMPUVOX BeltBlaster

Waist-Worn PA System with Microphone

5W amp with mic input, adjustable volume control, and 44" adjustable belt. Includes headset and clip-on lapel mics. Runs on 6 AA batteries.

#AMS206115.00



TENDER Passport P-10

Personal Portable Sound System

Ideal for small crowd or audience. 27-watts of power and 5" speaker. Runs 8 hours on built-in rechargeable battery. 1/8" line input. Includes handheld dynamic cardioid mic with coiled mic and shoulder strap. (FEP10)...............Log On







self-contained system with a wireless dynamic mic, battery charger and shoulder strap. 1/8" auxiliary input jack.

Battery powered (up to 8 hours),

41

#FEP10WAUHF Log On

Passport P10 Wireless UHF Executive Kit (FEP10WAEUHF) .. Log On

ER-1000 Personal PA System

AMPLIVOX Pro BeltBlaster

PA System and Accessory Pack

Same as the BeltBlaster (above), plus includes AC adapter, six NiMH batteries, 12" band extension and sport pack. #AMS207134.00



DYLE PWMA50

Waistband Portable PA System

Small super powerful voice amplifier for a projection range up to 1/2 mile. Built-in rechargeable battery. AUX input for MP3 player or iPod. Includes headset mic.

In Black (PYPWMA50B) or White (PYPWMA50W).......Call or Log On



control, 6w (covers over 240') and 10w modes, 1/8" line input.

#TOER1000WR......219.80 Technical Pro WASP500 PA System (TEWASP500)............ 149.99

Built-In Siren

Lightweight amplifier speaker and elastic waistband with head-worn cardioid mic. Speaker features volume

Mity-Vox Portable Bat-

tery Powered PA System

Built-in amp with mic and line input capable of addressing up to 150 people. Built-in wireless receiver. Includes handheld wireless mic. Runs on 8 D-cell rechargeable batteries.

#AMSW212......**323.00**





■ Lite-BP MiniVox Lite Portable

PA System

Less than 3 lbs, 4.5" neodymium driver and a 30W amp provide clear audio for over 50 people. Dual mic inputs plus mini line I/O. Includes 10 rechargeable batteries and charger, shoulder strap and hand-held wired mic. #ANLITEBPB.....



.329.00

Europort EPA40 40W Handheld PA System

behringer Sling this system over your shoulder and stay mobile while addressing up to 100 people. 5" fullrange speaker and 40w of power. Runs 8 hours on integrated battery. Includes

dynamic mic, charger and cables. (BEEPA40)...119.99



CALIFONE PA-282AV • PA-285AV

Battery or DC-powered 2w (PA-282AV) or 5w (PA-285AV) personal speaker for up to 25 people with a belt clip and a headset mic. Volume and tone controls. PA-285AV adds recessed desktop tripod mount on bottom.

CAPA282AV. 59.99 CAPA285AV. 110.44





PA-10 Portable Wireless PA System

Wireless receiver/amp with built-in handle, belt pack transmitter and lavalier mic. Powered via internal battery or included AC adapter. Transmitter stores in hidden compartment. Also has a mini mic input.



CAPA10A (206.400MHz).239.95 CAPA10B (210.250MHz) 199.95

AMPUVOX MityMeg 15/Plus

Piezo Dynamic Megaphones

- 1760-yard range
- Weatherproof

CALIFONE

- Run 40 hours on 8 "C" batteries
- · Volume adjustment

MityMeg 15 (AMS602)......113.55

MityMeg Plus with detachable corded mic (AMS602M). 126.65




PA20R • PA25R

Handheld Megaphones

PA20R steps up from the PA-15 with detachable mic, 10-second message record, Siren Mode and detachable shoulder strap. The PA25R steps up with a 1250' range.

PA20R (CAPA20R). 58.95 PA25R (CAPA25R) .69.95



PYLE PMP10

and siren

CALIFONE

. Coverage of up to 1000'

all-weather use

· Durable ABS construction for

· Volume control slider for both voice

#CAPA15......49.95

Mini Handheld Megaphone

PA15 15w Megaphone with

Lightweight megaphone runs on 3 AA batteries and has 10W of output power. Can be heard up to 700 feet away. Features adjustable volume control, battery light indicators and wrist strap. (PYPMP10) Call or Log On

PYLE PMP45R

Offers 40w of power and 1000 yard

and variable volume control.

range for indoor or outdoor use. Features

10-second Integrated audio memory, replay

and recording audio function, built-in siren

Megaphone



PMP30 • PMP35 Megaphone/Bullhorn

PMP30: 30w, 800-yard range (PYPMP30)...... Log On PMP35R: Adds siren recording




and handheld mic (PYPMP40)......Log On



PYLE PMP50 Piezo Dynamic Megaphone

50W megaphone with a powerful piezo driver and large bell diameter for 1-mile projection range. Has integrated siren plus a handheld mic, modes for talk and siren,







#PYPMP45R....

PRO

PMP58U

Piezo Dynamic Megaphone Same as the PMP50 except it adds a USB input so you can connect an MP3 player or other music/recording device to the megaphone. #PYPMP58U.....

Call or Log On

47.00


ER1215 23-Watt Grip TOA Megaphone with Siren


- 1000' projection range
- · Anti-bacterial treatment for mouthpiece, mic and handle
- Polyimide diaphragm for improved speaker performance • 14-hours on 6 "C" batteries #TOER1215 66.95 #TOER1215S (Same, but in Red) .. 88.95





- 1300' voice, 1600' whistle projection range
- Detachable mic with volume control and anti-bacterial treatment





Installed Sound – Microphones

www.BandH.com



Array Microphone

Acoustic Magic's "listening beam" technology features 8 carefully placed elements to provide coverage throughout a large room.

Ideal for capturing speech during conferences, voice recognition software, and much more. (ACVTIAM).....229.00



ACOUSTIC MAGIC Voice Tracker II Array Microphone

10" long mic for long range recording. Features Acoustic Magic's "listening beam" technology plus AEC (Acoustic Echo Cancellation) and automatic electronic steering of "listening beam" to talker location. #ACVTIIAM

audio-technica. UA851A

UniPoint Boundary Microphone

Cardioid pattern, plus the UA851's capsules

are interchangeable, omni-directional and

hyper-cardioid polar patterns are available.

motion for easy installation on flat surfaces.

The output connection features a pivot



331.00

Omnidirectional mic designed for highly intelligible sound

#AUU841A......249.00

audio technica. UA851R

audio technica. U841A

reinforcement, professional recording, television

and conferencing in surface-mount applications.

Accurately reproduces audio at 360°.

Unipoint Boundary Condenser Microphone

UniPoint Boundary Microphone Features a frequency response curve, designed to enhance intelligibility of speech. Cardioid pattern and pivot motion for easy installation on flat surfaces.



#AUU851R.....

audio-technica. PRO-44

Hemi-Cardioid Condenser Boundary Mic

Hemi-cardioid (half-space cardioid) condenser boundary microphone with an integral power module (for non-permanent installations). #AUPRO44.....



Cardioid Condenser Quick-mount Gooseneck Microphone

audio technica PRO-49Q

- Measures 13.07"
- · XLR base enables quick connection and release to any XLR mic input


#AUPRO49Q......**89.99** #AUPRO49QL (16.46").**129.00**



audio-technica. U857QL

Gooseneck Mic with Cardioid Capsule

UniGuard shielding rejects RF interference. UniSteep filtering reduces low frequency noise. Interchangeable hyper-cardioid and omnidirectional capsules are available as options.



△ audio technica. U853R

UniPoint Series Cardioid Condenser Hanging Mic

Same as the U853A except it can be powered by 11-52v phantom power or 1.5v AA battery.



audio-technica. U859QL

UniPoint Series Cardioid Quick-Mount 18" Gooseneck Mic

XLR male output connector at the base, optimized frequency response, UniGuard shielding, UniSteep filter and interchangeable elements.



audio technica. Pro 45

Cardioid Hanging Condenser Mic

Vinyl coated steel hanger allows inconspicuous positioning over a choir, orchestra, stage, etc. 25' cable attached between mic and XLR-M connector.

In Black (AUPRO45) or White (AUPRO45W) ...



audio-technica. U853A

UniPoint Series Cardioid Condenser Hanging Mic

Flexible steel suspension hanger wraps around the ceiling suspended cable and capsule. Features interchangeable capsules, UniSteep Filter and RFI shielding. Phantom power only. (AUU853A)...... 199.00



727-18 Miniature Dynamic Gooseneck Mic

18" gooseneck with XLR connection at the base. Dynamic cardioid capsule provides a 120° pick up pattern. Hardened wind screen resists dents. scratches, etc.



Features deskotp base, 16" flexible gooseneck, cardioid polar pattern and Push-to-Lock and Push-to-Talk function.





U7 USB Boundary Condenser Recording Mic

Omnidirectional polar pattern effectively captures audio at all angles. USB output for direct connection to Windows and Mac computers.

#CAU7......Call or Log On



PZM185 Herisphereical

(Half Omni) Boundary Condenser Mic

Excellent clarity with consistent pickup anywhere around the mic. Output is balanced, low impedance, which allows long cable runs.



PZM-6D

Small Pressure Zone Boundary

Hemispherical pattern with low frequency roll-off. Wide frequency response features switchable contouring.

#CRPZM6D 349.00

FR-402



PZM-30D Large Pressure Zone Boundary Hemispherical pattern with low frequency roll-off. Wide frequency response features switchable

contouring. Has screw mounting terminals. #CRPZM30D

349.00

РСС-160

Phase Coherent Cardioid Mic

Industry standard stage mic with half super-cardioid pattern. Frequency response of 50-18kHz provides accurate signal reproduction. "Bass Tilt" switch further reduces low frequency noise.



Wide Cardioid Boundary

Wide cardioid condenser capsule ensures pristine audio quality without noise. The low-profile design is ideal for unobtrusive use on stages, conference tables, desktops, etc. Runs on +48v phantom power. #MXFR402......**85.65**



CBM 40X Boundary Mic

Features a sensitive condenser element

with a cardioid polar pattern and smooth frequency response. Flat low-profile makes it an ideal for speech as well as instrument capturing. Includes a 16' mini to XLR cable. (NACBM40X)......55.99

Installed Sound – Microphones • Mixers

800-947-1181 | 212-444-6681

SMURE MX391/0

Omni-Directional Boundary Condenser Mic

Flat frequency response across the vocal range for uncolored sound. Balanced, transformerless output allows long cable runs. Interchangeable polar pattern cartridges

#SHMX3910.....

SMURE MX393/C

Cardioid Boundary Condenser Mic

Flat frequency response across the vocal range. Programmable membrane switch with LED indicator, built-in preamplifier, detachable XLR cable. Interchangeable pattern cartridges.



SMURE MX391/C

Cardioid Boundary Condenser Mic

Flat frequency response across the vocal range for uncolored sound. Balanced, transformerless output allows long cable runs. Interchangeable polar pattern cartridges.



| #SHMX391C | 156.00 |) |
|--------------------------------------|----------|---|
| #SHMX393S (MX393/S - Super-Cardioid) | . 199.00 |) |

SMURE MX393/0

Omni-Directional Boundary Condenser Mic

Flat frequency response across the vocal range. 360° pick up angle. Programmable membrane switch with LED, built-in preamp, detachable XLR cable. Interchangeable pattern cartridges.



SMURE MX202

Hanging Condenser Mic

Flexible 4" gooseneck with a 30' cable, captures wide dynamic range and frequency response for accurate sound reproduction. Cardioid with stand adapter in White (SHMX202WC) .. 167.47 Super Cardioid with stand adapter (SHMX202BS)...... 175.00 Cardioid with plate mount in White (SHMX202WPC) ... 159.99



Microflex Gooseneck Mics

Interchangeable cartridges. Snap-fit foam windscreen. Balanced, transformerless output allows long cable runs. Shock mount provides over 20dB isolation from surface vibration noise. Locking flange mount for permanently securing mics to surfaces.

| 12" Cardioid (SHMX412C) | |
|--|--------|
| 12" Cardioid with Switch (SHMX412SC) 208.55 | |
| 12" Super-Cardioid (SHMX412S) 193.87 | |
| 12" Desktop Mounted Cardioid (SHMX412DC) | 220 05 |
| | |
| 12" Desktop Mounted Super-Cardioid (SHMX412DS) | |
| 18" Cardioid (SHMX418C) | |
| 18" Cardioid with mute switch (SHMX418SC) | |
| 18" Cardioid with flange mount (SHMX418SEC) | 190.00 |
| 18" Super-Cardioid (SHMX418S) | 182.43 |
| 18" Super-Cardioid with Switch (SHMX418SS) | 208.99 |
| 18" Desktop Mounted Cardioid (SHMX418DC) | 260.00 |
| 18" Desktop Mounted Super-Cardioid (SHMX418DS) | 243.06 |

More Installation Mics

| AKG C562cm: Ceiling Mountable Mic (AKC562CM) | 299.00 |
|--|----------------|
| AKG DST 99S: Cardioid Gooseneck Mic (AKDST99S) | .Log On |
| AKG CHM 99: Hanging Microphone (AKCHM99B) | . 149.00 |
| Astatic 827A: 13" Miniature Gooseneck Mic (AS827A13) | 82.80 |
| Astatic 827A: 17" Miniature Gooseneck Mic (AS827A17) | 98.00 |
| Audio Technica AT808G: Dynamic Sub-Cardioid Goosen | neck Mic |
| (AUAT808G) | . 119.99 |
| Audio-Technica U855QL: Cardioid Gooseneck (AUU855QL |) 98.29 |

| Beyerdynamic Classis OM 302 US: Ceiling Mounted Go | ooseneck |
|---|----------|
| (BEOM302US) | 169.15 |
| Electro-Voice RE-90H: Hanging Choir Mic (ELRE90H) | 304.00 |
| Revolabs: Omni Table Top Wireless Mic for Revolabs HD | System |
| (REEHDTTOM) | 349.00 |
| MXL FR-401: Supercardioid Boundary Mic (MXFR401) | 79.99 |
| Sanken CUB-01: Boundary Microphone (SACUB01GY) | 489.00 |
| Shure MX690: Wireless Boundary Mic (SHMX690H5) | 478.00 |
| | |



T MX225

Zone Distribution Mixer

100 000 000 000 000

- Two stereo inputs routed to five zones
- Source 1/2 volume knob on each zone
- 5-segment LED meter on every zone
- Balanced XLR inputs/outputs
- Sum to Mono buttons with LED indicator #ARMX225.....

.....149.00

ROLLS RM64 4-Zone Mixer

C_33_33_0 9000 B

- . Two mic inputs with individual volume controls, zone selector switches, and automatic ducking
- 4 stereo RCA inputs with volume controls and zone selector
- · Four output zones with XLRs, volume controls, 1/4" jacks #RORM64......189.00

SHURE

SCM262

Stereo Mic Mixer

- Two XLR mic 1/4" line and 3 RCA phono line level inputs. Stereo 1/4" phone and stereo RCA outputs.
- "Juke Box Mute": "Page with Ducking"
- Can work as paging mixer

SHURE SCM410

4-Channel Automatic Mixer

- 4 XLR mic inputs, XLR output
- Input level control
- Provides 12v phantom power MaxBus Channel Control Fostex RM2 1U Rackmount Monitor (FORM2)...Call or Log On

Marshall AR-AM11 Analog Audio Monitor (MAARAM1)...366.85

R T MX821 8-Channel Audio Mixer

- 8 XLR mic and eight 1/4" phone line inputs
- · Level control on each channel
- +48v phantom power on each channel
- Balanced & unbalanced mono output
- Prefade output for linking mixers

ROLLS RM67

6-Channel Mic/Source Mixer



- · Individual gain control
- Stereo 1/4" TRS or RCA outputs
- "Talk Over" feature; Music/program priority
- Remote volume control

SHURE SCM268

4-Channel Microphone Mixer

- 4 XLR mic, 4 RCA line inputs
- XLR and AUX RCA
- phono outputs
- Six sealed rotary pots Supplies 12v phantom power

SMURE SCM800 8-Channel Mic Mixer



- All inputs are capable of line level or mic level signal. 48v phantom power for condenser microphones.
- 8 inserts to send signal to effects and signal processors.
- Built-in limiter; low frequency roll-off and high pass shelving #SHSCM800

#SHSCM810 (SCM810 8-Channel 'Automatic Mixer') 1235.52

Auralex Acoustic Treatment

| 2" Sonomatt-24 - Single Tile (AUSM24S) | 20.75 |
|--|--------|
| 2" Sonomatt-24- 12 Pieces (AUSM24) | 274.99 |
| 2" Sonomatt-48- 2 Pieces (AUSM48) | 189.99 |
| 2" Studiofoam Wedge-22 - Single Tile (AUSF222CS) | 15.99 |
| 2" Studiofoam Wedge-22 - 12 Pieces (AUSF222C) | 199.99 |
| 2" Studiofoam Pyramid-24 - Single (AUSF2PCS) | 32.39 |
| 2" Studiofoam Pyramid-22 - 12 Pieces (AUSF22212PC) | 219.99 |
| Studiofoam Wedgies - Single Tile (AUW24S) | 3.95 |
| Studiofoam Wedgies - 24 Pieces (AUW24) | 109.99 |
| GRAMMA Sound Isolation Riser (AUG) | 49.95 |
| | |

| 40.00 | SpeakerDudes HD - Speaker Isolation Pads (AUSPDHD) |
|--------|---|
| 49.95 | SubDude - Subwoofer Floatation Device (AUSD) |
| 60.00 | SubDude HD - Subwoofer Isolation Platform (AUSBDHD) |
| 289.99 | ProMAX Acoustic Panels with Stands (AUPM243CH2MS) |
| 154.99 | LENRD Bass Traps (Charcoal, 4 Pieces) (AULBTCHP) |
| 154.99 | D36 Charcoal Grey Roominators Kit (AURDSTD36C) |
| 24.99 | Foamtak Spray Adhesive - Single Can (AUAFT) |
| 9.99 | Tubetak Pro Adhesive - Single Tube (AUATTP) |
| 19.99 | StopGap Acoustical Sealant - Single Tube (AUSG) |
| 64.99 | TEMP Tabs Studiofoam Mounting Solution (AUTSFMK) |

Installed Sound – Mixers/Amplifiers

Paging and Security Microphones



| Astatic 878HL: Desktop Mic (AS878HL2) | 94.70 |
|--|--------|
| Bogen Communications MBS1000A: | |
| Desktop Cardioid Paging Mic (BOMBS1000A) | 137.00 |
| Electro-Voice US602FL: Noise Cancelling (ELUS602FL). | 211.00 |
| Telex MCP-90-12: 12" Gooseneck Mic (TEMCP9012) | 210.00 |
| Telex MCP-90-18: 18" Gooseneck Mic (TEMCP9018) | 225.00 |
| TOA PM660U: Paging Mic (TOPM660U) | 102.00 |
| Overro Aradia | |

Crown Audio

| PZM10 : Miniature Security Mic (CRPZM10)149.00 |
|--|
| PZM-11: Wall Plate Mountable Security Mic with Line-Level |
| Unterminated Pigtail Connection in White (CRPZM11LL)139.00 |
| PZM-11LLWR: Weather Resistant Pressure Zone Line Level Mic |
| in White (CRPZM11LLWR) |

Shure

| onaro |
|---|
| 450 Series II : Omni Desktop Paging Mic (SH4502) 112.00 |
| 514B : Omnidirectional Push-To-Talk Mic (SH514B) 56.22 |
| 515SBG-18X : Dynamic Cardioid Paging Mic with 18" Gooseneck |
| (SH515SBG18X) |
| 515SBG-18XF : Dynamic Cardioid Paging Mic with 18" Gooseneck |
| and A13HD Mounting Flange (SH515SBG18XF) |
| 522 : Cardioid Base Station Dynamic Mic (SH522)99.95 |
| 527B : Cardioid Handheld Lo-Z Mic (SH527B) |
| 561 : Omnidirectional Lo-Z Microphone (SH561)66.00 |
| 562: Cardioid Noise-Cancelling Lo-Z Communication Mic for |
| Gooseneck and Stand Mounting (SH562) |
| |

Speech & Seminar Microphones

Audio Technica ATR1100: Cardioid Handheld Dynamic Mic (AUATR1100)12.95 ATR1200: Cardioid Handheld Dynamic Mic (AUATR1200) 19 95

| ATTIZOO. Cardiola Hariancia Dynamic Wile (ADATTIZOO) 13:30 |
|--|
| ATR1300: Cardioid Handheld Dynamic Mic (AUATR1300)18.99 |
| Pro 31: Cardioid Handheld Mic (AUPRO31)39.00 |
| Shure |
| PG48 : Vocal Mic (SHPG48XLR) |

| PU46 : VOCAI IVIIC (SHPG48XLR) | | | | |
|--|-------|--|--|--|
| PG48: Vocal Mic with XLR-1/4" Cable (SHPG48QTR) | 39.00 | | | |
| PG58: Vocal Mic with XLR-1/4" Cable (SHPG58QTR) | 59.00 | | | |
| 545SD-LC : Cardioid Dynamic Hi/Lo-Z Mic (SH545SDLC) | 92.54 | | | |
| 0 | | | | |

Sonv

| F-V100: | Vocal Mic | with 10' | Cable (SC |)FV100) | | Log | 0n |
|---------|------------|----------|-----------|-----------|-----------|-----|----|
| F-V420: | Cardioid I | Handheld | Dynamic | Vocal Mic | (S0FV420) | Log | 0n |
| FV-620: | Cardioid I | Handheld | Dynamic | Vocal Mic | (S0FV620) | Log | 0n |

Install Sound Amplifiers

| Atlas Sound PA702: 2-Ch. /Ow Amplifier (AIPA/02) | .281.50 |
|--|---------|
| Pyle-Pro PT1100 : 1000w Power Amp (<i>PYPT1100</i>) | Log On |
| Pyle-Pro PT3300 : 3000w Power Amp (PYPT3300) | Log On |
| Rolls RA170: 70v/70w Mono Power Amplifier (RORA170). | .184.20 |
| Rolls RA2100b: Amplifier (RORA2100B) | 287.95 |
| | |

Croum Audio

| Grown Audio | |
|---|------|
| 280A : 2-Channel, 70v/160w Amplifier (CR280A) Lo | g On |
| CTs-600: Two-Channel 300w Power Amp (CRCTS600)129 | 7.92 |
| CTs 4200 4-Channel 190w Power Amp (CRCTS4200)187 | 9.28 |
| XTi 1002: 275w Power Amplifier (CRXTI1002)49 | 9.00 |
| XTi 2002: 475w Power Amplifier (CRXTI2002)69 | 9.00 |
| XTi 4002 650w Power Amplifier (CBXTI4002) 99 | 9 00 |



AA120

120-Watt 6-Channel Mixer/Amp



- 5 mic/line phantom power inputs and 1 stereo AUX input.
- · Pre out/power amp in for patching of external processors.
- Bridge in/out; extensive muting and output options

| #ATAA120 | Call or Log On |
|---------------------------------------|-------------------------|
| AA240: 240w 6-Channel Mixer/Amplifier | (ATAA240) 728.50 |

8-input, 2 x 80W Mixer/Amplifier • Designed for

systems, offers

4 ohm, 70v, and 100v outputs. Sends any input to any output.

- Independent bass and treble controls on each channel.
- 4 tone generator for bell, pre-announce chime, alert, evacuate
- Priority muting can be achieved by VOX or an external switch.

| #CR280MA | | 679.00 |
|--------------------------|----------------------|--------|
| #CR180MA (180MA 4-Input, | 80W Mixer/Amplifier) | 459.00 |



Atlas Sound Mixer/Amplifier AA35 35W Three-Channel

- · Ideal for paging, background music, or music-on-hold applications.
- . Three mic/line inputs
- · Level controls for each of the three audio inputs as well as bass and treble tone controls
- DIP switches for assigning zone preferences, setting phantom power, mute preferences, and a low cut filter.

#ATAA35......Call or Log On





PYLE P1001AT 1000W Hybrid Pre-Amp with AM/FM Tuner

· Dual mic input jacks for digital karaoke system



with separate treble, bass and echo controls

- · 3.5mm front panel input for portable media player
- · Dedicated pre-amp and subwoofer output for expansion

| P1001AT | (PYP1001AT) | Call | or | Log | 0n |
|---------|-------------|------|----|-----|----|
| P3001AT | (PYP3001AT) | Call | or | Log | 0n |

PT110 • PT210

80- and 120w Amp/Mixers

Versatile, mixer amplifiers ideal for a variety of uses. They can be used with AC or DC

two-zone



power, even in a car or truck. Inputs for two mics plus an auxiliary input. Multiple output options include series and parallel plus a headphone output for flexibility.

| PT110 (<i>PYPT110</i>) | |
|---------------------------------|----------------|
| PT210 (PYPT210) | Call or Log On |



PYLE PT610 Five-Channel 600-Watt Mixer/Amplifier

• Four XLR/1/4" combo inputs two RCA line inputs, and a



mic/line switchable RCA input.

- Suitable for amplifying music or vocal program material.
- Individual volume controls for each of the input sources #PYPT610.....Log 0n

PT710 Rackmount 3-Channel Mixer/Amp (PYPT710)......Log On

MA1705 5-Input Mixer/Amplifier



- · 2 XLR mic inputs with phantom power and 3 stereo pairs of RCA jacks. Tone controls for each mic input.
- Provides 70 watts of power into a 70 volt speaker system.
- · Bass and treble controls, stereo pre-master record output, and spring-loaded outputs. Priority ducking for paging is provided.



⇒ PYLE PCA1 • PCA2 • PCA3

Mini Stereo Power Amplifiers

· Extremely compact

- · Stereo RCA input
- · Front-panel volume control
- Treble and bass controls
- · Front-panel volume and tone controls
- . Blue LED output level meters

| PCA1: 30-watts (PYPCA1) | Call or Log On |
|--------------------------|----------------|
| PCA2: 80-watts (PYPCA2) | Call or Log On |
| PCA3: 150-watts (PYPCA3) | Call or Log On |



DYLE PTA2 • PTA3 Mini Stereo Power Amplifiers

· Use for paging or musical applications

 Three switchable RCA stereo inputs plus RCA stereo out





· Feature music

volume control, headphone output jack, bass and treble tone control, switchable mic pager and mixing mode.

PTA2: 80-watts (PYPTA2).....Call or Log On PTA3: 150-watts (PYPTA3)......Call or Log On



A-912MKII

8-Channel, 120-Watt Mixer/Amplifier



- · 25v and 70v operation with low self-noise, and wide frequency response. 8 input channels accept any combination of TOA's plua-in modules.
- · Accommodates external mute switchers for remote mute operation. Insert jacks for outboard signal processing. #TOA912MK2UL**766.50**

Installed Sound – Speakers

800-947-1181 | 212-444-6681

SM42T 16W 70.7/100V

SM42T 16W /0.//iuuv 4" Two-Way Weather-Resistant

Surface-Mount Speakers

4" polypropylene woofer and 1" dome tweeter. TRX wave guide system provides wide dispersion of audio. Internal 16W, 70.7/100v transformer with power taps at 2, 4, 8, and 16 Ohms. Includes heavy-duty powder-coated C-bracket.



Black (ATSM42TB) or White (ATSM42TW) sold as pair 119.00

FAP62T Strategy II
Coaxial Ceiling System Speakers

Complements modern architecture. Extended bass response. Full selection of taps as well as 16W and an 8ohm transformer bypass, 70,7V/100V internal transformers. 4-pole detachable phoenixstyle connector. Works with drop tile or sheetrock ceilings with the included C-ring/V-rail tile bridge and "dog leg" mounting system. #ATFAP62T.....**219.00**



SD72W Dual Cone Ceiling Speaker with Baffle (White) **SD72W** Dual Cone Ceiling

Dual cone, 25w 8" speaker with ceramic magnet and 1" diameter copper voice coil. Factory installed 25/70.7V line matching transformer with tap selections ranging from .25 to 5 watts. Factory installed CRS baffle with concealed loudspeaker mounting studs and screw mount hardware.




#ATSD72W Call or Log On #ATSD72WV (with volume control)......33.50

IBL Control® Contractor

Premium Small Format Ceiling Speakers

High power handling, overload protection and exceptional sound level capability. Complete with integral backcan, front grille and tile bridge support hardware.



Control 24C: 4" woofer and 3/4" titaniumcoated tweeter provide high-fidelity sound. (JBC24C).... sold as pair 208.00

Control 24CT Micro: Same as above, plus includes multi-tap transformers. (JBC24CTM).....sold as pair 144.00

Control 24CT: 4" woofer and 1/2" polycarbonate tweeter, multi-tap transformers in White (JBC24CT)..... sold as pair 228.00

Control 26: 6.5" woofer and 3/4" titanium-coated tweeter deliver maximum sound (JBC26C) sold as pair 270.00

Control 26CT: Same as above, plus includes multi-tap transformers. (JBC26CT)......sold as pair 312.00



IBL Control® Contractor

Surface-Mounted Speakers

Compact systems with rugged. molded high impact polystyrene shells designed for indoor and outdoor applications. They offer versatility, ease-of-installation and paintability. Invisiball® mounting technology revolution-



installation with built-in hardware easily secured with a standard hex wrench from a front channel. Mounting bracket is included.

Control 23: 3.5" woofer and horn-loaded titanium-coated tweeter. For mid/high operation in limited space environments. In Black (JBC23B) or White (JBC23W).....sold as pair 208.00

Control 25: 51/4" woofer with horn-loaded 1" titanium-coated tweeter. Excellent choice for moderately large venues. In Black (JBC25B) or White (JBC25W)..... sold as pair 270.00

Control 25T: Same as above, plus includes a multitap transformer for line distribution systems.

In Black (JBC25TB) or White (JBC25TW).....sold as pair Log On

Control 25AV: Wide bandwidth, smooth response speaker. 60w multitap transformer for 70V/100V line distribution systems. The transformer may be bypassed allowing use as an 8 ohm impedance speaker. Includes stainless steel grille and MTC-PC2 panel cover included for additional weather resistance. In Black (JBC25AVB) or White (JBC25AVWH) sold as pair 354.00

Control 28: 8" woofer and 1" titanium- coated tweeter provides vivid sound reproduction for large space applications. In Black (JBC28B) or White (JBC28W)..... sold as pair 480.00

| Azden ACS-6.5 6.5" Drop Ceiling Speaker (AZACS65) |
|--|
| Behringer CE500A 80w 2-Way Speaker (BECE500ABK) 129.99 |
| Toa Electronics Paging Horn Speaker (TOSC610) |

EV Electro-Voice EVID Series

Surface-Mount Speakers w/70v Transformers

Beautify not only the sound of a room, but also the looks. Great sonic characteristics and stunning high fidelity make them ideal for retail environments, boardrooms, restaurants, and bars, Durable ABS enclosure with a zinc-coated steel grille protects internal components.

EVID 3.2: 150w with Dual 3.5" Woofers and 3/4"

Titanium Tweeter in White (ELE32W) or Black (ELE32)

EVID-4.2: 200w with Dual 4" Woofers and 1" Titanium Tweeter in

EVID-6.2: 300-Watt with Dual 6" Woofers and 1" Titanium

IRI.

211 00

Control 1 Pro

5" Two-Way Compact Speaker

Rugged enclosure houses a 5" woofer and a 0.75" dome tweeter. SonicGuard protection circuitry keeps them running smoothly. Spring-loaded speaker terminals. Magnetically





shielded, includes a ball and socket mounting bracket for easy installation and positioning flexibility.

In Black (JBC1PROB) or White (JBC1PROW)......sold as pair 164.00

Indoor/Outdoor Waterproof Speakers:

Completely waterproof, ideal for use on boats, decks, patios, outdoors and poolside. Heavy duty ASB construction. Quick connect/ disconnect speaker terminals. Unique spring loaded mounting system. Removable rustproof mesh grills.

PDWR30: 3.5" Cone Woofer and 1" Mylar Tweeter. Black (PYPDWR30B) or White (PYPDWR30W)sold as pair Log On

PDWR40: 5.25" Cone Woofer and 1" Mylar Tweeter. Black (PYPDWR40B) or White (PYPDWR40W) ... sold as pair Log On

PDWR50: 6.5" Cone Woofer and 1" Mylar Tweeter. Black (PYPDWR50B) or White (PYPDWR50W) .. sold as pair Log On

PDWR63: 6.5" long throw woofer and a 1" polyamide dome tweeter. In White (PYPDWR63).....sold as pair Log On

2-Way Round Ceiling Speakers

PDICS6: 6.5" full-range driver with a 1" voice coil and a 1.5" tweeter cup. 120-watts (PYPDICS6)

PDIC61RD: 61/2" midbass speaker and directable 1/2" polymer dome tweeter. 200-watts. (PYPDIC61RD)sold as pair 36.61

PDIC81RD: 8" midbass speaker and directable 1/2" polymer dome tweeter. 250-watts. (PYPDIC81RD)...... sold as pair Log On

In-Ceiling Weather-Resistant Speakers with Installation Hardware:

PWRC52: 5.25" driver, dual 1/2" tweeter, 200w (*PYPWRC52*) .. **Log**

PWRC62: 6.5" driver, dual 1/2" tweeter, 300w (PYPWRC62) .28.99 PWRC82: 8" driver, dual 1/2" tweeter, 400w (PYPWRC82) Log On

Install Sound Accessories

Atlas Sound

| 100W Wall Mount Attenuator Decora Finish (ATAT100D) Log (|)n |
|---|----|
| 8" Round Hole T-Bar Bridge (AT818R) Log (|)n |
| AT35 35W Single Gang Stainless Steel 70.7v (ATAT35) Log (|)n |

Bogen Communications

| Ceiling Grille for 8" Speakers - Semi-Gloss (BOPG8W) | 7 . 95 |
|---|---------------|
| SLC Signal Level Control (BOSLC) | 17.50 |
| Input/Line Transformer (BOWMT1A) | 30.74 |
| Voice Activated Relay for 70v Paging Systems (BOVAR1) | 96.19 |

Pyle-Pro

PVC1 Wall Mount Rotary Volume Control Knob (PYPVC1).... Log On PVC2 Wall Mount Slide Volume Control (PYPVC2) ... Call or Log On PVC3 High-Power Stereo Volume Control (PYPVC3) Call or Log On PT504 AM/ FM Digital Tuner (PYPT504)......Call or Log On PSTND6 Wall Mount Speaker Bracket (Pair) (PYPSTND6)... Log On

| JBL MTC-2P Mounting Kit (JBMTC-2P) | 21.00 |
|--|--------|
| Rane DA-216S 2x16 DA for paging and background music | |
| (RADA216S) | 439.00 |
| RDL PS-24AS Switching Power Supply (RDPS24AS) | Log On |
| RDL EZ-UCB2 Under-Counter Mount Brackets (RDEZUCB2) | Log On |
| Rolls RS80 AM/FM Tuner (RORS80) | 234.95 |
| Rolls HR155 Rackmount Monitor Speaker (ROHR155) | 108.00 |
| Tascam TU-690 Stereo Tuner (TATU690) | 209.99 |
| Toa Electronics U03R - Unbalanced Line Filter (TOU03R) | 55.50 |
| Toa Electronics Rack-Mount Kit for Amps (TOMB25B) | 30.00 |
| Ultimate Speaker Socket Mounting Bracket (ULTSM150MK) | Log On |
| | |

Coax Cable

Canare L-4E6S Star-Quad Mic Bulk Cable (656') (CAL4E6S656)......279.95

Comprehensive

Premium 2-Conductor Flexible Plenum Bulk Cable (COCVC2TWP)112.00



DENON DJ DN-4500 Dual CD and MP3 Player

- Plays CD-R/RW and MP3-CDs
- CD Text and MP3 File Search
- 2 seamless loop
- points and 2 hot stutter starts.
- · Adjustable Pitch and Brake
- Analog RCA and digital S/PDIF outputs

..639.00 #DEDND4500



Digital Media Turntable with CD Slot and USB

- Spinning 9" vinyl disc mounted on top of a direct-drive platter for an authentic, turntablelike feel and control.
- USB port
- · Supports standard audio CDs, MP3 CDs, CD-R/RW, CD-ROM

• 5 selectable effects include flanger, echo, delay, filter and other mood enhancing tools



Numark

NDX900 Professional DJ CD Player and Controller

- · CD/MP3/USB player with USB/MIDI interface
- · Beat-synced DSP effects with wet-dry fader: chop, echo, filter, flanger, pan, phaser
- 7-inch illuminated platter with touch-sensitivity adjustment
- · Control MIDI software via USB
- Seamless looping Adjustable pitch or bend with pitch buttons
- Adjustable start and stop time for vinyl-like deck performance

aemini

CDMP-1400

CD/MP3/USB Plaver



- . Plays MP3 and WAV files from USB storage device
- 1/4" mic iput; balanced XLR outputs
- Single & continuous play modes Seamless loop with reloop
- Rackmount chassis; includes remote control

Numark MIXDECK

Universal DJ System

 Complete system with CD/MP3/ USB decks, mixer. computer audio and MIDI interface, and universal iPOd dock.



- . Mixer with EQ/rotary kills, replaceable crossfader, and complete controls for iPod.
- · Record your set to iPod and listen later

#NUMD.......699.95

Numark

NDX400 Touch-Sensitive Scratch MP3/CD/USB Player

- · Scratch and search wheel
- · Text display for navigating folders
- · Auto BPM with tap override for instant BPM (tempo) analysis
- · Start/stop-time adjustment for for vinyl-style braking
- · Reverse mode for special effects
- Three hot cues for quick access to key points in the track
- · Seamless looping with stutter start

Numark CDN77USB

Professional Dual USB & MP3 CD Player



Dual CD decks and dual USB inputs. Assign MP3 files to either deck, from either drive, and enjoy the flexibility of MP3 title display on the large LED displays. Additional

features include scratching, seamless looping and variable 4, 8, 16, 100% pitch control.

#NUCDN77USB ..

Proneer Dj CDJ-350

Professional Portable Multimedia Plaver

- · Plays CDs & USB devices
- · Beat display and Auto Beat loop function
- Auto BPM Lock
- · Large touch-sensitive platter
- MIDI compatible with other DJ software allowing use as an audio interface.
- USB I/O and RCA analog outputs
- Includes RekordBox Music Management software

#PICDJ350....



Call or Log On

Proneer Dj CDJ-850

High Performance DJ Player

- Supports MP3, AAC, WAV & AIFF CD, CD-R/RW formats
- Includes Rekordbox Music Management Software
- . USB Ports on rear & faceplate
- · Fully assignable USB MIDI functionality and advanced USB MIDI software control
- Advanced auto beat loop
 Pioneer Nightclub standard layout

Proneer Dj CDJ-900 Professional Multimedia and CD Player

- . USB and SD card slots enabling playback of MP3, AAC, WAV and AIFF audio files.
- Slip Mode
- · Advanced Auto Beat Loop
- MIDI Assignable Controllers
- Includes RekordBox Music Management software



#PICDJ900......Call or Log On

Proneer Dj CDJ-2000 Professional Multimedia and CD Player

Steps up from the CDJ-900 with: . 6.1" color LCD panel and GUI

 Needle search helps DJs instantaneously get to a specific part of a song with a simple touch of the Needle Search pad.



#PICDJ2000......Call or Log On

TASCAM.cd-x1700

Dual Deck CD Player

- 8 sec. samplers and digital outputs for each deck
- · Pitch bend and tempo changes for MP3 songs



- · Built-in digital effects including filtering, flanging and echo
- Reverse play and Stutter play performance "tricks"
- Brake & Scratch wheel functions for analog turntable emulation

DJ Stands, Tables, Mounts and Miscellaneous Accessories for DJ Players and Turntables

| American Audio UNI LTS Accu Case (AMUNILTS) | 39.99 |
|---|-------|
| Audio-Technica AT6012 Vinyl Record Cleaning Kit (AUAT6012) | 16.99 |
| Audio-Technica AT634 Vinyl Record Cleaning Solution (AUAT634) | 9.19 |
| Music Hall Hunt E.D.A. Record Cleaning Brush (MUHUNTEDA) | 30.00 |
| Native Instruments Traktor Butter Rugs Advanced Slipmats for Turntables (NATRBTR) | 19.00 |
| Numark Dust Cover for Numark Tutntables (NUDC) | 29.00 |
| On-Stage Laptop Computer Stand (ONLPT5000) | 11.79 |
| Roland SS-PC1 Support Stand for PC (ROSSPC1) | 79.99 |
| Odvesey Innovative Designs D.I. Worktable with Adi. Folding Legs (ODCTRC2060) | |

Odyssey Innovative Designs Laptop Stand in White (ODLSTANDWHT)..... Odyssey Innovative Designs Laptop Stand with Interface Tray (ODLSTANDCOMB)........Call or Log On Odyssey Innovative Designs Stand-Alone Table-Top Laptop Stand (ODLSTANDS)......29.95

DJ Turntables • DJ Cartridges & Stylus

800-947-1181 | 212-444-6681



audio-technica AT-LP120USB

Direct Drive Professional DJ Turntable with USB

- Rugged cast aluminum construction with line and phono audio outputs.
- 33, 45 and 78RPM speeds, +20% and 10% pitch control, reverse mode.
- · USB interface
- · Includes Audacity software

#AUATLP120USB



.217.00

Numark TTXUSB

High-Torque Turntable with USB and EZ Vinyl

- · Durable, vibration resistant construction, high torque direct-drive motor.
- Interchangeable S-shaped or straight tone arms.
- · Digital outputs, Key Lock and ±50% pitch control
- · Included EZ Vinyl software

simplifies transfer and archives audio files into iTunes.



 33 and 45RPM speeds, rugged platte pitch adjustment, dust-cover, counterweight and more.

· Includes Audacity recording software

#PYPLTTB3U......Call or Log On

stanton T.92

USB Direct Drive Turntable

- . S/PDIF digital output and analog RCA phono output connectors.
- High-torque, direct-drive motor, S-shaped tone arm and 33, 45 and 78 RPM speeds.

Includes Cakewalk Pyro LE Software

#STT92USB **299.00**

Technics SL-1200MK2

Professional DJ Turntable

· Direct-drive motor and precision quartz movement system delivers accurate pitch control and overall feel

- Vibration-resistant construction
- · Adjustable tone arm weights, anti-skate control, pop-up target light, and a sliding pitch control



Technics SL-1210MK5

Analog DJ Turntable

- · Die-cast aluminum platter, with selectable speeds of 33 1/3 and 45 RPM.
- Quartz direct-drive and a brushless DC motor.
- Variable pitch range of ±8%, and has a no-click pitch control
- · Electronic brake can be adjusted; users can set turntable to halt instantly, wind down slowly, or respond anywhere in between.



audio-technica AT-LP1240USB

Direct-Drive Turntable (USB & Analog)

- USB output to Mac and PC
- · Built-in phono preamp
- Phono or line output
- · Direct drive high-torque multi-pole motor
- 33, 45 and 78 rpm speeds
- · Sliding pitch control with quartz speed lock

#AUATLP1240US (with Audacity Recording Software)397.00



PLTTB3U Direct-Drive Turntable with USB Output

- . Tailor made for anyone in need of a turntable for digitizing old vinyl, or basic home listening.



stanton st.150

Professional DJ_Turntable

- · Heavy-duty steel construction and world's strongest torque motor
- S/PDIF digital output
- Ultra stable platter and tone arm
- Selectable pitch control [±8%, 25%,50%]
- · Start/Brake speed adjustment

Technics SL-1210MK

Professional Direct Drive DJ Turntable

Same as SL-1200MK2, plus has the ability to switch between 110 and 220 voltages. This makes it possible to use your decks in different European countries as well as in the United States.



#TESL1210MK2....

Technics SL-1210M5G

Professional Direct Drive DJ Turntable

 Digital pitch control. adjustable brake and improved tone arm for a rich quality sound.







audio technica.

AT90CD

Bounded round shank stylus, compatible with P (Pin) or 1/2-inch (Headshell) mount turntables.

#ALIAT90CD

gemini HDCN-15



Headshell and cartridge with Audio-Technica stylus. Mounts to 4-pin tone arms of most turntables. (GEHDCN15)......35.42 #GEHD15 (D-15 Headshell only)......9.99 #GECN15 (CN-15 Turntable Cartridge and Stylus)......24.95

Numark cs-1

High output and sleek design enables scratch and back cuing without skips.



SMURE M44-7

High track force and polished natural gem stone stylus, designed for preserving vinyl during intense scratching, spin-back and back-cuing. Compatible with N44-7, N44-7Q and N44-7Z replacement needles.



#SHM447 Replacement stylus for the M44-7 (SHN447).....25.00

SMURE M44-7H

Competition DJ turntable cartridge mounted on Technics headshell. Features a high track force and polished natural gem stone stylus. Compatible with Shure N44-7, N44-7Q and N44-7Z replacement needles. #SHM447H

SHURE

M97XE

Dynamic stabilizer maintains a uniform distance between the cartridge and the record under difficult conditions. Side-Guard stylus protection.



#SHM97XE..... 69.99

| American Audio TT-Headshell (AMTTH) |
|---|
| Audio-Technica AT91ECD Cartridge (AUAT91ECD)24.95 |
| $\textbf{Audio-Technica} \text{ AT-HS1 Turntable Headshell } \textit{(AUATHS1)} \dots \textbf{21.00}$ |
| Ion ICT04 Replacement Stylus (IOICT04) |
| Ortofon MF6 Elektro MF6 (ORMF6S) |
| Shure N25C: Replacement Needle for M25C (SHN25C) 16.95 |
| Shure Repl. Stylus for WhiteLabel Cartridge (SHNWHLB) 22.91 |
| Shure SFG-2 Stylus Tracking force gauge (SHSFG2)23.23 |
| Shure M92E Turntable Cartridge (SHM92E) |
| Shure White Label Headshell and stylus (SHWHLB89.95 |
| Shure SC35C DJ Turntable Cartridge (SHSC35C) 34.99 |
| Shure M44G Turntable Cartridge (SHM44G)54.00 |
| Shure MCC: Molded case for up to 4 cartridges (SHMCC) 25.07 |
| Shure RPP635 Phono Accessories Pack (SHRPP635) 3.99 |
| Shure RPP644 Accessory pack for the M44G and M44-7. |
| Includes mounting hardware, head-shell wires, screwdriver, |
| cleaning brush and stylus guard. (SHRPP644) |

AMERICAN AUDIO VMS2

Table Top DJ USB Software Controller

- · 2-channel MIDI controller
- 2x MIDILOG channels
- · Crossfader Curve Adjustment (adjustable)
- . Mic input with Gain, Tone Control
- . USB port; XLR outputs
- 4 -in/ 4-out Audio Interface

· 2-deck controller for DJ software mixing

| #AMVMS2 | 299.9 | 9 |
|--|-------|---|
| #AMVMS4.1 (VMS4.1 4-Channel MIDI Controller) | 499.9 | 9 |

DJ Console MK4 USB DJ

• 2 jog wheels

Control Surface & Virtual DJ Software

. 1 crossfader and 2 volume

· 2 pitch encoders (knobs) to

adjust the speed of the music. 6



manipulation and control of Wave and MP3 audio files. · Mixer features smooth crossfader, 3-band kill FQ and PFI assignable headphone cue. · Four user-assignable controls

and buttons for an integrated FX section. Includes Native Instruments Trackor 3 LE software. #BEBCD3000Log On



behringer

4-channel USB port for vinyl

DJ Console RMX USB DJ

Control Surface & Virtual DJ Software

BCD-3000 DJ Mixer, Audio

Interface and Control Surface



transport controls and more. Includes analog connections and Virtual DJ 5 DJC Edition software

| #I ILDJUNIVIA | | | LUY-UII |
|---------------|-----------------|---------|-------------|
| 4-Mx USB DJ | Control Surface | (HE4MX) | 359.00 |



- · 4-channel DJ mixer, DJ software controller and USB audio interface.
- · Full gamut of fader, level, dial, and transport controls integrate with any DJ software title.



Control level, EQ, effects, cuing and audio transport.

#DEDNMC6000..... MC3000 Mixer Controller with Soundcand (DEDNMC3000). Log On

DJControl Instinct

DJ Software Controller

- 2 pressure-detecting jog wheels for vinyl style cuing, scratching and more.
- · 2-channel mixer with level and crossfader controls.



DJ Control Air 2-Channel USB DJ Controller (HEDJAIR) 159.99

ATIVE INSTRUMENTS

FO notentiometers

Automatic loops on 1, 2, 4 or 8 beats; add effects to customize

your music; record your mixes as audio files

Traktor Kontrol X1

- · Compact tactile control surface for Traktor and other software.
- · Controls include knobs, back-lit buttons and switches.
- Includes MIDI configuration software.



199.00

Traktor Kontrol S2

Streamlined version of the Kontrol S4 with a 2-channel layout and control of up to 2 decks and a third channel reserved for sample triggering. Traktor Pro 2 DJ software is built in, making

Automap Universal

automatic, instant

of all automatable

2.0 software provides

and intelligent control

plug-ins within every



it a complete and powerful package right out of the box.Call or Log On

novation Nocturn

Hardware Controller for Plug-Ins

NATIVE INSTRUMENTS Kontrol S-4

TRAKTOR Controller and Software

- · 4-channel mixer with ergonomic layout
- Touch-sensitive jog wheels

• Multi-color 64-button grid

and dedicated scene launch

and manipulation of clips.

Switch to "mixer mode" and

volume, pans, sends, track

buttons provide easy triggering

- Bundled TRAKTOR PRO S4 software features 4-deck mixing and effects, sample decks and a Loop Recorder
- MP3 management with iTunes integration and iPod compatibility

novation Launchpad

Ableton Live Controller

Cue Point & Looping DJ Controller

for use with Serato Scratch, and other DJ software.



- · Multi-color, soft touch "dice" buttons, provide LED feedback
- CDJs, laptops, mixers or any hard surface.

major sequencer, including Pro Tools. · Illuminated buttons and a smooth 45mm crossfader • Eight touch-sensitive rotary encoders with bright, 11-LED rings

- #NONOCTURN Call or Log On

Numark DJ2GO

Ultra Portable USB DJ Controller

Sized to fit directly in front of most laptops, provides full 2-deck



Virtual DJ LE Lite software. The layout features tactile controls over all Virtual DJ LE's parameters. Includes two platters, a crossfader, pitch and level controls as well as Deck A, Deck B, Master and headphone gain controls.

NUTTURK MIXTRACK PRO

arming, soloing and muting can all be controlled via the grid.

• Switch to "user mode 1" and the 64 buttons become drum pad

#NOLP......Call or Log On

triggers laid out for playing Ableton Live's Drum Racks

. Jump to different levels across 8 channels at once

DJ Software Controller

· Integrated DJ controller with 2 touch-sensitive platters, 2-channel D.I. mixer and tactile controls for use with DJ software.



 Connect a laptop via USB and a PA system or powered speakers to the analog outputs.

Software reads files in your iTunes playlists

#NUMTPCall or Log On

novation Dicer

· Surface mounted control surface



. Comes with re-usable "DJ Putty" that will stick Dicer firmly to

novation Twitch

DJ Controller

Includes Serato ITCH and overlays for use with Traktor. Has a mic input, headphone output, and AUX inputs for routing signal through software effects. 2-channel mixer for creative slicing,



looping, stuttering and real-time sample playing in Serato ITCH. #NOTWITCH...... Call or Log On

DJ Controllers • DJ Computer Hardware & Software

800-947-1181 | 212-444-6681

Numark idus

Digital DJ Controller

- · Large, touch-sensitive turntables for scratching and song cueing
- · Music playback using the built-in iPad/iPhone dock
- · Preview & master outputs
- · Complete mixer section with EQ, loop and effects controls
- Includes Virtual DJ LE professional mixing software

Integrating tightly with included Serato ITCH DJ

software, the NS6 lets DJs perform with or with-

out software at all. 4-channel mixer/

controller may be used with

or without a computer. Has

inputs for four line, two turn-

#NI IID. 13

4Trak 4-Deck DJ Controller and Mixer (NU4TRAK)................................949.00

Numurk NS6 USB DJ Controller

Numark vz

Motorized DJ Turntable Software Controller

#NUMDEXP (with Virtual DJ Audio/Karaoke/Video software) 499.95

Numurk MixDeck Express

Premium DJ Controller



· Fast, slot-loading drives with large,

· Play from MP3 CDs. USB flash drives.

touch-sensitive platters

computers, external inputs


. MIDI integration of decks for

controlling computer software

. 3-channel mixer with EQ/rotary kills,

· Brake, Reverse, and Scratch effects

replaceable crossfader, and external inputs



#NUV7......**498.00**

. Includes Serato ITCH, compatible with Scratch LIVE libraries

tables, two mics. Built-in 24-bit interface with balanced XLR outputs. Touch sensitive illuminated wheels. #NUNS6......Call or Log On

Numark NS7FX

Motorized DJ Controller for Serrato ITCH

N4 4-Deck DJ/Controller/Mixer (NUN4)......Call or Log On

- · Direct-drive motorized platters
- . Authentic 7" vinyl on top of slipmats
- Integrated mixer and USB interface
- Replaceable VCA crossfader and level faders. Strip-Search touch-strip on each deck.
- Includes Numark NSFX Effects Controller, NS7 DJ Controller and Serato ITCH software.





Proneer DDJ-ERGO

DJ Controller & Virtual DJ LE Software

Audio interface includes balanced and unbalanced master outputs, mic input, auxiliary line input and headphone output. The controller is USB powered and features MIDI control. Has



2 large platters and a 2-channel mixer section, yet can control up to 4 virtual decks. Integrated Pulse Control illuminates its platters and control section in ways that aid in mixing DJ sets #PIDD.IFRGOV 499 NN

Proneer DDJ-T1

TRAKTOR DJ Software Controller

Full tactile control and integration over Traktor DJ software. Features a plug-&-play USB port, 2 wheel control decks and an assortment of preassigned faders, knobs, buttons and switches. Designed to allow a laptop keyboard to slip underneath the control surface, exposing just the monitor and saving precious space.

W Vestax Typhoon

All-In-One DJ Controller & Software

- · High resolution, touchsensitive jog wheels
- Integrated 2-channel mixer
- · High quality sound for monitoring, master output and a separate mic input



- . USB powered and includes Traktor LE DJ software #VETYPHOON......Call or Log On

Proneer DDJ-S1

Serato ITCH DJ Software Controller

Full tactile control and integration over Serato ITCH DJ software. Features a plug-&-play USB port, 2 wheel control decks and an assortment of preassigned faders, knobs, buttons and switches. Designed to allow a laptop keyboard to slip underneath the control surface, exposing just the monitor and saving precious space. #PIDDJS1Call or Log On

W Vestax vci-380

2-Channel Controller for Serato ITCH

- 24-Bit/48kHz interface
- 2x 8 performance pads with velocity & aftertouch
- 5 performance modes
- Torque Adjust & LED Pointer on Wheels
- Independent Mixer with inputs and outputs #VEVCI380..... 899.00 VFX-1 USB MIDI Controller (VEVFX1)Call or Log On



Live 8

Music Production Software

- Real-time audio/MIDI production
- Multitrack recording up to 32-bit/192kHz
- . Apply and extract grooves in real time
- Instrument, Drum and Effect Racks
- Built-in audio and MIDI effects Looper
- · Warping and real-time time-stretching

#ABL8.....Call or Log On

Ableton Suite 8 - Music Production Suite (ABS8).....Call or Log On Ableton Suite 8 - Educational Discount (ABS8E)......Call or Log On



TRAKTOR AUDIO 6

6-input USB Audio Interface

DJ audio interface with studiograde sound quality. 6 inputs, 6 outputs with two preamps to connect turntables. Comes with TRAKTOR DJ software so vou can start mixing right away #NATSA06299.00





RANE SL 2

Interface with Serato Scratch Live

Connects one or two standard vinyl or CD turntables to your computer using a single USB cable and audio connections to line inputs on your DJ mixer. Features USB 2.0 Interface, 2-deck mixing and Serato NoiseMap Technology. Includes Scratch Live Software, Control Vinyl and Control CDs.

SONY ACID Pro 7

Digital Audio Workstation

Combines multitrack recording and mixing, MIDI sequencing, and ACID looping functionality for a seamless music-creation and post-production environment. ${\sf Transparent\ Technology}^{\scriptscriptstyle{\sf TM}}\ design\ removes$ barriers to the creative workflow so you can easily transform ideas into real results. #SOSAC7000



Computer DJ Accessories

| Pioneer DJC-SC1 DJ Controller Bag (PIDJCSC1)Log | y On |
|---|------|
| Vestax SDC7 7-Volt Power Supply (VESDC7)2 | 9.00 |

Native Instruments

| Traktor Scratch Multicore Cable - Repl. (NAMCTS) Log On | |
|---|--|
| Traktor Kontrol X1 Bag (NATKX1B)39.00 | |
| Traktor Scratch Control Vinyl MKII in Black (NATSPCVMK2BK), | |
| White (NATSPCVMK2WH), Blue (NATSPCVMK2BL), | |
| Clear (NATSPCVMK2CL) or Red (NATSPCVMK2RD) 13.15 | |

Rane

| Serato Scratch Live Replacement Control CDs (RASSLCD) 10.0 |
|--|
| Scratch Live Vinyl in Black (RASSLVINYL), Blue (RASSLVINYLBL), |
| Clear (RASSLVINYLCL) or Purple (RASSLVINYLPU)14.9 |

www.BandH.com

Professional 5-Channel DJ Mixer

ALLEN&HEATH Xone:22

Digital DJ Mixer

- . Two channels with line and turntable inputs
- Effects loop I/O
- Balanced XLR and unbalanced RCA outputs
- · Fast accurate metering
- 3-band EQ with full-cut isolator EQ
- . XONE VCF filter with LPF and HPF select

#ALXONE22......Call or Log On



• User replaceable VCA crossfader

#RFDX626

Beat counter

DX-626









DDM4000

behringer 4-Channel Digital DJ Mixer

- Four independent effects engines
- · Digital sampling with beat-sync and digital crossfader
- Four line inputs that support phono (turntable) and line signal
- . Two mic inputs with Gain, EQ, Talk function and FX control
- . MIDI I/O and S/PDIF out; headphone cue with bass/snare boost

Numark M101USB • iM1

Two-Channel DJ Mixer

- · Replaceable crossfader
- Two pairs of Phono/Line inputs. stereo line out
- · Level control, gain control and 2-hand EO on each channel
- 1/4-inch mic input
- USB port



#NUM101USB......Call or Log On #NUIM1 (with built-in iPod Dock).....

Numurk iDJ Live

DJX-750

DJ Software Controller

- · Intuitive DJ control surface for iPad, iPhone or iPod Touch
- · 2 touch sensitive platters, and a 2-channel mixer.

behringer

33 presets

• 3-band kill EQ

. 5-channels loaded with line and

• 3-way frequency kill switches and

replaceable 45mm crossfader

. Two automatic BPM counters

phono (turntable inputs)

• 24-bit effects processor with

- · Plug-and-play operation with iOS Core MIDI DJ software
- · Includes an iPad stand

#NUIDJLIVE..... 79 99

Numark cause

5-Channel 19" Rackmount D.I Mixer



- 10 line inputs and 3 (Dedicated) turntable inputs
- 5 channels with 3-band EQ on each channel
- Comprehensive LED metering

Numark M6 USB

USB 4-Channel DJ Mixer

- · Four input channels, each with gain, 3-band EQ, and LED metering
- Playback MP3s
- 2 RCA turntable inputs
- 4 RCA line inputs
- · Record your mix to your computer
- Dedicated XLR mic channel and additional mic input on CH-4
- Replaceable crossfader: assign any channel to either side of the crossfader #NUM6USB...... 128.54

Numark imp

4-Channel Mixer with Built-in iPod Dock

- Record DJ directly to iPod
- · Beatkeeper BPM detection
- · Beat-synced effects
- Replaceable crossfader with channel assign switches
- . XLR mic input with Gain & EQ
- Two phono line inputs, five RCA line inputs, balanced XLR outputs
- Built-in effects 3-channel EQ on each channel

209.00

Numurk icd MIX-3

DJ Mixer and Dual CD/MP3 Plaver with Integrated iPod Dock

- Play CD/CD-R and MP3-CDs
- Vinyl turntable and mic inputs
- · Fader starts



#NUICDMIX3......319.00

Numark iDEC Rack-Mounted Playback and Recording Dock for the iPod

Plays iPod audio and video, making it a



for commercial A/V systems, bands, DJs, dance studios, etc. Also records audio directly into the iPod at up to 16-bit, 44.1kHz, USB port connects and syncs iPods to computers. Comprehensive transport controls. RCA audio and video connections.

Propeer DJM-250

2-Channel Professional DJ Mixer

- · Dedicated sound color filter on each channel
- · Eight flexible inputs
- · Premium XLR balanced outputs
- 3-band Isolator per channel
- Fader Start Play function
- · Coss Fader Curve Adjust function
- Peak level meter

#PIDJM250K.....

.Call or Log On

Proneer DJM-350

2-Channel Professional DJ Mixer

- 2 line and 2 phono inputs with 3-band isolator EQ. level faders and diustable crossfader • 24-bit A/D conversion
- · Record mixes to a USB Type-A storage device without a computer or external digital recording
- device (audio is stored as a .WAV file). · 4 powerful digital effects for remixing audio

Pioneer DJM-900nexus

4-Channel Professional DJ Mixer

- Integrated USB soundcard with support for up to 4 stereo channels of 24-Bit / 96kHz audio.
- Features Pioneer's Sound Color and Beat effects, and its X-Pad touch pad lets DJs manipulate and apply effects in real-time
- · Wide variety of DSP effects
- Same audio input and output circuits as DJM-2000 #PIDJM900NEX......Call or Log On





4-Channel DJ Mixer with A/D-D/A Converters

- 5.8-inch color multi-touch LCD
- panel for adding audio effects. • 24-Bit A/D and 32-Bit D/A converters
- Switching 3-band EQs & 3-band Isolators
- Live Sampler capability
- Instrument FX provides six additional audio effects
- · Evolved Beat Effects—effects with a turn of the knob













800-947-1181 | 212-444-6681

Sixty-Two Performance Mixer with Serato Scratch Live

- USB 2.0 Serato Scratch Live Interface
- Two USB 2.0 ports for laptop dhanges
- Includes Serato Scratch Live Software
- Internal effects engine
- Sample, Cue & Loop trigger controls
- Beat Joystick & Tap tempo
- Aux session input & record out via USB
- . Magnetic crossfader & channel faders

#RAS2 ...



1999.00



iPod Docking Station

Occupies one 19" rack space and provides a secure, sleek docking station for your iPod, iPod mini or iPod nano.



The unit closes to secure iPods and maintain the sleek profile of your rack. Firewire, USB and audio outputs keep your iPod charged, audible and integrated in your studio.

#RANAID1BA.....



CHIEF Raxxess iRDS-4

iPod Docking Station

Occupies 4 units in a 19" rack space and provides a secure, sleek docking station for your iPod, iPod mini or iPod nano. The unit closes to secure Pods and maintain the sleek profile of your rack. A built in



charger keeps iPods charged and Firewire, USB and audio outputs keep your iPod integrated in your studio.

#RANAID4BA.....



DIDock

DI Box for iPod & MP3 Players

Features a built-in MP3 player dock with a manually switchable charger, headphone output, and balanced XLR stereo line outputs with a ground lift switch. Ideal solution for playing background music, backing tracks during a live performance and much more.



#SMPDIDERY 129.99



Three-Microphone Karaoke Mixer



- Up to three mics, three monitors and two A/V input sources.
- Level, treble and bass controls with source /left /right level LED displays.
- . Digital Echo with separate Repeat and Delay controls
- · Vocal Cancel and Partner functions.

#VODA1000PRO......Call or Log On

DJ Mixer & Controller Cases



| American Audio Soft Bag for the VMS4 and VMS 2 Controllers (AMVMS4BAG) |
|--|
| M-Audio Torq Xponent Gig Bag (MAGBTX)Call or Log-on |
| Native Instruments Traktor Kontrol S4 Flight Case (NAKS4FC) |
| Numark Mixdeck Case (NUMDC) |

Faders Behringer CFM2 Rep. Crossfader Module (BECFM2)............ 9.99

Phono Preamps

R T DeeJayPRE

Turntable Phono Preamplifier with RIAA EQ

Provides adequate gain for connection to a line level input on newer preamp, mixers and receivers. L/R RCA inputs and outputs with a ground screw terminal. Gain dial is provided for level adjustment and



RIAA EQ compensates for low frequency loss and high frequency noise. Low frequency roll-off filter eliminates hum and rumble. #ARPPR2 Call or Log On*

PP400

behringer Ultra Compact Phono Preamplifier

Handy phono preamplifier for turntables. Has an RCA input and output. Balanced 1/4" TRS phone output enables a turntable to be connected to professional mixers, recorders, amplifiers, etc.



| Alesis PhonoLink Stereo RCA-to-USB Interface (ALPL) | • |
|---|-------|
| ART USB Phono Plus Phono Preamp (ARUSBPPPS)Behringer PP400 Phono Preamplifier (BEPP400) | |
| Pyle-Pro PP999 Phono Preamplifier (PYPP999) | • |
| Rolls VP29 Phono Preamp (ROVP29) | 48.95 |

Sound Effects & Sample CDs

Sound Ideas Royaly-Free Music

| Combo #3 Audio CD Collection (SORFMC3)Call o | r Log On |
|---|----------|
| BBC Sound Effects Library (SOBBCSFX160H) | 599.00 |
| Sample CD: Digiffects Complete Library (SODCL) | 3295.00 |
| Royalty Free Music Collection Hard Drive (SORFMCHD) | 3995.00 |

DJ Lighting



American-DJ

| MB-8 Instant Mirror Ball Package (AMMB8) | Call or Log On |
|--|----------------|
| AR38 Spot w/Lamp (AMPAR38BL) | 25.56 |
| 38 LED Pro PAR Can in Black (AM38BLP) | Call or Log On |
| 64 LED Pro PAR Can in Black (AM64BLP) | 199.99 |
| CGS-9A Gel Sheets for PAR Cans (AMCGS9A) | 8.99 |
| 24" Black Light Fixture/Bulb (AMB24BLB) | |
| 48" Black Light Fixture/Bulb (AMB48BLB) | |
| ECO FOG Fog Juice 1-Quart (AMECOFOGQ) | |
| ECO FOG Fog Juice - 1 Gallon (AMECOFOGG) | |
| H20 LED Water-Flow Effect Light (AMH20LED) | |
| Jellyfish Effect LED Light (AMJELLYFISH) | |
| USB LED Light (AMUSBLED) | |
| S81 LED Mini Strobe (AMS81L) | |
| LED Dummy (AMLEDDUMMY) | |
| B6 LED Police Beacon-Blue (AMB6BLED) | |
| Mega Par Profile - RGB LED Par Can (AMMEGAF | , , |
| Mega Bar 50 RGB RC Light Barn (AMMEGABARS | |
| Fusion FX Bar 5 (AMFUSNFXBAR5) | |
| Micro Galaxian Laser (AMMICROGALAX) | • |
| Galaxian 3D Red/Green Laser Effect (AMGALAX | |
| Profile Panel RGB LED Panel (AMPROPANRGB) | |
| S-Cable/60 Pro Lighting Safety Cable (AMSCA60 | , |
| Big Shot Portable Strobe Light (AMBIGSHOT) | |
| EZ Bubbles Bubble Machine (AMEZBUBBLES) | |
| Mini Fog Portable Fog Machine (AMMINIFOG) | |
| Fog Storm 700 Fog Machine (AMFS700) | |
| Fog Storm 1200HD Fog Machine (AMFS1200HD) | • |
| Fog Storm 1700HD Fog Machine (AMFS1700HD) | • |
| Mister Kool Low-Lying Fog Machine (AMMISTER: Kool Fog Juice (AMKOOLFOG) | |
| Dual Gem Pulse Dual Lens Moonflower (AMDGP) | |
| LTS-1 12' Lighting Tripod Stand (AMLTS1) | |
| | |
| LTS-2 12' Aluminum Tripod (AMLTS2) LTS-50T Portable Trussing System (AMLTS50T) | |
| 0 , , , | |
| Accent Strip RGB (Black) (AMACCSTRPBRG) Color Burst 8 DMX Color Wash LED Light (AMCE | |
| DJ Spot LED Light System (AMDJSPTLEDUS) | , |
| DO SPOLLED LIGHT SYSTEM (AMDUSPILEDUS) | 1999.99 |

CHAUVET

| COLORstrip DMX LED Linear Wash Light (CHCOLORSTRIP) | 199.99 |
|---|---------|
| D-Fi PLUS Wireless DMX-512 Trans/Rec (CHDFIPLUS) | .149.99 |
| COLORpalette LED Light Bank System (CHLEDPALET) | .149.99 |
| Handheld Blacklight / Flashlight (CHNVF4) | 6.99 |
| Obey 3 3-Channel LED Lighting Controller (CHOBEY3) | 49.99 |
| D SlimPAR 56 (CHSLIMPAR56) | 99.99 |

| Arriba Cases Padded Lighting Fixture Case (ARAC115) | 29.95 |
|--|---------|
| Elation Control DMX Controller (ELDMXOC) | .199.99 |
| Galaxy Audio Life Saver Sand Bag (GALSR38) | 29.99 |
| Global Truss ST-132 Med-Duty Crank Stand (GLST132) | .239.00 |
| Global Truss Bag for ST-132 Crank Stand (GLST132BAG) | 49.95 |

AKG[®] K 81 DJ

- · Lightweight stereo headphones for party and event DJ's
- · Closed-back, high-isolation design
- 3D-Axis folding and swiveling mechanism for optimum placement of the earcups.

#AKK81DJCall or Log On



DENON DN-HP500

- . Stylish with a rugged design
- 40mm neodymium drivers
- · Closed-back earcup design and thick cushions provide natural noise reduction.
- · 90° swivel mechanism for easy single-ear monitoring. #DEDNHP500......Call or Log On



- Full size noise isolating headphones
- Folds flat for portability
- . Transition from stereo to mono with the flick of a switch
- Oxygen-free copper voice coils deliver deep bass and signal clarity



AKG⁶ K 181 DJ

- Audiophile frequency reproduction capability from 5Hz to airy 30kHz.
- High SPL and input level handling
- Bass boost and stereo/ mono monitoring selector switches
- 3D-axis, double-hinged folding mechanism #AKK181DJ......**129.00**



DENON DN-HP700

- · Adjustable, padded headband
- 40mm neodymium drivers
- Circumaural earcups with thick cushions for comfort and noise isolation
- · Swivel earcups

#DEDNHP700......Call or Log On



• Single-sided coiled cable

Highly-efficient Cobalt drivers

#BEHPX4000......29.99 #BEHPX2000 (HPX2000 DJ Headphones)... 19.99

behringer • Cushioned swivel earcups

HPX4000

Padded, adjustable headband

DENON DN-HP1000

- · Rugged design with audiophile frequency reproduction of 5Hz to 33kHz.
- · Reinforced swivel joints for single-ear use, 3500mW power handling, comfortable, replaceable earpads, and semi-coiled soft insulated cable.

#DEDNHP1000 169.00



MKOSS[®] PRODJ100

#KOPRODJ100....

MUNISTER Beats Pro

- · Lightweight and durable aluminum frame
- Adjustable, padded headband
- •Thick removable and washable cushions

Pioneer HDJ-500

- Flip-up ear cups
- Excellent noise isolation

· High output power

Fully enclosed earpads

Swivel single-ear monitoring

Includes straight & coiled cables

• Patent-pending input/output feature

#МОВНРРНВ



. Call or Log On

Numark RED WAVE

- · Large 50 mm driver, neodymium magnet and voice coil for optimal response
- 90° swiveling ear cups
- · Breathable protein-leather padding
- · Balanced detachable headphone cable with 1/8" adapter

#NUREDWAVE......69.00

Pioneer HDJ-1000

input level capability. High, distortion-free

#PIHDJ1000...... Call or Log On

#PIHDJ1000G (In Gold)......Call or Log On

#PIHDJ1000K (In Black)............ Call or Log On

Comfortable with high-isolation and high

output, stereo/mono monitoring.

positioning on either shoulder.

· Folding design allows for single ear




Panasonic RP-DJ600-K

- · Stylish design with wivel earcups for single-sided or freestyle monitoring
- · Comfortable adjustable headband and thick ear cushions
- · Neodymium drivers for great sound with strong bass



Proneer HDJ-2000

- 2" dome drivers provide extra-wide frequency response and clear detail.
- Mono/stereo switch
- · Thick-cushioned earcups
- Swivel mechanism for single-ear



Skullcandy Skullcrushers



PERCOR RHP-10

· Detailed low and mid frequency response

In Gray and Black (PIHDJ500K)......Log On

In Red and Black (PIHDJ500R).....Log On

In White (PIHDJ500W)......99.99

- · Closed rotary and retractable construction
- Noble rubberpaint finish
- · Compact, light ear cup chassis
- · Exchangeable ear cups made of artificial leather: large cut-out for enclosing wear, small cut-out for incumbent wear.





SMURE SRH550DJ

- 90° swiveling earcups
- Supra-aural design
- 50mm dynamic drivers
- Enhanced bass response

| #SHSRH550DJ 99.9 9 | 99 |
|---------------------------------------|----|
| #SHSRH750DJ (SRH750DJ) 149.9 9 | 99 |



stanton

DJ-PRO 300

- Comfortable single-sided design
- Detachable 1/4" cable
- · 40mm heavy-duty driver

#STDJPR0300.....**39.99**



stanton DJ-P500MC MKII

- · Single-side, closed-back design
- . Heavy-duty driver and bass boost.
- Low-Impedance Dynamic Mic
- · Aiustable metal headband with soft vinvl covered foam pad

#STDJP500MCMK......**59.99**



stanton

Closed-Back design

Folding design

Inline subwoofer control

Inline Subwoofer Control

. Mini subwoofers provide thumping bass

• Swivel earcups, around-ear cushions

DJ PRO 1000 MKII

- Closed ear design
- High-output Pro-level sound
- Removable 1/8" & 1/4" cables

#STDJP1000MK2.......**59.99**



ULTRASONE

DJ1 Pro

- Provides 3D music experience
- Up to 40% lower dB output while offering the same perceived loudness. · Closed design helps block out noise
- #ULDJ1PR0 143.00 DJ1 (ULDJ1)......189.00



More DJ Headphones

| AKG K67 Tiesto Headphone (AKK67TIESTO) | 99.00 |
|---|--------|
| AKG K167 Tiesto Headphone (AKK167TIESTO) | 199.00 |
| AKG K267 Tiesto Headphone (AKK267TIESTO) | 299.00 |
| Gemini DJX-05 DJ Headphones (GEDJX05) | .26.99 |
| Numark HF 125 Circumaural Closed-Back (NUHF125) . | 11.49 |



| to Mini Female | Comprehensive Mini Female to 3-Pin XLR Male | | N |
|--|--|--|---|
| | | | |
| Bescor 4-Pin XLR Male to 2 4-Pin | Sec. | | Hosa Stereo 3.5mm Mini |
| XLR Female Y-Cable | 60 | Monster RCA Female to Two RCA Male Y-Cable | Female to 2 Mini Mono Right-Angle Male Y-Cable |
| | Po | scor | |
| 4-Pin XLR-M to 2 4-Pin XLR-F (BEYC) | | 6" 4-Pin XLR-F to 2 4-Pin XLR- | M (BEYCXF2XM) 2 |
| IM: IM: Lo O Divers French V Ochle | • | ehensive | (00)(00)(00) |
| ' Mini Male to 2 Phone Female Y-Cable | , | 6" 1/4" Male to Two RCA Femal | |
| ' Mini Male to Two Mini Female <i>(COYCI</i> ' Mini Male Stereo to 2 RCA-F <i>(COYCSI</i> | , | 6" Stereo Phone Male to Two Ri 6" 3.5mm Mini Male (Mono) to | , |
| ' RCA Male to Two RCA Male (COYCRM | , | 1' XLR-M to Two XLR-F (COYCX | , |
| ' RCA Male to Two RCA Female (COYC) | , | 1' XLR-M to Two 3-Pin XLR-M (| , |
| ' RCA Female to Two RCA Female (CO) | | 1' XLR-F to Two XLR-M (COYCX | , |
| ' RCA Female to 2 RCA Male Y-Cable (| COYCRF2RM) 2.99 | 1' XLR-F to 2 XLR-F Y-Cable (Co | OYCXF2XF) 1 |
| | | er Cable | |
| RCA Male to 2 RCA Female (MOIHPY2 | , | 7' Stereo Mini Male to 2 RCA-M | , |
| RCA Female to Two RCA Male (MOIHF Two RCA Female to RCA Male (MOIL) | , | Stereo Mini-M to 2 Mono 1/4" - | ' ' |
| 5' Stereo Mini-M to 2 RCA-M <i>(MOIP40</i> | , | XLR-F to 2 XLR-M Adapter (MO) | |
| StudioLink 1/4" TRS to 2x 1/4" TS Inse | , | XLR-M to 2 XLR-F-Adapter (MO | , |
| StudioLink 1/4" TRS to 2x 1/4" TS Inse | , | Stereo 1/4"-F to 2 Mono 1/4"-M | , |
| 5' Stereo Mini-M to two 1/4"-M (MOIP | 400M2M) 49.95 | Stereo 1/4"-M to 2 Mono 1/4"- I | , |
| | Pro Co | Sound | |
| XLR-M to 2 XLR-F (PRYCXM2XF) | 18.99 | 10' Stereo Mini to 2 XLR-F Y-Ca | ible (PRSCM2XF10)1 |
| XLR-Fto 2 XLR-M (PRYCXF2XM) | | 20' Stereo Mini to 2 XLR-F Y-Ca | , |
| O' Stereo Mini-M to 2 Mono 1/4" Male O' Stereo Mini-M to 2 RCA-M (PRSCM2) | | 10' Stereo Mini to 2 XLR-M Y-C 5' iPatch STR XLR-M to 2 RCA | |
| | Hosa Te | chnology | |
| Mono 1/4" Female to 2 RCA Male (HC | OYCPF2RM) 4.49 | 3' Stereo Mini-M to 2 Mono 1/4 | " Male (HOYCSMM2PM3) |
| '1/4" Female to Dual 1/4" Male (HOYC | PF2PM) 6.45 | 3' Stereo Mini Male to 2 RCA M | |
| Stereo 1/4" -F to 2 Stereo 1/4" Male | | 3.3' Mono 1/4" Phone Male to 2 | |
| Mono 1/4" Male to 2 RCA Female (Ho | , | 3.3' Stereo 1/4"-M to 2 Mono 1/ | |
| Stereo Mini-F to 2 Mini Mono Angled | | 3.3' Stereo 1/4" Male to 2 RCA | |
| Stereo 1/4"-F to two 1/4" Mono-F (He XLR-F to 2 XLR-M (HOYCXF2XM) | | 5' Stereo Mini Angled Male to 2 6' Stereo Mini Male to 2 RCA M | |
| Stereo 1/4" Female to 2 RCA Male (h | | 6' Stereo Mini Angled-M to 2 RO | , |
| XLR-M to 2 XLR-F (HOYCXM2XF) | , | 6.5' Stereo 1/4" Male to 2 RCA- | |
| Stereo Mini Female to 2 RCA-M (HOY | | 6.5' Stereo 1/4"-M to 2 Mono 1/ | , |
| RCA-M to 2 RCA Female (HOYCRM2R | F) 2.25 | 6.6' Mono 1/4" Phone Male to 2 | |
| Stereo 1/4" Male to 2 1/4" Mono-F (H | 10YCSPM2PF) 4.95 | 6.6' S tereo Mini-Phone-M to 2 | XLR-M (HOYCSMM2XM6) 1 |
| Stereo Mini-M Angled to 2 RCA-F (HC | | 10' Stereo 1/4" Male to 2 RCA N | , |
| Stereo 1/4" Male to 2 RCA-F (HOYCS) | | 10' Stereo Mini-M to 2 Mono 1/4 | |
| 1/4" Male to Two 1/4" Female Y-Cabl | | 10' Stereo Mini-Phone-M to 2 X | |
| Stereo Mini-F to 2 1/4" Mono Male (h RCA Female to 2 RCA Male (HOYCRF2 | , | 10' Stereo Mini Male to 2 RCA- | |
| Stereo Mini-M to 2 Mono Mini-F (HO) | | 10' Stereo Mini-F to 2 RCA Male 10' Stereo 1/4"-M to (2) Mono 1 | |
| Stereo Mini-M to 2 1/4" Mono-F (HO) | , | 10' 1/4" to 2 XLR (1 Male, 1 Fer | |
| Stereo Mini-M to 2 RCA-F (HOYCSMN | , | 10' Mono 1/4" Phone Male to 2 | |
| Stereo 1/4" - F to 2 Mono 1/4" - M (HO | | 13' Stereo 1/4"-M to 2 Mono 1/4 | |
| 3" XLR -F to Dual XLR-M <i>(HOYCXF2XM</i> : | | 13.2' Stereo 1/4" Male to 2 RCA | |
| B" XLR-M to Dual XLR -F (HOYCXM2XF) | (8) 7.50 | 15' 3.5mm to Dual RCA Male Si | |
| Stereo Mini Angled Male to 2 XLR-F (| | 25' 3.5mm to Dual RCA Male S | |
| Stereo Mini Angled Male to 2 XLR-F (| | 3' REAN 3.5mm TRS to Dual 1/4 | |
| RCA Male to 2 RCA Male (HOYCRM2R | n/i⊀i 2.30 | n BEAN 3 5mm TBS to Dual 1/4 | 4" TS <i>(HOYCRTRSP6)</i> |
| Mono 1/4" Phone Male to two 1/4" (H | | 3' REAN 3.5mm TRS to Dual RC | |

Mini to Mini (3.5mm or 1/8") Cables

PRO AUDIO

| Bell | KIN | |
|---------------|----------------|----------------|
| Mini Stereo A | udio Cable | |
| 13.59 | 6' (BECMSCIF | 356) 1 |
| Stereo (BEMS | SCTIP356) | 1 |
| Male Mini S | tereo (RFRCIP3 | 53) 1 : |

| DU | | |
|--|--------------------------------|-----|
| Coiled Male to Male Mini Stereo | | |
| 3' (BECMSCIP353) 13.59 | | |
| 6' Male to Male Mini Stereo (BEN | | |
| 3' Retractable Male to Male Mini | Stereo (BERCIP353)13. | .23 |
| Compre | ehensive | |
| | | EO |
| 3' (COCMMMM3) 3.99 6' (COCMMMM6) 4.79 | 10 (COCMMMMAS)4 | .00 |
| 10' Mini Male to Mini Female (COCMIV | , | |
| * | * | .39 |
| | ini (Male to Male) | |
| 3' (COCSMMSMM3) 3.19 | | |
| 10' (COCSMMSMM10)5.59 | 15' (CUCSMMSMM15) | .19 |
| 25' (COCSMMSMM25) 4.25 | 35' (COCSMMSMM35)9 | .99 |
| 50' (COCSMMSMM50) | | .24 |
| Stereo Mini to Mir | ni (Male to Female) | |
| 6' (COCSMMSMF6 | | |
| 10' (COCSMMSMF10) 6.39 | 25' (COCSMMSMF25)8. | .79 |
| F | SR | |
| 6' Stereo Mini to Stereo Mini Cable (FS | ••• | 05 |
| 10' (FSCS3.5AMM10) 5.95 | | |
| 4" L2 Stereo Mini to Stereo Mini Cable | | |
| 3" L8 Stereo Mini with Right Angle Cor | | |
| C LO Otoroo miiii marriigiic riiigio ooi | | |
| Hosa Technology Stere | eo Mini to Mini (Male to Male) | |
| 3' (HOSMMSMM3)4.69 | 5' (HOSMMSMM5)4 | .50 |
| 10' (HOSMMSMM10)5.19 | 15' (HOSMMSMM15) 7 | .63 |
| 3' Stereo Sub Mini (2.5mm) to Sub Min | ni Cable (HOSSMMSSMM3)6 | .00 |
| 5' Stereo Sub Mini (2.5mm) to Sub Min | ni Cable (HOSSMMSSMM5)5 | .50 |
| 5' 3.5mm to 3.5mm Coiled (HOSMMS | MMC5)5 | .99 |
| 3' Mini Male to Mini Male Cable (HOM | MMM3)4 | .50 |
| Stereo Mini to Mir | ni (Male to Female) | |
| 5' (HOSMMSMF5) | 3 | .89 |
| 10' (HOSMMSMF10) 4.95 | | |
| Stereo Mini Male to St | tereo Mini Angled Male | |
| 8" (HOSMMRASMMR8) 1.99 | | 95 |
| 5' (HOSMMSMMRA5) 3.99 | | |
| | | .00 |
| 3' (HOSMMRASMMR3) | to 3.5mm Right Angle Cables | 20 |
| 5' (HOSMMRASMMR5) 3.95 | | |
| 3 (TUSININIKASININIS) 3.95 | 10 (TUSIVIIVIKASIVIIVIK I)5 | .ou |
| Anchor Audio 15' Mini 1/8" Cable (Al | NMINI15ST) 22 | .00 |
| Griffin Technology 3' Flat Aux Cable | | |
| Kit 41 Mini to Mini Ochio WE | | |

Mini to Phone (1/4") Audio Cables

Monster 7' iCable 800 for iPad, iPhone, iPod (MOIC8007).....24.95 Moshi 6' Male to Male Mini Stereo (MOMS35AC6)..... Scosche 3' hookUP Auxiliary Audio Cable (SCAUX3BK2)

.....7.99

...19.95

97.25

Kensington 4' Mini to Mini Cable (KECCIP)......

Monster 3' iCable 800 for iPad, iPhone, iPod (MOIC8003).....

Sennheiser 2.5mm Male to 3.5mm Male (SEACPXC310).....

| • | • | |
|---|------------------------|-------|
| Comprehensive 1/ | 4" to Stereo Mini Plug | |
| 3' (COSSQPSM3BK)15.96 | 6' (COSSQPSM6BK) | 17.56 |
| 10' (COSSQPSM10BK)14.95 | 15' (COSSQPSM15BK) | 26.36 |
| 25' (COSSQPSM25BK)28.76 | 50' (COSSQPSM50BK) | 42.36 |
| Mini Male to RCA Male Cable 3' (COCM | MRM3) | 3.99 |
| 6' (COCMMRM6) 4.79 | 10' (COCMMRM10) | 5.95 |
| Hosa Technology | Mini to 1/4" Male | |
| 3' (HOMMPM3) 3.95 | 5' (HOMMPM5) | 2.99 |
| 10' (HOMMPM10) | | 4.49 |
| Stereo Mini Male to 1/ | 4" Mono Male Cable | |
| 3' (HOSMMPM3)4.49 | 5' (HOSMMPM5) | 4.99 |
| 10' (HOSMMPM10) | | 3.99 |
| Stereo Mini Male to Ste | ereo 1/4" Male Cable | |
| 3' (HOSMMSPM3)4.49 | 5' (HOSMMSPM5) | 5.12 |
| 10' (HOSMMSPM10) | | 5.99 |
| Stereo Mini Female to S | tereo 1/4" Male Cable | |
| 10' (HOSMFSPM10) 5.95 | 25' (HOSMFSPM25) | 9.90 |
| 6" 1/4" Male to Dual 3.5mm-F Stereo C | able (HOYCSPMR2SMF) | 2.95 |
| Stereo Mini Angled Male to Stereo 1/4"- | F (HOSMMSPFRA6) | 6.30 |

Mini to VI P Audio Cables

| Mini to XLR | Audio Cables | | Proceedings of | |
|---|------------------------------------|-----------------|--|------------------------|
| Comprehensiv | Ve Mini-F to XLR-M | | | |
| 3' (COCMFXM3) 7.99 | 6' (COCMFXM6) | 8.79 | | |
| 10' (COCMFXM10) 6.95 | 25' (COCMFXM25) | 9.95 | Compre | ehensive Mini |
| 3' Mini- F to XLR-F (COCMFXF3) | | 5.50 | Male t | to Mini Male |
| Mini-M | to XLR-F | | E | |
| 3' (COCMMXF3) 7.99 | 6' (COCMMXF6) | 8.79 | | |
| 0' (COCMMXF10) 9.99 | 25' (COCMMXF25) | 14.99 | | |
| Mini-M | to XLR-M | | | |
| (COCMMXM3) 7.99 | 6' (COCMMXM6) | | | |
| (COCMMXM10) 10.39 | 25' (COCMMXM25) | 15.99 | | Compre |
| | ini-M to XLR-F | | | to Stere |
| 5' (COCSMMXF1.5) | | | | |
| (COCSMMXF3)9.59 | 6' (COCSMMXF6) | | | |
|)' (COCSMMXF10) | 25' (COCSMMXF25) | | Stereo Phone to Stere | eo Phone |
| B" EXF Stereo Mini-M to XLR-M (COC | | | | , |
| ' (COCSMMXM3) | 6' (COCSMMXM6) 25' (COCSMMXM25) | | Compre | ehensive |
| (GOGSININIAINTO) | 23 (60631/11/17/17/23) | 10.39 | 1/4" Male TRS to 1/4" Male TRS S | tereo - 1.5' (C |
| Hosa Te | chnology | | 1/4" Male TRS to 1/4" Male TRS S | tereo - 3' <i>(CO</i> |
| Mono Mini Male to XLR-F (HOMMR) | | 10.99 | 1/4" Male TRS to 1/4" Male TRS S | tereo - 6' (CC |
| ' Mini Angled Male to XLR-M (HOMM | | | 1/4" Male TRS to 1/4" Male TRS S | tereo - 10' (C |
| Stereo Mini Angled Male to XLR-F (| HOSMMRAXF2Q) | 7.00 | 1/4" Male TRS to 1/4" Male TRS S | tereo - 25' <i>(C</i> |
| (HOSMMRAXF5)8.99 | 15' (HOSMMRAXF15) | 10.29 | 50' Studio Series 1/4" TRS to 1/4" | TRS Male (CC |
| Angled 3.5mm to XLR -M (HOSMM) | RAXM1) | 7.99 | | |
| ' Angled 3.5mm to XLR-M (HOSMMF | RAXM2) | 8.99 | Hosa Te | chnology |
| ereo Mini Angled M to XLR-M Cable | - 5' (HOSMMRAXM5) | 8.99 | 1/4" to | 1/4" Male |
| ' (HOSMMRAXM10) 6.79 | 15' (HOSMMRAXM15) | | 3' (HOSPMSPMRA3)2.84 | 5' (HOSPI |
| Mini Stereo Male to XLR-F Angle | | | 3' with Right Angle Plugs (HOSPMR | ASPMR3) |
| ' Mini Stereo Male to XLR-F Angle | | | 5' with Right Angle Plugs (HOSPMR | ASPMR5) |
| 2' Angled 3.5mm to XLR-F Mic Cab | | | | |
| 0' Right-Angle 3.5mm TRS Mic Ca | able (HUXVM11UF) | 13.20 | 1/4" TRS Male to 1/4 | 1" TRS Right) |
| Mo | gami | | 10' (HOSPMSPMRA10) 5.50 | 15' <i>(HOSF</i> |
| " Gold Stereo Mini Male to XLR-F | - | 40.95 | 1/4" Mala to 1/4" | " Mala Ctaraa |
| | , , , | | 1/4" Male to 1/4" | |
| Pear | stone | | 3' (HOSPMSPM3) 4.99 10' (HOSPMSPM10) 5.53 | 5' (HOSPI 15' (HOSF |
| MT100 -1.5' Mini to XLR-F Low to | | | 25' (HOSPMSPM25) | |
| ransformer for use with mono mic | rophones (PELMT100) | 19.95 | LJ (MUJENNIJENIZO) | |
| Du- 0- | Cound | | Stereo TRS Patchbay 1/4" F | Phone to 1/4" |
| | Sound | 14.00 | 1' (HOPCSSPMSPM1) | |
| 5' Mono Mini Male to XLR-F Cable 10' Mono Mini Male to XLR-F Cable | | | 1.5' (HOPCSSPMSPMQ) | |
| 20' Mono Mini Male to XLR-F Cable | | | 3' (HOPCSSPMSPM3) | |
| o mono mini male lo aln-i Cabil | , 1100IVIAI 20J | 19.99 | | |
| Remot | e Audio | | Stereo 1/4" Female Phor | |
| .5mm Threaded Male to XLR Fem | | 1) 35.84 | 10' (HOSPMSPF10) 4.49 | 25' <i>(HOSF</i> |
| 3" Threaded Mini Male to XLR-M (| | , | | |
| 2' Mini Phone Threaded Male to XL | | | HSS Series Balanced 1/4" | TRS Male to |
| | | | 3' (HOHSS003) 7.09 | 5' <i>(HOHS)</i> |
| | ure | | 10' (HOHSS010) 12.49 | 20' <i>(HOH</i> 3 |
| 0' XLR-F to Stereo Mini Male Cabl | e (SHRP325) | 13.59 | 30' (HOHSS030)11.00 | 50' <i>(HOH</i> |
| | | | | |
| Bantam (TT) | Patch Cables | | HSS Series Dual 1/4" TRS | Male to Dual |
| | | | 5' (HOHSS005X2) | |
| Hosa Te | chnology | | 10' (HOHSS010X2) | |
| 'TT Male to TT Male Bantam C | able (HOPCSTTTT1) | 49.99 | | |
| .5' TT Male to TT Male Bantam | Cable (HOPCSTTTT1.5) | 47.50 | Mo | gami |
| 3' TT Male to TT Male Bantam C | able (HOPCSTTTT3) | 54.99 | SS-10 1/4" Male to TRS 1/4" Male | - 10' (MOPP |
| 3' Balanced Male TT/Bantam to 2 | , | | 10' Gold Stereo 1/4" to Stereo 1/4' | ' Ext. (MOTR |
| 3' Balanced Male TT/Bantam to | ' ' | | 25' Gold Stereo 1/4" to Stereo 1/4 | " Ext. (MOTR |
| | | | | |
| | er Cable | 120.05 | Monster Cab | ıle (DJ Sei |
| 2' TT/Bantam to TT/Bantam Cab | IE OEL (IVIUIVIOLP2118) | . 139.95 | Stereo 1/4" Male Pair to 1/4" Male | - 1m <i>(MOMS</i> |
| | | | Stereo 1/4" Male Pair to 1/4" Male | - 2m <i>(MOMD</i> |
| PA911 | | | Stereo 1/4" Male Pair to 1/4" Male | - 4m <i>(MOME</i> |
| Audio Car | mera Balun | | | |
| | | | 3' 1/4" Stereo Male to 1/4" Stereo | Male (MOMS |
| 18" XI R-F to 1/8" cable enables | nrniegginnai | | | |



e (TRS) Cables

| 1/4" Male TRS to 1/4" Male TRS Stereo - 1.5' (COCSPMSPM1.5) 5.99 |
|---|
| 1/4" Male TRS to 1/4" Male TRS Stereo - 3' (COCSPMSPM3)3.99 |
| 1/4" Male TRS to 1/4" Male TRS Stereo - 6' (COCSPMSPM6)4.79 |
| 1/4" Male TRS to 1/4" Male TRS Stereo - 10' (COCSPMSPM10) 6.39 |
| 1/4" Male TRS to 1/4" Male TRS Stereo - 25' (COCSPMSPM25) 9.59 |
| 50' Studio Series 1/4" TRS to 1/4" TRS Male (COSSQTRS50BK) 43.96 |

| 3' (HOSPMSPMRA3)2.84 | 5' (HOSPMSPMRA5) 2. 4 | 47 |
|-------------------------------------|------------------------------|----|
| 3' with Right Angle Plugs (HOSPMRAS | iPMR3) | 95 |
| 5' with Right Angle Plugs (HOSPMRAS | PMR5) | 50 |
| | | |

| 1/4" TRS Male to 1/4" | ' TRS Right Angle Male |
|---------------------------|--------------------------------|
| HOSPMSPMRA10) 5.50 | 15' (HOSPMSPMRA15) 4.05 |

| 1/4" Male to 1/4" I | Male Stereo Cable |
|---------------------|-----------------------|
| PM3) 4.99 | 5' (HOSPMSPM5) |
| SPM10) 5.53 | 15' (HOSPMSPM15) 4.67 |

4.69

22.99

| Stereo TRS Patchbay 1/4" Phone to 1/4" Phone (set of 8) | |
|---|--|
| HOPCSSPMSPM1) | |
| (HOPCSSPMSPMQ) | |

| | Stereo 1/4" | ' Female Phone | to 1/4" Male Phone | TRS |
|----|--------------|----------------|--------------------|------|
| 0' | (HOSPMSPF10) | 4.49 | 25' (HOSPMSPF25). | 7.99 |

o 1/4" TRS Male

| 3 (HUHSSUU3) | 5 (HUHSSUU5) |
|-----------------------------|-----------------------------|
| 10' (HOHSS010) 12.49 | 20' (HOHSS020) 14.50 |
| 30' (HOHSS030) 11.00 | 50' (HOHSS050) 26.50 |
| | |

al 1/4" TRS Male 12.5014.95

| SS-10 1/4" Male to TRS 1/4" Male | - 10' (MOPPTRSTRS10) 35.95 |
|-------------------------------------|-----------------------------------|
| 10' Gold Stereo 1/4" to Stereo 1/4" | Ext. (MOTRSMTRSF10)64.95 |
| 25' Gold Stereo 1/4" to Stereo 1/4" | Ext. (MOTRSMTRSF25)99.95 |

eries)

| Stereo 1/4" Male Pair to 1/4" Male - 1m (MOMSLST1) | . 29.95 |
|---|---------|
| Stereo 1/4" Male Pair to 1/4" Male - 2m (MOMDJST2M) | 24.95 |
| Stereo 1/4" Male Pair to 1/4" Male - 4m (MOMDJST4M) | 34.95 |
| | |
| 3' 1/4" Stereo Male to 1/4" Stereo Male (MOMSLST1) | 29.95 |
| 6' 1/4" Steren Male to 1/4" Steren Male (MOMSLST2) | 34 95 |

Pro Co Sound

| Excellines Stereo 1/4" Male to Stereo 1/4" Female | |
|---|------|
| 3' (PRBPSPMSPM3) 1 | 4.50 |
| 10' (PRBPSPMSPM10) | 6.50 |
| 20' (PRBPSPMSPM20) 1 | 4.95 |

Stereo Phone (TRS) to XLR Cables

Comprehensive

| Stereo 1/4" Female to XLR-F - 3' (C | OCPFXF3) | 8.79 |
|-------------------------------------|------------------|-------|
| Stereo 1/4 | " to XLR-F | |
| 3' (COCSPMXF3)10.39 | 6' (COCSPMXF6) | 11.19 |
| 10' (COCSPMXF10) 12.79 | 25' (COCSPMXF25) | 18.39 |
| Stereo 1/4' | ' to XLR-M | |
| 3' (COCSPMXM3) 7.99 | 6' (COCSPMXM6) | 12.49 |
| 10' (COCSPMXM10) 12.79 | 25' (COCSPMXM25) | 18.39 |
| | | |

Hosa Technology

| | nusa i ci | Jiliology | |
|-------------------|---------------|-----------------------|-------|
| | Stereo 1/4 | " to XLR-F | |
| 3' (HOSPMXF3) | 7.25 | 5' (HOSPMXF5) | 7.50 |
| 10' (HOSPMXF10) | 7.19 | 15' (HOSPMXF15) | 4.99 |
| | Stereo 1/4 | " to XLR-M | |
| 3' (HOSPMXM3) | 6.95 | 5' (HOSPMXM5) | 4.99 |
| 10' (HOSPMXM10) | 5.99 | 15' (HOSPMXM15) | 8.75 |
| HSX Serie | s Balanced 1. | /4" TRS Male to XLR-M | |
| 1.5' (HOHSX001.5) | 5.95 | 3' (HOHSX003) | 7.99 |
| 5' (HOHSX005) | 8.99 | 10' (HOHSX010) | 11.99 |
| 20' (HOHSX020) | | | 14.95 |
| | | | |
| HXS- | Series XLR-F | to 1/4" TRS Male | |

1.5' (HOHXS001.5).....**6.95** 3' (HOHXS003).....

..8.49

| 5' (HOHXS005) 8.95 | 10' (HOHXS010) 11.99 |
|-----------------------------|-----------------------------|
| 15' (HOHXS015) 14.95 | 50' (HOHXS050) 21.95 |
| Moa | ami |

| Stereo 1/4" Male to XLR-F - 3' (MOTRSXF3) | 40.95 |
|--|-------|
| Stereo 1/4" Male to XLR-F - 6' (MOTRSXF6) | 43.95 |
| Stereo 1/4" Male to XLR-F - 10' (MOTRSXF10) | 49.95 |
| 1/4" TRS Male to XLR Male Quad Patch - 6' (MOTRSXM6) | 43.95 |
| 1/4" TRS Male to XLR Male Quad Patch - 10' (MOTRSXM10) | 49.95 |
| 1/4" TRS Male to XLR Male Quad Patch - 15' (MOTRSXM15) | 59.95 |
| 3' Gold 1/4" TRS Male to XLR-M Quad Patch (MOTRSXM3) | 39.95 |
| 15' Gold TRS Stereo 1/4" Male to XLR-F (MOTRSXF15) | 59.95 |
| | |



Monster Cable Prolink DJ

Stereo 1/4" Male Pair to XLR-F Pair 3' (MOMDJCFX1M) **14.95** 6' (MOMDJCFX2M) **24.95**

Stereo 1/4" Male Pair to XLR-M Pair 3' (MOMDJCMX1M) **19.95** 6' (MOMDJCMX2M) **24.95**

Pro Co Sound

30' Excellines Stereo 1/4" Phone to XLR-M (PRBPSPMXM30). 24.95



18" XLR-F to 1/8" cable enables professional mics to be connected to the EOS 5D $\,$ and EOS 7D DSLR cameras. Sophisticated Balun technology results in an audio cable that maintains a low-noise, balanced signal for up to 2000' in range. #ETPA911.....

Phone (1/4") to XLR Cables

| Thorie (174) t | O ALN Cables |
|--|------------------------------|
| Audio-To 1/4" Male to 3-pin XLR Female - 10' 1/4" T/S Male to 3-pin XLR Female - | (AUAT831110) Call or Log On |
| 1/4 1/3 Ividie to 3-piii ALITT effidie - | 25 (ADATOSTIZS) |
| Comprei | |
| Phone to | · · · - · · · |
| 3' (COCPMXF3) 5.95 | , |
| 10' (COCPMXF10) 11.19 | 25' (COCPMXF25) 18.39 |
| Phone to | |
| 3' (COCPMXM3) 8.79 | |
| 10' (COCPMXM10) 9.99 | 25' (COCPMXM25) 18.39 |
| | |
| Hosa Technology | |
| 5' (HOPMXF5) 3.99 | |
| PXM-100 Series Mono 1/4" to XLR-N | 1 5' (HUPMXM5) 4.82 |
| 1.5' Unbalanced 1/4" TS Male to X | (I R-M /HOHPXOO1 5) 5 50 |
| 3' Unbalanced 1/4" TS Male to XL | ' |
| 10' Mono 1/4" Male to XLR-M Cab | ' |
| 20' Mono 1/4" Male to XLR-F Cab | ' |
| | (|
| Lynx Studio | Technology |
| 1.5' 1/4" TRS Male to XLR-F (LYCS | SPMXFA18) |
| 1.5' 1/4" TRS Male to XLR-M (LYC | CSPMXMA18) 6.50 |
| | |
| | |
| Monste | |
| SL-CMX Series 1/4" Stereo Male t | |
| 3' (MOMSLCMX1) 29.95 | , |
| 10' (MOMSLCMX3) Disc | 13" (MUMSLCMX4) 44.95 |
| | |
| | |

1/4" to RCA Cables Comprehensive 1/4" Male to RCA-M

| Completionsive 1/4 Male to NCA-IVI | | | | |
|--|---------------------------------------|--|--|--|
| 3' (COCPMRM3Q) 5.59 | 6' (COCPMRM6) | | | |
| 10' (COCPMRM10) 7.19 | 25' (COCPMRM25Q) 12.99 | | | |
| Hosa Tecl | nnology | | | |
| 1/4" to RCA 3' (HOPMRM3)2.99 | 5' (HOPMRM5) 3.99 | | | |
| 10' (HOPMRM10) 4.95 | 15' (HOPMRM15) | | | |
| Two (2) 1/4" to two (2) RCA 3.3-ft. (f | HO2PM2RM3) 5.09 | | | |
| 6.6' (HO2PM2RM6)3.99 | 10' (HO2PM2RM9) 7.49 | | | |
| 13' (HO2PM2RM13) 8.60 | 20' (HO2PM2RM20) 12.99 | | | |
| Two (2) 1/4" Phone to two (2) RCA 3' | (HOHPR003X2) 7.36 | | | |
| 5' (HOHPR005X2) 12.68 | 10' (HOHPRO010X2) 15.50 | | | |
| 15' (HOHPR0015X2) 15.00 | 20' (HOHPR0020X2) 20.86 | | | |
| 1/4" Angled Male to R0 | CA Male Audio Cable | | | |
| 3' (HOPMRARM3) 2.95 | 5' (HOPMRARM5) 4.99 | | | |
| Moga | ımi | | | |
| 6' Gold TS 1/4" Male to RCA Male Pat | ch Cable <i>(MORTS6)</i> 49.95 | | | |
| Monster Cable | | | | |
| 3' SL-R-1 RCA Male to 1/4" Male Ca | ble (MOMSLCR1)24.95 | | | |
| 3.3' 1/4" Male Pair to RCA Male Pair | (MOMDJCR1M) 14.95 | | | |
| 6.6' 1/4" Male Pair to RCA Male Pair | (MOMDJCR2M) 19.95 | | | |
| 13.2' 1/4" Male Pair to RCA Male Pai | (MOMDJCR4M) 29.95 | | | |
| | | | | |



3.3' 2 RCA M to 2 1/4" M Dual Cable (MOMSLCR1P)................. 34.95 6.6' 2 RCA M to 2 1/4" M Dual Cable (MOMSLCR2P)......44.95


| RCA to RCA | Cables (Audio) | |
|---------------------------------|------------------------------|---------|
| Comprehensive 2 B | RCA Male to 2 RCA Male Cable | |
| 6' (COC2R2R6) | | 7 10 |
| 35' (COC2R2R35) 13.24 | 50' (COC2R2R50) | 16 24 |
| 3' XHD Series Stereo 2 RCA-M | | |
| | | |
| | RCA Male to 2 RCA Male (Gold | |
| 3.3' (HOG2R2R3) 5.49 | | |
| 13.2' (HOG2R2R13) | | |
| 20' with Nickel Contacts (HOCRA | 4206) | . 11.00 |
| M | ogami | |
| 6' Pure-Patch RCA-M to RCA-N | • | 18 05 |
| 6' Gold RCA Male to RCA Male | | |
| U GOIG FIGA WAIE TO FIGA WAIE | i aten dable (interint) | . 40.00 |
| Mons | ter Cable | |
| 3.3' 200i Advanced Performance | | . 19.95 |
| 3.3' 400i Ultra High Performano | | |
| 6.6' 400i Ultra High Performano | , | |
| 13' 400i Ultra High Performanc | e Cable (MOMC400I4M) | 42.99 |
| 18' 100sw Subwoofer Cable (M | OMB100SW18) | 39.95 |
| 13' 400sw Subwoofer Cable (M | | |
| 26' 400sw Subwoofer Cable (M | 10MC400SW8M) | 41.00 |
| 26' 600sw Subwoofer Cable (M | 10MC600SW4M) | . 38.72 |
| | | |
| | le Pair to RCA Male Pair | |
| 3' (MOMDJR1M) 14.95 | 6' (MOMDJR2M) | 19.95 |
| Pea | arstone | |
| | A to 2 RCA | |
| 1.5' (PEC2R2R1.5) 3.50 | | 3.99 |
| 6' (PEC2R2R6) 5.50 | | |
| 15' (PEC2R2R15) 7.50 | , , | |
| 50' (PEC2R2R50)13.99 | | |
| . , | , | |
| Gold Series: 2 | RCA Male to 2 RCA | |
| 1.5' (PEPC2R2R1.5) 9.95 | 3' (PEPC2R2R3) | 9.95 |
| 6' (PEPC2R2R6) | 10' (PEPC2R2R10) | 13.50 |
| 15 (PEPC2R2R15) 14.95 | 25' (PEPC2R2R25) | 16.95 |
| 50' (PEPC2R2R50) 26.95 | 100' (PEPC2R2R100) | 34.95 |
| | | |
| 1 | | |
| 15 8 3 | | |
| Mary and | | |
| | Pearstone | OF |
| Comprehensive | Gold Series 2 RCA | A. |
| 2 RCA Male to 2 RCA Male | Male to 2 RCA Male | |
| | | |

RCA to XLR Cables

Comprehensive EXF XLR-M to RCA-F 3' (COCRFXM3).... EXF XLR-F to RCA-F 3' (COCRFXF3).....3.99 6' (COCRMXF6)......8.79

EXF XLR-F to RCA-M 3' (COCRMXF3)....6.99 10' (COCRMXF10).. 10.39

| EXF XLR-M to RCA-M 3' (COCRMXM3) 7.99 6' (COCRMXM6) 6.99 | | | | |
|--|--|--|--|--|
| 10' (COCRMXM10)10.39 25' (COCRMXM25)18.39 | | | | |
| Hosa Technology | | | | |
| RCA-M to XLR-M 2' (HORMXM2)3.50 5' (HORMXM5)3.29 | | | | |
| 10' (HORMXM10) 6.95 20' (HORMXM20) | | | | |
| Lynx Studio Technology | | | | |
| 1.5' RCA Male to XLR-F (LYCRMXFA18) | | | | |
| 1.5' RCA Male to XLR-M (LYCRMXMA18) | | | | |
| Mogami | | | | |
| 6' Gold XLR-M to RCA Male Patch Cable (MORXM6) 54.95 | | | | |
| Comprehensive | | | | |



Phone to Phone (1/4") Cables

Audio-Technica

| 1/4" Male to 1/4" Mal | le Instrument Cable |
|------------------------------|-------------------------------|
| 1' (AUAT83901) 4.54 | 3' (AUAT83903) 6.00 |
| 6' (AUAT83906) 4.79 | 10' (AUAT839010) Log Or |
| 15' (AUAT839015) 6.58 | 20' (AUAT839020) 7.65 |
| 25' (AUAT839025) 8.99 | 30' (AUAT839030) 11.90 |

Comprehensive

| 3.19 | 3' (COCPMPM3) | /4" TS Male to 1/4" TS Male Mono |
|---------------|------------------|-------------------------------------|
| 4.95 | 10' (COCPMPM10). | 6' (COCPMPM6) 3.99 |
| 11.19 | 50' (COCPMPM50) | 5' (COCPMPM25) 7.19 |
| 39.96 | QPP50BK) | O' Studio Series Quad Audio (COSS |
| 67.96 | SQPP100BK) | 00' Studio Series Quad Audio (COS |
| 6.39 | | 0' 1/4"-M to 1/4"-F (COCPMPF10) |
| 4.99 | CPMPM1.5) | .5' TS Male to TS Male Mono (COC |
| 8.79 | COTS50006) | ' Touring Series Instrument Cable (|
| | | Performer Series I |
| 6 . 39 | | ' (COPS5253) |

Hosa Technology

| 3' (HOPMPM3) 3.40 | 5' (HOPMPM5) 3.99 |
|------------------------------|------------------------------|
| 10' (HOPMPM10) 4.19 | 15' (HOPMPM15) 4.99 |
| Two 1/4" Male to | Two 1/4" Male |
| 3.3' (HO2PM2PM3) 3.99 | 6.6' (HO2PM2PM6) 3.52 |
| 9.9' (HO2PM2PM9) 3.99 | 20' (HO2PM2PM20) 6.98 |

Patchbay 1/4" Male to 1/4" Male - 1.5' (8) (HOPCSPMPM1.5)...... 12.27

Mogami

| | Gold Instrument 1/4" Male to | o 1/4" Male Instr | ument Cable |
|-------|--|------------------------|------------------------|
| 10' | (MOGI10) 44.95 | 25' (MOGI25) | 62.95 |
| 10' (| Gold Instrument 1/4" Male to 1/ | 4" Angled (MOGIR | A10) 49.95 |
| 10' (| Gold Instrument Angled 1/4" M | to 1/4" Male (MO) | GIRARA18) 25.95 |
| Plati | num TS 1/4" Male to TS 1/4" A | ingled (MOPGRA12) | 109.95 |
| Pure | e-Patch TR 1/4" to TS 1/4" Patc | ch <i>(MOPPTSTS3</i>) | 21.95 |
| | Monste | er Cable | |
| 01.0 | L11-11-1-4 / 411 L- 4 / 411 /4404401 A | 4.4.) | 04.05 |

| 3' Studiolink 1/4" to 1/4" (MOMSLM1) | 24.95 |
|--|-------|
| 6.5' Studiolink 1/4" to 1/4" (MOMSLM2) | 29.95 |
| 1.5' Standard 100 Series 1/4" to 1/4" (MOS100I1.5) | 12.95 |
| 21' Standard 100 Series 1/4" to 1/4" (MOS100I21) | 29.95 |
| 12' Standard 100 Series 1/4" Angled to 1/4" (MOS100I12A) | 24.95 |
| 21' Standard 100 Series 1/4" Angled to 1/4" (MOS100I21A) | 29.95 |
| 6' Bass 1/4" Male to 1/4" Instrument Cable (MOMBASS12) | 39.95 |
| 21' Bass 1/4" Male to 1/4" Angled Male (MOMBASS21A) | 49.95 |
| 12' Jazz 1/4" Male to 1/4" Male Cable (MOMJAZZ12) | 49.95 |
| Prolink 1/4" Male Pair to 1/4" Male Pair (MOMDJM2M) | 13.16 |
| | |

Pro Co Sound

| Excellines | 1/4" | Male | to 1/ | 4" | Male - | 10 | ' (PREIPMPM10) | 9.29 |
|------------|------|------|-------|----|--------|-----|----------------|------|
| Excellines | 1/4" | Male | to 1/ | 1" | Male - | 15' | (PRFIPMPM15) | 12.5 |

| XLR to XL | .R Cables | |
|--|--|--|
| Audio-T | echnica | |
| 5' XLRF - XLRM Balanced Mic Cal | | 9.99 |
| O' XLRF - XLRM Balanced Mic Cab | | |
| LR Male to XLR Angled Female Cal | | |
| LR Male to XLR Angled Female Cal | | |
| | | |
| AT8314 Premium .5' (AUAT83141.5) 14.95 | Microphone Cable 3' (AUAT83143) | 14 99 |
| ' (AUAT83146) 14.99 | 10' (AUAT831410) | |
| 5' (AUAT831415) 14.95 | 20' (AUAT831420) | |
| 5' (AUAT831425) 16.99 | 30' (AUAT831430) | |
| 0' (AUAT831450) 19.93 | 100' (AUAT8314100) | |
| Canare- Star | -Quad (L-4E6S): | |
| .5' XLR-M to XLR-F Cable (CAXMXF | | .16.95 |
| ' (CAXMXF3)17.95 | 6' (CAXMXF6) | |
| 0' (CAXMXF10) 24.95 | 15' (CAXMXF15) | |
| 5' (CAXMXF25) 29.95 | 50' (CAXMXF50) | |
| 5' (CAXMXF75) 54.95 | 100' (CAXMXF100) | |
| | | 00.00 |
| 15-ft. XLR-M to XLR-F Neu | | 05.5 |
| lue (CAXMXF15BL) | | |
| reen (CAXMXF15GRN)24.95 | Gray (CAXMXF15GRY) | |
| range (CAXMXF150RN)24.95 | Red (CAXMXF15RD) | |
| urple (CAXMXF15PPL)24.95 | Yellow (CAXMXF15YL) | |
| /hite (CAXMXF15WT) 24.95 | Brown (CAXMXF15BRN) | 24.95 |
| 25-ft. XLR-M to XLR-F Neu | | 00. |
| lue (CAXMXF25BL) | | |
| rown (CAXMXF25BRN) 29.95 | Green (CAXMXF25GRN) | |
| iray (CAXMXF25GRY) 29.95 | White (CAXMXF25HT) | |
| range (CAXMXF250RN) 29.95 | Purple (CAXMXF25PPL) | |
| ed (CAXMXF25RD)29.95 | Yellow (CAXMXF25YL) | 29.95 |
| Compre o-Z Microphone Cable - 25' (COPS | | . 31.99 |
| • | 12525) Chnology | 31.99 |
| o-Z Microphone Cable - 25' <i>(COPS</i> Hosa Tec | :hnology amp" style XLR plugs) | |
| o-Z Microphone Cable - 25' (COPS Hosa Tec XLR-M to XLR-F ("Cle ' (HOXMXF2) 6.75 3' (HOXMXX XLR-M to XLR-F (I | chnology sump" style XLR plugs) F3) 7.49 5' (HOXMXF5) Black Connectors) | 8.86 |
| o-Z Microphone Cable - 25' (COPS Hosa Tec XLR-M to XLR-F ("Cla ' (HOXMXF2) 6.75 3' (HOXMXI XLR-M to XLR-F (i' (HOMCXMXFBC5) | chnology mp" style XLR plugs) r3) 7.49 5' (HOXMXF5) Black Connectors) | 8.86 |
| o-Z Microphone Cable - 25' (COPS Hosa Tec XLR-M to XLR-F ("Cle ' (HOXMXF2) 6.75 3' (HOXMXX XLR-M to XLR-F (I | chnology mp" style XLR plugs) r3) 7.49 5' (HOXMXF5) Black Connectors) | 8.86 |
| o-Z Microphone Cable - 25' (COPS | chnology style XLR plugs) 3 7.49 5' (HOXMXF5) Black Connectors) 25' (HOMCXMXFBC25) R-F (Budget) | 8.86 6.50 10.18 |
| o-Z Microphone Cable - 25' (COPS Hosa Tec XLR-M to XLR-F ("Cle ' (HOXMXF2) 6.75 3' (HOXMXI XLR-M to XLR-F (i ' (HOMCXMXFBC5) | chnology style XLR plugs) sign 5' (HOXMXF5) Black Connectors) 25' (HOMCXMXFBC25) R-F (Budget) 5' (HOMCXMXF2C5) | 8.86 6.50 10.18 |
| O-Z Microphone Cable - 25' (COPS Hosa Tec XLR-M to XLR-F ("Cle ' (HOXMXF2) 6.75 3' (HOXMXI XLR-M to XLR-F (O' (HOMCXMXFBC5) | chnology style XLR plugs) 33) 7.49 5' (HOXMXF5) Black Connectors) 25' (HOMCXMXFBC25) R-F (Budget) 5' (HOMCXMXF2C25) 25' (HOMCXMXF2C25) | 8.86 6.50 10.18 8.59 14.99 |
| O-Z Microphone Cable - 25' (COPS Hosa Tec XLR-M to XLR-F ("Cle ' (HOXMXF2) 6.75 3' (HOXMXI XLR-M to XLR-F (i' ' (HOMCXMXFBC5) | chnology style XLR plugs) F3) 7.49 5' (HOXMXF5) Black Connectors) 25' (HOMCXMXFBC25) R-F (Budget) 5' (HOMCXMXF2C25) 25' (HOMCXMXF2C25) | 8.86 6.50 10.18 8.59 14.99 |
| O-Z Microphone Cable - 25' (COPS HOSA TEC XLR-M to XLR-F ("Clc ' (HOXMXF2) 6.75 3' (HOXMXI XLR-M to XLR-F (i' (HOMCXMXFBC5) | chnology amp" style XLR plugs) F3) 7.49 5' (HOXMXF5) Black Connectors) 25' (HOMCXMXFBC25) R-F (Budget) 5' (HOMCXMXF2C5) 25' (HOMCXMXF2C5) 8-F Premium | 8.866.5010.188.5914.9913.95 |
| O-Z Microphone Cable - 25' (COPS HOSA Tec XLR-M to XLR-F ("Cle ' (HOXMXF2) 6.75 3' (HOXMXI XLR-M to XLR-F (i' ' (HOMCXMXFBC5) | chnology amp" style XLR plugs) F3) 7.49 5' (HOXMXF5) Black Connectors) 25' (HOMCXMXFBC25) 25' (HOMCXMXF2C5) 25' (HOMCXMXF2C25) 25' (HOMCXMXF2C25) 25' (HOMCXMXF2C25) | 8.866.5010.188.5914.9913.95 |
| O-Z Microphone Cable - 25' (COPS HOSA TEC XLR-M to XLR-F ("Cic ' (HOXMXF2) 6.75 3' (HOXMXI XLR-M to XLR-F (i' ' (HOMCXMXFBC5) | ### Premium ### P | 8.866.5010.188.5914.9913.95 |
| O-Z Microphone Cable - 25' (COPS HOSA TEC XLR-M to XLR-F ("Clc ' (HOXMXF2) 6.75 3' (HOXMXI XLR-M to XLR-F (i' (' (HOMCXMXFBC5) | ### Premium 25' (HOMCXMXF4C25) 7.49 5' (HOXMXF5) ################################### | 8.866.5010.188.5914.9913.95 |
| O-Z Microphone Cable - 25' (COPS HOSA TEC XLR-M to XLR-F ("Clc ' (HOXMXF2) 6.75 3' (HOXMXI XLR-M to XLR-F (i' (' (HOMCXMXFBC5) | ### Style XLR plugs #### Style XLR plugs #### Style XLR plugs #### Style XLR plugs ##### Style XLR plugs #################################### | |
| O-Z Microphone Cable - 25' (COPS HOSA TEC XLR-M to XLR-F ("Clc ' (HOXMXF2) 6.75 3' (HOXMXI XLR-M to XLR-F (i' (' (HOMCXMXFBC5) | ### Premium 25' (HOMCXMXF4C25) 7.49 5' (HOXMXF5) ################################### | |
| O-Z Microphone Cable - 25' (COPS HOSA TEC XLR-M to XLR-F ("Clc ' (HOXMXF2) 6.75 3' (HOXMXI XLR-M to XLR-F (i' (' (HOMCXMXFBC5) | ### Style XLR plugs F3 | |
| O-Z Microphone Cable - 25' (COPS Hosa Tec XLR-M to XLR-F ("Cic ' (HOXMXF2) 6.75 3' (HOXMXI XLR-M to XLR-F (i' ' (HOMCXMXFBC5) | chnology amp" style XLR plugs) F3) 7.49 5' (HOXMXF5) Black Connectors) 25' (HOMCXMXFBC25) R-F (Budget) 5' (HOMCXMXF2C25) 25' (HOMCXMXF2C25) R-F Premium 25' (HOMCXMXF4C25) R-Female (20 G) 20' (HOMCNXMXF200) 100' (HOMCNXMXF1HQ) | |
| O-Z Microphone Cable - 25' (COPS HOSA Tec XLR-M to XLR-F ("Cla ' (HOXMXF2) 6.75 3' (HOXMXI XLR-M to XLR-F (i' ' (HOMCXMXFBC5) | ### Company | |
| O-Z Microphone Cable - 25' (COPS Hosa Tec XLR-M to XLR-F ("Cic ' (HOXMXF2) 6.75 3' (HOXMXI XLR-M to XLR-F (i' ' (HOMCXMXFBC5) | chnology amp" style XLR plugs) F3) 7.49 5' (HOXMXF5) Black Connectors) 25' (HOMCXMXFBC25) R-F (Budget) 5' (HOMCXMXF2C25) 25' (HOMCXMXF2C25) R-F Premium 25' (HOMCXMXF4C25) R-Female (20 G) 20' (HOMCNXMXF200) 100' (HOMCNXMXF1HQ) | |
| O-Z Microphone Cable - 25' (COPS HOSA Tec XLR-M to XLR-F ("Cla ' (HOXMXF2) 6.75 3' (HOXMXI XLR-M to XLR-F (i' ' (HOMCXMXFBC5) | ### Style XLR plugs F3 T49 5' (HOXMXF5) ### Style XLR plugs F3 T49 5' (HOXMXF5) ### Black Connectors ### 25' (HOMCXMXFBC25) 5' (HOMCXMXF2C5) 5' (HOMCXMXF2C5) 5' (HOMCXMXF2C25) 6' (HOMCXMXF4C25) 7' (HOMCNXMXF4C25) 7' (HOMCNXMXF500) 100' (HOMCNXMXF500) 100' (HOMCNXMXF1HQ) 100' (HOMCNXMXF1HQ) 100' (HOMCNXMXF500) 1 | |
| O-Z Microphone Cable - 25' (COPS HOSA TEC XLR-M to XLR-F ("Clc ' (HOXMXF2) 6.75 3' (HOXMXI XLR-M to XLR-F (i' (' (HOMCXMXFBC5) | ### Style XLR plugs F3 T49 5' (HOXMXF5) ### Style XLR plugs F3 T49 5' (HOXMXF5) ### Black Connectors ### 25' (HOMCXMXFBC25) 5' (HOMCXMXF2C5) 5' (HOMCXMXF2C5) 5' (HOMCXMXF2C25) 6' (HOMCXMXF4C25) 7' (HOMCNXMXF4C25) 7' (HOMCNXMXF500) 100' (HOMCNXMXF500) 100' (HOMCNXMXF1HQ) 100' (HOMCNXMXF1HQ) 100' (HOMCNXMXF500) 1 | |
| O-Z Microphone Cable - 25' (COPS HOSA TEC XLR-M to XLR-F ("Cic ' (HOXMXF2) 6.75 3' (HOXMXI XLR-M to XLR-F (i' (' (HOMCXMXFBC5) | chnology amp" style XLR plugs) F3) 7.49 5' (HOXMXF5) Black Connectors) 25' (HOMCXMXFBC25) R-F (Budget) 5' (HOMCXMXF2C25) R-F Premium 25' (HOMCXMXF4C25) R-F Premium 25' (HOMCXMXF4C25) R-Female (20 G) 20' (HOMCNXMXF1HQ) 100' (HOMCNXMXF1HQ) Angled Male 5' (HOXMRAXF5) Angled Female | |
| O-Z Microphone Cable - 25' (COPS HOSA TEC XLR-M to XLR-F ("Cla ' (HOXMXF2) 6.75 3' (HOXMXI XLR-M to XLR-F (i' ' (HOMCXMXFBC5) | ### 12525 | |
| O-Z Microphone Cable - 25' (COPS HOSA Tec XLR-M to XLR-F ("Cla ' (HOXMXF2) 6.75 3' (HOXMXI XLR-M to XLR-F (i' ' (HOMCXMXFBC5) | ### 12525 | |
| O-Z Microphone Cable - 25' (COPS HOSA TEC XLR-M to XLR-F ("Cla ' (HOXMXF2) 6.75 3' (HOXMXI XLR-M to XLR-F (i' ' (HOMCXMXFBC5) | ### 12525 | |
| O-Z Microphone Cable - 25' (COPS HOSA Tec XLR-M to XLR-F ("Cle ' (HOXMXF2) 6.75 3' (HOXMXI XLR-M to XLR-F (i) ' (HOMCXMXFBC5) | ### Premium 25' (HOMCXMXF2C25) ### Premium 25' (HOMCXMXF4C25) ### Premium 25' (HOMCXMXF50) ### Premium 25' (HOMCXMXF750) ### Premium 25' (HOXMRAXF5) ### Premium 25' (HOXMRAXF15) ### Premium 25' (HOXMRAXF15) ### Premium 25' (HOXMRAXF15) ### Premium 25' (HOXMXFRA15) 10' (HORMXF10) 20' (HORMXF10) | |
| 0-Z Microphone Cable - 25' (COPS HOSA TeC XLR-M to XLR-F ("Cle ' (HOXMXF2) 6.75 3' (HOXMXI XR-M to XLR-F ("Cle ' (HOMCXMXFBC5) | chnology amp" style XLR plugs) F3) 7.49 5' (HOXMXF5) Black Connectors) 25' (HOMCXMXFBC25) 25' (HOMCXMXF2C25) 25' (HOMCXMXF2C25) 25' (HOMCXMXF2C25) R-F Premium 25' (HOMCXMXF4C25) R-F Premium 25' (HOMCXMXF4C25) 10' (HOMCNXMXF1HQ) 10' (HOMCNXMXF1HQ) 115' (HOXMRAXF5) 15' (HOXMRAXF5) 15' (HOXMXFRA5) 15' (HOXMXFRA5) 10' (HORMXF10) | |
| 0-Z Microphone Cable - 25' (COPS HOSA Tet XLR-M to XLR-F ("Cla ' (HOXMXF2) 6.75 3' (HOXMXI XLR-M to XLR-F (i) ' (HOMCXMXFBC5) | ### Part | |
| 0-Z Microphone Cable - 25' (COPS HOSA Tet XLR-M to XLR-F ("Cle ' (HOXMXF2) 6.75 3' (HOXMXI XLR-M to XLR-F (i) ' (HOMCXMXFBC5) | ### Park | |
| 0-Z Microphone Cable - 25' (COPS HOSA Tet XLR-M to XLR-F ("Cla ' (HOXMXF2) 6.75 3' (HOXMXI XLR-M to XLR-F (i) ' (HOMCXMXFBC5) | ### Part | |

| XLR to XLR Cables | | | | |
|--------------------------------|--|--|--|--|
| | K-Tek | | | |
| XLR-M to | XLR-F Coiled Cable | | | |
| 4" (KTK4NN) | 5 6"- 4' (KTK6NN) | | | |
| | 0 3-18' (KTK36NN) 57.60 | | | |
| XI R-M to Low-Profile R | ight -Angle XLR-F Coiled Cable | | | |
| | 0 6"- 4' (KTK6NK)39.60 | | | |
| | 5 3-18' (KTK36NK) | | | |
| | , | | | |
| Lynx Stu | dio Technology | | | |
| 1.5' RCA-M to XLR-F (LYCRM | <i>IXFA18</i>) | | | |
| 1.5' RCA-M to XLR-M (LYCRI | <i>MXMA18</i>) 6.50 | | | |
| _ | | | | |
| | Mogami | | | |
| | 1 to XLR-F Studio Mic Cable | | | |
| | 0S3) 39.95 6' (MOS6) 43.95 | | | |
| | 10S20) 69.95 25' (MOS25) 69.95 | | | |
| | 5 50' (MOS50) 109.95 | | | |
| 30 GOID Stage ALN-IVI to ALN-F | Mic Cable (MOS50Q) 139.95 | | | |
| Moi | ıster Cable | | | |
| Standa | ard 100 Series: | | | |
| 10' (MOS100M10)21.9 | 5 15' (MOS100M15) 24.95 | | | |
| 20'(MOS100M20)29.9 | 5 30' (MOS100M30) 39.95 | | | |
| 50' (MOS100M50) | 59.95 | | | |
| Perform | mer 500 Series: | | | |
| 5' (MOP500M5) 34.9 | 5 10' (MOP500M10) 29.50 | | | |
| 15' (MOP500M15) 54.9 | 5 20' (MOP500M20) 64.95 | | | |
| 30' (MOP500M30) 89.9 | 5 50' (MOP500M50) 95.57 | | | |

| 100' (MOP500M100) | 249.95 |
|--------------------------------|---------------------------------|
| Studio Pro 1 | 000 Series: |
| 10' (MOSP1000M10) | 79.95 |
| 15' (MOSP1000M15) 79.95 | 20' (MOSP1000M20) 129.95 |
| SL-X Studio | Link Series: |

| 1.5' (MOMSLX.5) 24.95 | 3' (MOMSLX1) 29.95 |
|------------------------------|----------------------------|
| 6.5' (MOMSLX2) 34.95 | 13' (MOMSLX4) 44.95 |

| Prolink DJ XLR-M I | Pair to XLR-F Pair | |
|---------------------|--------------------|------|
| 3' (MOMDJX1M) 19.95 | 6' (MOMDJX2M)2 | 4.95 |
| 13' (MOMDJX4M) | 3 | 4.95 |

XLR to XLR Cables

| | Pearstone XLR-M to XLR-F | | | | | |
|--|---------------------------------------|-------------------------------|--|--|--|--|
| | 1.5' (PECXMXF1.5) | 6' (PECXMXF6) | | | | |
| | 10' (PECXMXF10)11.49 | 15' (PECXMXF15) 12.49 | | | | |
| | 50' (PECXMXF50) 19.49 | 100' (PECXMXF100) 29.95 | | | | |
| | | | | | | |
| | 1.5' XLR-M to Angled XLR-F (PECXM) | XF1.5RS) 17.99 | | | | |
| | 20' XLR-M to Angled XLR-F (PECXMX | (F20RS) 21.95 | | | | |
| | Remote | Δudio | | | | |
| | 18" Coiled XLR-M Angled to XLR-F | | | | | |
| | 18" Right Angled Coiled XLR-M to | , | | | | |
| | 12" XLR-M Angled to XLR-F Angle | , | | | | |
| | 12 ALIT-IVI Aligica to ALIT-I Aligic | 5 (FILO/V/J 121111VII) | | | | |
| | Pro Co S | Sound | | | | |
| | AmeriA | quad: | | | | |
| | 20' (PRAMXMXF20)32.95 | 30' (PRAMXMXF30) 38.95 | | | | |
| | Master | Miko | | | | |
| | | | | | | |
| | XLR Male to XLR Female Cable - 5' (| | | | | |
| | 10' (PRMMXMXF10) 19.50 | , , | | | | |
| | 30' (PRMMXMXF30) 28.95 | , , | | | | |
| | 100' (PRMMXMXF100) | 54.95 | | | | |
| | StageM. | ASTER: | | | | |
| | 1' (PRSXMXF1)3.99 | 3' (PRSXMXF3) 6.49 | | | | |
| | 5' (PRXMXFS5)10.93 | 10' (PRXMXFS10) 8.99 | | | | |
| | 15' (PRXMXFS15) 7.95 | 20' (PRXMXFS20) 8.95 | | | | |
| | 25' (PRXMXFS25)11.99 | 30' (PRXMXFS30) 15.00 | | | | |
| | 50' (PRXMXFS50) 19.55 | 100' (PRXMXFS100) 25.95 | | | | |
| | Compon Tou | rtak Carina | | | | |
| Samson Tourtek Series 15' (SATM15) | | | | | | |
| | 10 (SATIVITO) | 1.33 | | | | |
| Shure | | | | | | |
| | 25' Hi-Flex Microphone Cable (SHC | | | | | |
| | 50' Hi-Flex Microphone Cable (SHC50J) | | | | | |
| 100' Hi-Flex Microphone Cable (SHC100J)39.00 | | | | | | |
| | Whirlwind | | | | | |
| | Accusonic+2 XL | _R-M to XLR-F | | | | |
| | 6' (WHMK406) 13.49 | 10' (WHMK410) Loa On | | | | |
| | 15' (WHMK415) 21.50 | 25' (WHMK425) 27.00 | | | | |
| | | | | | | |

Hosa 8-Channel Audio Snake Cables

50' (WHMK450)......**41.00**

| 3.3' 1/4" Phone (M) to 1/4" Phone (M) (HO8PM8PM3) | 17.01 |
|--|--------|
| 6.6' 1/4" Phone (M) to 1/4" Phone (M)' (HO8PM8PM6) | 21.95 |
| 3.3' 8-Channel 1/4" Phone to 1/4" Phone (HO8SPM8SPM3) | 19.95 |
| 6.6' Stereo 1/4" Phone to 1/4" Phone (HO8SPM8SPM6) | 34.99 |
| 10' Stereo 1/4" Phone to 1/4" Phone (HO8SPM8SPM9) | 31.90 |
| 6.6' RCA (M) to 1/4" Phone (HO8PM8RM6) | 19.64 |
| 6.6' 1/4" Phone to XLR-M (HO8SPM8XM6) | 42.00 |
| 10' XLR-M to XLR-F (HO8XM8XF9) | 56.00 |
| 23' XLR-M to XLR-F (H08XM8XF23) | 79.95 |
| 20' Little Bro Stage Box Snake (HOSFB6X2P20) | 56.75 |
| 30' Little Bro Stage Box Snake (HOSFB6X2P30) | 65.07 |
| 50'Little Bro Stage Box Snake (HOSFB6X2P50) | 84.30 |
| 25' Sub Snake Station with No Return (HOSFB8X025) | 69.99 |
| 50' Sub Snake Station with No Return (HOSFB8X050) | 95.37 |
| 25' SH Series Stage Box Snake (HOSFB8X4P25Q) | 117.39 |
| 50' SH Series Stage Box Snake (HOSFB8X4P50Q) | 150.30 |
| 100' SH Series Stage Box Snake (HOSFB8X4P1Q) | Disc |
| 100' SH Series Stage Box Snake (HOSFB8X4P100) | 249.95 |
| 23' 8-Channel XLR-M to XLR-F (HO8XM8XF23) | 59.95 |
| 16.5' 8-Channel XLR-M to XLR-F (HO8XM8XF16) | 54.95 |
| Dra Co Count Multi Trade December Oakla D. Cuk DDOE to | O VI F |



100' (WHMK4100)......**59.95**

| 10' DB-25 to 8-Channel XLR-M (HODB258XM9) | 30.50 49.00 |
|--|--|
| 16' DB-25 to to 4 XLR-M and 4 XLR-F (HOAESDSY4XMF) | 64.00 36.50 11.00 27.21 13.48 74.95 |

PRO AUDIO

| 800-947-1181 212 | | |
|---|--|---|
| Digital Au | dio Cables | |
| 3' XHD Digital S/PDIF RCA to RC/ 6.5' XHD Digital S/PDIF RCA to R | Phensive A (COCSPDIFXD13) | Atlas Sound Mic Outlet Floor Box (ATFB4X) Comprehensive |
| XLR-M to XLR -F AES/EBU Cable XHD XD1 Digital T | le - 6' (COXLRJBP6B)13.59 (COCAES10)20.29 oslink Audio Cable | XLR-M Connector (COCX3M). Mini-F Chassis Mount (COMJ Stereo 3.5mm F (COMJSCM). 9-Pin DE-9 Connector (CODB |
| 12' (COCTTXD112) 23.99 | 6' (COCTTXD16) | 1/4" Phone Plug (Mono) (COC XLR-F Connector (COCX3F) |
| | chnology RCA Male Digital Cable | Stereo 3.5mm Male (COMPS) |
| 3.3' <i>(HOS3)</i> | 6.5' (HOS6) 3.93 | Hosa Technology XLR-Male Plug (HOCXM) 1/4" Mono R/A (HOCPMRA) |
| | 3' (H003) | 1/4" Stereo R/A (HOCSPMRA) Switchcraft |
| ADAT Toslink to Toslink Fiber Op ADAT Toslink to Toslink Fiber Op | ### 100CTM10) | 5-Pin Mini-XLR-F (SWTA5F) Surface-Mount XLR-F (SWD3I XLR-F Connector (SWA3F) 1/4" Stereo (TRS) Phone (SW. |
| | nce Toslink to Toslink S/PDIF | XLR-M Connector (SWA3M) |
| 3.3' (MOMC400DF01M) .29.99 13' (MOMC400DF04M) 40.63 600DF0 High Performan 3.3' (MOMC600DF01M) .40.99 | 6.5' (MOMC400DF02M).34.25 20' (MOMC400DF020)52.95 ce Toslink to Toslink Fiber 6.5' (MOMC600DF02M).57.40 | 9 |
| Stereo XLR & Sp | ecial Mic Cables | Comprehensive Mini-F Chassis Mount |
| Starquad XLR-M 5-Pin to XLR-F 5-Pin Stereo XLR-F to Dual XLR-I | 5-Pin (<i>RECAX50N25</i>) 47.04 M Y-Cable (<i>RECAXSTE25</i>) 82.99 M Y-Cable (<i>RECAXSTE</i>) 49.99 | and a |
| | o Mini-F Cable (ROVC1) 10.99 a 91, Beta 98 (SHC98D) 20.09 | Neutrik 3.5mm Mini Plug |
| Speake | r Cables | |
| AT-690 1/4" Male to 1/4" Male 10' (AUAT69010)11.49 25' (AUAT69025)12.99 | echnica Speaker Cable (14-Gauge) 15' (AUAT69015) | Comprehensive Mini-F to RCA-M (COAMFRM) Mini-F to RCA-F (COAMFRF) Mini-M to RCA-F (COAMMRF) Mini-M to Phone-F (COAMMF Mini-M to 1/4" Female (COAM |
| Speakon to 1/4" Male Sp 3' (HOSKT403Q) 13.95 5' (HC 25' (HOSKT425Q) 18.76 50' (H | chnology peaker Cable (14-Gauge) ISKT4050) 14.98 IOSKT4500) 29.88 | Mini-F to Mini-F (COAMFMF). Mono Mini-F to Phone-M (CO RCA-F to RCA-F (COARFRF) RCA-M to XLR-F (COARMXF). RCA-M to XLR-M (COARMXM) |
| 20' (HOSKT220) 29.95 25' (HC 50' (HOSKT250) 63.95 100' (Speakon to Speakon | Speaker (12 Gauge) SKT225 | RCA-F to XLR-M (COARFXM). RCA-F to XLR-F (COARFXF) Phone-M to RCA-F (COAPMRI Phone-M to XLR-M (COAPM) |
| 1/4" TS Male to 1/4" TS Male (He | (HOSKT450) 37.33 OSCPP16100B) 34.99 | Phone-F to Phone-F (COAPFP 1/4" Phone-M to XLR-F (COA YLR-E to YLR-E (COAYFYE) |
| 10' 100 Series (MOS100S10) 19 | hone to 1/4" TS Male Phone | XLR-F to XLR-F (COAXFXF) XLR-M to Phone-F (COAPFXM XLR-F to Phone-F (COAPFXF) XLR-M to XLR-M (COAXMXM) |
| | | Pro Co Sound Phone-M to 2 Phone-F (PRYC 1/4" Phone to 2 RCA-F (PRYC |

Speakon to Speakon (12 Gauge) - 50' (PRPPSS1250) 59.95

Speakon to Speakon (12 Gauge) - 100'PRPPSS12100)...... 125.00 Whirlwind

Speakon to Speakon (12 Gauge) - 25' (WHSK525G12) 54.95

Speakon to Speakon (12 Gauge) - 50' (WHSK550G12) 94.99

Speakon to Speakon (12 Gauge) - 100' (WHSK5100G12) 134.95

Audio Connectors 3-Pin XLR-F Connector (NENC3FXX).... 2.84 4-Pin XLR Connector (NENC4FX)...... 4.75 Floor Box (ATFB4XLRF)....123.50 3-Pin XLR-M Connector (NENC3MXX).. 2.44 4-Pin XLR-F Connector (NENC4FXB) ... 5.95 5-Pin XLR-F Connector (NENC5FX) 5.99 ensive 2-Pole 1/4" Male Phone (NENP2X)..... 2.94 nector (COCX3M)......2.00 3-Pin XLR-M Connector (NENC3MX) ... 2.59 3 Pole Female (NENC3FXXBAG)..... 2.98 ssis Mount (COMJCM) 1.03¢ 3-Pin XLR-F Connector (NENC3FXB) ... 3.77 4-Pole Chassis (NECANL4MP)......2.39 nm F (COMJSCM)......1.49 3-Pin XLR-M Wall Plate (NE203M).... 13.09 4-Pole Speakon Connector (NENL4FX) 3.94 Connector (CODB9M)2.71 3-Pin XLR-M (NENC3MDLB1)...... 3.00 Male Phone Connector (NENP2C)...... 2.99 Plug (Mono) (COCP) 0.79¢ 3-Pin XLR-F Connector (NENC3FX) 2.79 Male Phone Connector (NENP3C)...... 4.49 nector (COCX3F)......2.16 4-Pin XLR-M Connect (NENC4MX) 3.69 Male RCA Connector (NECANYS352)... 0.89 nm Male (COMPS)......1.19 nnology Locking Power Connector- Type A (NENAC3FCA)..... Plug (HOCXM)1.99 R/A (HOCPMRA).....1.99 Wallplate with Dual 3-Pin XLR-F Connectors (NE203F)..... R/A (HOCSPMRA)......3.50 -XLR-F *(SWTA5F)***11.12** 1/4" Pro Phone Plugs, X-Series - Contacts (NENP3XBAG)......3.49 ount XLR-F (SWD3F)2.99 3-Pole Male Cable Connector - Gold Contacts (NENC3MXXB)..... .3.39 nector (SWA3F)......2.95 3-Pole Female Cable Connector - Gold Contacts (NENC3FXXB)..... (TRS) Phone (SW297) 4.49 Stereo 1/4" Phone Connector (NENP3X)..... 4.29 nector (SWA3M)2.79 4-Pole Speakon Connector with Latch (NENL4FC). 4.99 Neutrik Male Comprehensive 3-Pin XI R 3.5mm Female Chassis Mount Connector . Chassis Mount Neutrik 4-Pole Speakon Connector Comprehensive 3.5mm Mini Plug Monster Dual RCA-F to RCA-F Monster Stereo Mini-M to 2 Mono 1/4"-F

Audio Adapters

Phone to Dual Banana (HOABPF16B)......9.99

Hosa Technology

RCA-F to RCA-F (2) (HOARFRF2)

2.75

| | | (-) (-) (-) (-) |
|--|---|---|
| Mini-F to RCA-F (COAMFRF) 1.75 | 1/4"-F to Dual Banana (HOABPF16R)8.50 | XLR-F to RCA-M (HOARMXF)4.04 |
| Mini-M to RCA-F (COAMMRF)0.92 | Phone to Stereo Mini (HOASMFPM)2.99 | 1/4" TS Phone-F to RCA-M (HOAPFRM) . 1.49 |
| Mini-M to Phone-F (COAMMPF)1.43 | Phone-F to Phone-F (HOASPFSPF)1.73 | Stereo 1/4" to XLR (HOASPFXM) |
| Mini-M to 1/4" Female (COAMMPFS)1.43 | Phone-M to RCA-F (2) (HOAPMRF) 1.40 | Mini-F to Mini-F (HOASMFSMF)2.58 |
| Mini-F to Mini-F (COAMFMF)1.89 | Stereo Phone to XLR (HOASPMXF)4.78 | RCA-F to 1/8" Mini Phone (HOAMMRF) 1.35 |
| Mono Mini-F to Phone-M (COAMFPM).1.03 | | |
| RCA-F to RCA-F (COARFRF)1.19 | TS Phone to TRS Stereo (HOASPMPF)1.99 | RCA to 2 RCA Adapter (HOARM2RF) 1.75 |
| RCA-M to XLR-F (COARMXF)6.95 | Stereo Mini to 2 RCA-F (HOASMM2RF)1.99 | RCA to XLR Adapter (HOARFXM)2.68 |
| RCA-M to XLR-M (COARMXM)6.99 | Splitter/Combiner (HOASPM2RF)1.59 | XLR-M to RCA-M (HOARMXM)3.08 |
| RCA-F to XLR-M <i>(COARFXM)</i> 7.99 | 1/4" Phone to Speakon (HOAPFS16)8.16 | Stereo Phone to XLR (HOASPMXM)5.95 |
| RCA-F to XLR-F (COARFXF) | Right-Angle RCA (2) (HOARMRARF2)1.99 | Phone to RCA Angled (HOAPMRARF2)2.49 |
| Phone-M to RCA-F (COAPMRF)1.67 | Stereo 1/4"-F to XLR-F (HOASPFXF) 3.70 | |
| Phone-M to XLR-M (COAPMXM) 7.99 Monster Cable | | |
| Phone-F to Phone-F (COAPFPF)2.39 | | danie |
| , , | Right-Angle RCA Adapter (MORARCA) 12.00 | XLR-F to XLR-F (MOMCLFX) 14.95 |
| 1/4" Phone-M to XLR-F (COAPMXF) 7.99 | Dual RCA-F to RCA-F (MOMCLDFR) 19.95 | 1/4" TS-F to 1/4" (MOMCLFM) 14.95 |
| XLR-F to XLR-F (COAXFXF) | XLR-M to XLR-M (MOMCLMX) 14.95 | RCA -F to 1/4" TRS (MOMCLFRMST) 14.95 |
| XLR-M to Phone-F (COAPFXM) | RCA-F to RCA-F (MOMCLFR)14.95 | Stereo 1/4" to 2 RCA(MOMCLMST2FR) 14.95 |
| XLR-F to Phone-F (COAPFXF)7.99 | RCA-F to 1/4" TS Phone (MOMCLFRM) 14.95 | Mono 1/4" to 2 RCA (MOMCLM2FR) 14.95 |
| XLR-M to XLR-M <i>(COAXMXM)</i> 7.99 | 1/8" TS Male Mini Phone to 1/4 TS (MOMCLM) | MINIEM) 10.05 |
| Pro Co Sound | RCA-F to 1/8" TRS Stereo (MOMCLFRMSTMI) | |
| | | |
| Phone-M to 2 Phone-F (PRYCPM2PF) .2.95 | XLR-F to 1/4" TRS Stereo (MOMCLEXEST) | |
| 1/4" Phone to 2 RCA-F (PRYCPM2RF). 1.95 | Stereo Mini 1/8" Male to 2 RCA-F (MOMCLMSTMINQ) | |
| RCA-M to 2 RCA-F (PRYCRM2RF) 2.50 | 1/4" TRS Stereo Phone-M to to XLR -F (MOMCLMSTFX) | |
| | | |
| RCA to XLR Adapter (HOARFXF)3.36 | XLR-M to 1/4" TRS Stereo Phone (MOMCLMXF | |
| | | |



.1.75

This audio adapter kit provides a pair of virtually every audio adapter in current use. Includes a sturdy plastic storage case with 10 compartments created by a set of adjustable dividers.

